

FedAIoT: A Federated Learning Benchmark for Artificial Intelligence of Things

Samiul Alam¹

ALAM.140@OSU.EDU

Tuo Zhang²

TUOZHANG@USC.EDU

Tiantian Feng²

TIANTIAF@USC.EDU

Hui Shen¹

SHEN.1780@OSU.EDU

Zhichao Cao³

CAOZC@MSU.EDU

Dong Zhao³

DZ@MSU.EDU

JeongGil Ko⁴

JEONGGIL.KO@YONSEI.AC.KR

Kiran Somasundaram⁵

KIRANSOM@META.COM

Shrikanth S. Narayanan²

SHRI@SIPI.USC.EDU

Salman Avestimehr²

AVETIME@USC.EDU

Mi Zhang¹

MIZHANG.1@OSU.EDU

¹*The Ohio State University*

²*University of Southern California*

³*Michigan State University*

⁴*Yonsei University*

⁵*Meta*

Reviewed on OpenReview: <https://openreview.net/forum?id=fYNw9Ukljz>

Editor: Peter Mattson

Abstract

There is a significant relevance of federated learning (FL) in the realm of Artificial Intelligence of Things (AIoT). However, most of existing FL works are not conducted on datasets collected from authentic IoT devices that capture unique modalities and inherent challenges of IoT data. To fill this critical gap, in this work, we introduce FedAIoT, an FL benchmark for AIoT. FedAIoT includes eight datasets collected from a wide range of IoT devices. These datasets cover unique IoT modalities and target representative applications of AIoT. FedAIoT also includes a unified end-to-end FL framework for AIoT that simplifies benchmarking the performance of the datasets. Our benchmark results shed light on the opportunities and challenges of FL for AIoT. We hope FedAIoT could serve as an invaluable resource to foster advancements in the important field of FL for AIoT. The repository of FedAIoT is maintained at <https://github.com/AIoT-MLSys-Lab/FedAIoT>.

Keywords: Benchmarks, Federated Learning, Artificial Intelligence of Things, AIoT




Figure 1: Overview of FedAIoT.

1 Introduction

Internet of Things (IoT) such as smartphones, drones, and sensors deployed at homes are ubiquitous today. The advances in Artificial Intelligence (AI) have boosted the integration of IoT and AI that turns Artificial Intelligence of Things (AIoT) into reality. However, data captured by IoT devices usually contain privacy-sensitive information. In recent years, federated learning (FL) has emerged as a privacy-preserving solution that allows the extraction of knowledge from collected data while keeping the data solely on the devices (Kairouz et al., 2021; Wang et al., 2021; Zhang et al., 2022).

Despite the significant relevance of FL in the AIoT realm, as summarized in Table 9 in Appendix A, most existing FL works are conducted on well-known datasets such as CIFAR-10 and CIFAR-100. *These datasets, however, do not originate from authentic IoT devices and thus fail to capture the unique modalities and inherent challenges associated with real-world IoT data.* This discrepancy underscores a strong need for an IoT-oriented FL benchmark to fill this critical gap.

In this work, we present FedAIoT, an FL benchmark for AIoT (Figure 1). At its core, FedAIoT includes eight well-chosen datasets collected from a wide range of IoT devices from smartphones, smartwatches, and Wi-Fi routers, to drones, smart home sensors, and head-mounted devices that either have already become an indispensable part of people’s daily lives or are driving emerging applications. These datasets encapsulate a variety of unique IoT-specific data modalities such as wireless data, drone images, and smart home sensor data (e.g., motion, energy, humidity, temperature) that have not been explored in existing FL benchmarks. Moreover, these datasets target some of the most representative applications and innovative use cases of AIoT.

To facilitate benchmarking and ensure reproducibility, FedAIoT includes a unified end-to-end FL framework for AIoT, which covers the complete FL-for-AIoT pipeline: from non-independent and identically distributed (non-IID) data partitioning, IoT-specific data preprocessing, to IoT-friendly models, FL hyperparameters, and IoT-factor emulator. Our framework also includes the implementations of popular schemes, models, and techniques involved in each stage of the FL-for-AIoT pipeline.

We have conducted systematic benchmarking on the eight datasets using the end-to-end framework. Specifically, we examine the impact of varying degrees of non-IID data distributions, FL optimizers, and client sampling ratios on the performance of FL. We also

Table 1: Comparison between FedAIoT and existing FL benchmarks.

	Data Type	FL Framework Designed for IoT	Noisy Labels	Quantized Training
FLamby	Medical Images	No	No	No
FedAudio	Audio Data	No	Uniform	No
FedMultimodal	Multimodality Data	No	Uniform	No
FedGraphNN	Graph Data	No	No	No
FedNLP	Natural Language	No	No	No
FLUTE	Images and Text	No	No	Server Side only
FedCV	Images	No	No	No
FedAIoT	IoT Data	Yes	Probabilistic	Server and Client Side

evaluate the impact of noisy labels, a prevalent challenge in IoT datasets, as well as the effects of quantized training, a technique that tackles the practical limitation of resource-constrained IoT devices. Our benchmark results provide valuable information about both the opportunities and challenges of FL for AIoT. Given the significant relevance of FL in the realm of AIoT, we hope FedAIoT could act as a valuable tool to promote advancements in the important area of FL for AIoT. In summary, our work makes the following contributions.

- **IoT-focused Benchmark.** Our benchmark represents the first FL benchmark that focuses on data collected from a diverse set of authentic IoT devices. Moreover, our benchmark includes unique IoT-specific data modalities that previous benchmarks do not include.
- **Unified End-to-End FL Framework for AIoT.** We introduce the first unified end-to-end FL framework for AIoT that covers the complete FL-for-AIoT pipeline: from non-IID data partitioning, and IoT-specific data preprocessing, to IoT-friendly models, FL hyperparameters, and IoT-factor emulators.
- **Novel Design of Noisy Labels.** Our benchmark also introduces a novel way to design noisy labels. Real-world FL deployments on IoT devices often encounter data labeling errors, which act as noises in federated training. To emulate such noises, different from prior benchmarks that adopt either uniform error distribution or non-uniform error distributions with the assumption that one label can only be mislabeled as another specific label with a random probability, we have designed a new label transition probability matrix based on the insight that labels that are similar to each other are more likely to be mislabeled. This design allows us to simulate data label noises with more realistic transition probabilities and to benchmark FL algorithms for their robustness to such noises.
- **Quantized Training.** Lastly, we are also the first FL benchmark to show the effect of quantized training on both server and client sides in the context of FL. Previous benchmarks such as FLUTE (Garcia et al., 2022) demonstrate the effect of quantized training during server-side aggregation for communication reduction. In contrast, our benchmark also incorporates quantized training during client-side training to reduce the memory demands of FL on the device. This is a key difference as IoT devices are often limited by not only communication bandwidth but also on-device memory capacity.

Table 2: Overview of the datasets included in FedAIoT.

Dataset	IoT Platform	Data Modality	Data Dimension	Dataset Size	# Training Samples	# Clients
WISDM-W	Smartwatch	Accelerometer Gyroscope	200×6	294 MB	16,569	80
WISDM-P	Smartphone	Accelerometer Gyroscope	200×6	253 MB	13,714	80
UT-HAR	Wi-Fi Router	Wireless Signal	$3 \times 30 \times 250$	854 MB	3,977	20
Widar	Wi-Fi Router	Wireless Signal	$22 \times 20 \times 20$	3.3 GB	11,372	40
VisDrone	Drone	Images	$3 \times 224 \times 224$	1.8 GB	6,471	30
CASAS	Smart Home	Motion Sensor Door Sensor Thermostat	2000×1	233 MB	12,190	60
AEP	Smart Home	Energy, Humidity Temperature	18×1	12 MB	15,788	80
EPIC-SOUNDS	Augmented Reality	Acoustics	400×128	34 GB	60,055	210

2 Related Work

The importance of data to FL research pushes the development of FL benchmarks on a variety of data modalities. Existing FL benchmarks, however, predominantly center around curating FL datasets in the domain of computer vision (CV) (He et al., 2021b; Garcia et al., 2022), natural language processing (NLP) (Lin et al. (2022); Garcia et al. (2022)), medical imaging (du Terrail et al., 2022), speech and audio (Zhang et al., 2023; Garcia et al., 2022), and graph neural networks (He et al., 2021a). For example, FedCV (He et al. (2021b)), FedNLP (Lin et al., 2022), and FedAudio (Zhang et al., 2023) focuses on benchmarking CV, NLP, and audio-related datasets and tasks respectively; FLUTE (Garcia et al., 2022) covers a mix of datasets from CV, NLP, and audio; FLamby (du Terrail et al., 2022) primarily focuses on medical images; and FedMultimodal (Feng et al., 2023) includes multimodal datasets in the domain of emotion recognition, healthcare, multimedia, and social media. As summarized in Table 1, although these benchmarks have contributed to FL research, a dedicated FL benchmark explicitly tailored for IoT data is absent. Compared to these existing FL benchmarks, FedAIoT is specifically designed to fill this critical gap by providing a dedicated FL benchmark on data collected from a wide range of authentic IoT devices.

3 Design of FedAIoT

3.1 Datasets

Objective: The objective of FedAIoT is to provide a benchmark consisting of well-validated and high-quality datasets collected from a wide range of IoT devices, sensor modalities, and applications. *We have made significant efforts to examine a much larger pool of existing datasets and select the high-quality ones to include in our benchmark.* Table 2 provides an overview of the eight high-quality datasets included in FedAIoT. These datasets have diverse sizes (small: less than 7k samples; medium: 11k to 16k samples; and large: more than 60k samples). The rationale behind this design choice is to accommodate researchers with different computing resources. For example, researchers with limited computing resources can still pick the relatively small datasets in our benchmark to develop and evaluate their

algorithms. In this section, we provide a brief overview of each included dataset. More details about the datasets are provided in Appendix B and Table 10.

WISDM: The Wireless Sensor Data Mining (WISDM) dataset (Weiss et al., 2019; Lockhart et al., 2011) is one of the widely used datasets for the task of daily activity recognition using accelerometer and gyroscope sensor data collected from smartphones and smartwatches. WISDM includes data collected from 51 subjects performing 18 daily activities, each in a 3-minute session. We combined activities such as eating soup, chips, pasta, and sandwiches into a single category called “eating”, and removed uncommon activities related to playing with balls, such as kicking, catching, or dribbling. We randomly selected 45 subjects as the training set and the remaining six subjects were assigned to the test set. Given that the smartwatch data and smartphone data were not collected simultaneously for most subjects and thus were not synchronized precisely, we partition WISDM into two independent datasets: **WISDM-W** with smartwatch data only and **WISDM-P** with smartphone data only. The total number of samples in the training and test set is 16,569 and 4,103 for WISDM-W and 13,714 and 4,073 for WISDM-P respectively. No Licence was explicitly mentioned on the dataset homepage.

UT-HAR: The UT-HAR dataset (Yousefi et al., 2017) is a dataset for contactless activity recognition based on Wi-Fi signals. The Wi-Fi data are in the form of Channel State Information (CSI) collected using three pairs of antennas and an Intel 5300 Network Interface Card (NIC), with each antenna pair capable of capturing 30 subcarriers of CSI. UT-HAR comprises data collected from subjects performing seven activities such as walking and running. UT-HAR contains a pre-determined training and test set. The total number of training and test samples is 3,977 and 500 respectively. No Licence was mentioned on the dataset homepage.

Widar: The Widar dataset (Yang, 2020; Zheng et al., 2019) is designed for contactless gesture recognition using Wi-Fi signal strength measurements collected from strategically placed access points. The data collection system uses an Intel 5300 NIC with 3×3 antenna pairs. The dataset includes data from 17 subjects performing 22 unique gestures like push, pull, sweeping, and clapping. There are some gesture classes that were only contributed by one subject. Including those would risk the model overfitting for that subject instead of the gesture itself. As such, only gestures recorded by more than three subjects are retained, with data from two subjects used during training and the remaining one for the test set. This decision ensures that the test set does not have data from the same subjects as the training set. The resulting dataset includes nine gestures with 11,372 samples in the training set and 5,222 in the test set. The dataset is licensed under the Creative Commons Attribution-NonCommercial 4.0 International Licence (CC BY 4).

VisDrone: The VisDrone dataset (Zhu et al., 2021) is a large-scale dataset dedicated to object detection in aerial images captured by drone cameras. VisDrone includes a total of 263 video clips, which contain 179,264 frames and 2,512,357 labeled objects. The labeled objects fall into 12 categories (e.g., “pedestrian”, “bicycle”, and “car”), recorded under various scenarios such as crowded urban areas, highways, and parks. The dataset contains a pre-determined training and test set. The total number of samples in the training and test set is 6,471 and 1,610 respectively. The dataset is licensed under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License.




Figure 2: Overview of the end-to-end FL framework for AIoT included in FedAIoT.

CASAS: The CASAS dataset (Schmitter-Edgecombe and Cook, 2009), derived from the CASAS smart home project, is a smart home sensor dataset for the task of recognizing activities of daily living (ADL) based on sequences of sensor states over time to support the application of independent living. Data were collected from three distinct apartments, each equipped with three types of sensors: motion sensors, temperature sensors, and door sensors. We have selected five specific datasets from CASAS named “Milan”, “Cairo”, “Kyoto2”, “Kyoto3”, and “Kyoto4” based on the uniformity of their sensor data representation. The original ADL categories within each dataset have been consolidated into 11 categories related to home activities such as “sleep”, “eat”, and “bath”. Activities not fitting within these categories were collectively classified as “other”. The training and test set was made using an 80-20 split. Each data sample is a categorical time series of length 2,000, representing sensor states over a certain period. The total number of samples in the training and test set is 12,190 and 3,048 respectively. No Licence was mentioned on the dataset homepage.

AEP: The Appliances Energy Prediction (AEP) dataset (Candanedo et al., 2017) is another smart home sensor dataset but designed for the task of home energy usage prediction. Data were collected from energy sensors, temperature sensors, and humidity sensors installed inside a home every 10 minutes over 4.5 months. The number of samples in the training and test set is 15,788 and 3,947 respectively. No Licence was mentioned on the dataset homepage.

EPIC-SOUNDS: The EPIC-SOUNDS dataset (Huh et al., 2023) is a large-scale collection of audio recordings for audio-based human activity recognition for augmented reality applications. The audio data were collected from a head-mounted microphone, containing more than 100,000 categorized segments distributed across 44 distinct classes. The dataset contains a pre-determined training and test set. The total number of training and test samples is 60,055 and 40,175 respectively. The dataset is under CC BY 4 Licence.

3.2 End-to-End Federated Learning Framework for AIoT

To benchmark the performance of the datasets and facilitate future research on FL for AIoT, we have designed and developed an end-to-end FL framework for AIoT as another key part of FedAIoT. As illustrated in Figure 2, our framework covers the complete FL-for-AIoT pipeline, including (1) non-IID data partitioning, (2) IoT-specific data preprocessing, (3) IoT-friendly

Table 3: Non-IID data partitioning schemes and models used for each dataset.

Dataset	WISDM-W	WISDM-P	UT-HAR	Widar	VisDrone	CASAS	AEP	EPIC-SOUNDS
Partition	Output	Output	Output	Output	Input	Output	Output	Output
	Labels	Labels	Labels	Labels	Features	Labels	Distribution	Labels
Model	LSTM	LSTM	ResNet18	ResNet18	YOLOv8n	BiLSTM	MLP	ResNet18

models, (4) FL hyperparameters, and (5) IoT-factor emulator. In this section, we describe these components in detail.

3.2.1 NON-IID DATA PARTITIONING

A key characteristic of FL is that data distribution at different clients is non-IID. The objective of non-IID data partitioning is to partition the training set such that data allocated to different clients follow the non-IID distribution. The eight datasets included in FedAIoT cover three fundamental tasks: classification, regression, and object detection. As summarized in Table 3, FedAIoT incorporates three different non-IID data partitioning schemes designed for the three tasks respectively.

Scheme#1: Non-IID Partition over Output Labels. For the task of classification (WISDM-W, WISDM-P, UT-HAR, Widar, CASAS, EPIC-SOUNDS) with C classes, we first generate a distribution over the classes for each client by drawing from a Dirichlet distribution (formal definition in Appendix C) with parameter α (Hsu et al., 2019), where lower values of α generate more skewed distribution whereas higher values of α result in more balanced class distributions. We use the same α to determine the number of samples each client contains. In addition, by drawing from a Dirichlet distribution with parameter α , we create a distribution over the total number of samples, which is then used to allocate a varying number of samples to each client, where lower values of α lead to a few clients holding a majority of the samples whereas higher values of α create a more balanced distribution of samples across clients. Therefore, this approach allows us to generate non-IID data partitions such that both class distribution and the number of samples can vary across the clients.

Scheme#2: Non-IID Partition over Input Features. The task of object detection (VisDrone) does not have specific classes. In such case, we use the input features to create non-IID partitions. Specifically, similar to He et al. (2021b), we first used ImageNet (Russakovsky et al., 2015) features generated from the VGG19 model (Liu and Deng, 2015), which encapsulate visual information required for subsequent analysis. With these ImageNet features as inputs, we performed clustering in the feature space using K -nearest neighbors to partition the dataset into clusters. Each cluster is a pseudo-class, representing images sharing common visual characteristics as per the extracted ImageNet features. Lastly, Dirichlet allocation was applied on top of the pseudo-classes to create the non-IID distribution across different clients.

Scheme#3: Non-IID Partition over Output Distribution. For the regression task (AEP) where output is characterized as a continuous variable, we utilize Quantile Binning (Pyle, 1999). Specifically, we divide the range of the output variable into equal groups or quantiles, ensuring that each bin accommodates roughly the same number of samples. Each

category or bin is treated as a pseudo-class. Note that the number of quantiles can be set to any value in our framework. We used ten as an example to demonstrate the results. Lastly, we apply Dirichlet allocation to generate the non-IID distribution of data across the clients.

3.2.2 IOT-SPECIFIC DATA PREPROCESSING

The eight datasets included in **FedAIoT** cover diverse IoT data modalities such as wireless signals, drone images, and smart home sensor data. **FedAIoT** incorporates a suite of IoT-specific data preprocessing techniques that are designed for such IoT data modalities accordingly.

WISDM: We followed the standard preprocessing techniques used in accelerometer and gyroscope-based activity recognition for WISDM (Ravi et al., 2005; Reyes-Ortiz et al., 2016; Ronao and Cho, 2016). Specifically, for each 3-minute session, we used a 10-second sliding window with 50% overlap to extract samples from the raw accelerometer and gyroscope data sequences. We then normalize each dimension of the extracted samples by removing the mean and scaling to unit variance.

UT-HAR: We followed Yang et al. (2023) and applied a sliding window of 250 packets with 50% overlap to extract samples from the raw Wi-Fi data from all three antennas. We then normalize each dimension of the extracted samples by removing the mean and scaling to unit variance.

Widar: We first adopted the body velocity profile (BVP) processing technique as outlined in Yang et al. (2023); Zheng et al. (2019) to handle environmental variations from the data. We then applied standard scalar normalization to normalize the data. This creates data samples with the shape of $22 \times 20 \times 20$ reflecting time axis, x , and y velocity features respectively.

VisDrone: We first normalized the pixel values of drone images to range from 0 to 1. Data augmentation techniques including random shifts in Hue, Saturation, and Value color space, image compression, shearing transformations, scaling transformations, horizontal and vertical flipping, and MixUp were applied to increase the diversity of the dataset.

CASAS: We followed Liciotti et al. (2019) to transform the sensor readings into categorical sequences, creating a form of semantic encoding. Every possible temperature setting is assigned a distinct categorical value. Individual instances of motion and door sensor activation (on or off) are also assigned a categorical value. Subsequently, for a sensor activation, we extract a sequence consisting of the previous 2,000 sensor activations which we then use for activity prediction.

AEP: Temperature data were log-transformed for skewness, and the “visibility” value indicating meteorological visibility in kilometers was binarized with median threshold. Outliers below the 10th or above the 90th percentile were replaced with corresponding percentile values. Central tendency and date features were added for time-related patterns. Principal component analysis was used for data reduction, and the output was normalized using a standard scaler.

EPIC-SOUNDS: We first performed a Short-Time Fourier Transform (STFT) on raw audio data followed by applying a Hanning window of 10ms duration and a step size of 5ms to ensure appropriate spectral resolution. We then extracted 128 Mel spectrogram features. To

Table 4: Representative IoT devices for each dataset.

Dataset	Application	IoT Platform	Representative Devices	Hardware RAM Size
WISDM-W	Activity Recognition	Smartwatch	Apple Watch 8	512 MB to 1 GB
WISDM-P		Smartphone	iPhone 14	6 GB
UT-HAR		Wi-Fi Router	TP-Link AX1800	64 MB to 1 GB
Widar	Gesture Recognition	Wi-Fi Router	TP-Link AX1800	64 MB to 1 GB
CASAS	Independent Living	Smart Home	Raspberry Pi 4	1 GB to 8 GB
AEP	Energy Prediction	Smart Home	Raspberry Pi 4	1 GB to 8 GB
VisDrone	Objective Detection	Drone	Dji Mavic 3 + Raspberry Pi 4	1 GB to 8 GB
EPIC-SOUNDS	Augmented Reality	Head-mounted Device	GoPro / AR Headset	1 GB to 8 GB

further enhance the data, we applied a natural logarithm scaling to the Mel spectrogram output. Lastly, we padded each segment to reach a consistent length of 400.

3.2.3 IoT-FRIENDLY MODELS

Given that FedAIoT focuses on resource-constrained IoT devices, our choice of models is informed by a combination of model accuracies and model efficiency (Reinbothe, 2023; Yang et al., 2023; Terven et al., 2023; Liciotti et al., 2019; Seyedzadeh et al., 2018; Sholahudin et al., 2016; Huh et al., 2023). For each included dataset, we evaluated multiple model candidates, and selected the best-performing ones that adhere to the resource constraints of representative IoT devices listed in Table 4. As an example, for UT-HAR dataset, two model candidates (ViT and ResNet18) have similar accuracy, and we selected ResNet18 in our benchmark as it has better model efficiency. Table 3 lists the selected model for each dataset. The detail of the architecture of each model is described in Appendix D.

3.2.4 FL HYPERPARAMETERS

Data Heterogeneity Level. Data heterogeneity (i.e., non-IIDness) is a fundamental challenge in FL. As outlined in Section 3.2.1, FedAIoT facilitates the creation of diverse non-IID data partitions, which enables the simulation of different data heterogeneity levels to meet experiment requirements.

FL Optimizer. FedAIoT supports a handful of commonly used FL optimizers. In the experiment section, we showcase the benchmark results of two of the most commonly used FL optimizers: FedAvg (McMahan et al., 2017) and FedOPT (Reddi et al., 2021).

Client Sampling Ratio. Client sampling ratio denotes the proportion of clients selected for local training in each round of FL. This hyperparameter plays a crucial role as it directly influences the computation and communication costs associated with FL. FedAIoT facilitates the creation of diverse client sampling ratios and the evaluation of its impact on both model performance and convergence speed during federated training.

Details on other hyperparameters used for each experiment are described in Appendix E.

3.2.5 IOT-FACTOR EMULATOR

Noisy Labels. In real-world scenarios, IoT sensor data can be mistakenly labeled. These labels introduce noise into the federated training process. Therefore, FL systems need to be designed with robustness to label noise as a crucial feature. Label noise is a well-discussed concept in centralized training with established methods to mitigate it (Song et al., 2023). In general, label noise can be emulated in two ways: *Symmetric Noise* where the injected noise is uniformly distributed across the labels (Tanaka et al., 2018); and *Asymmetric Noise* injects noise non-uniformly across different labels using a label transition probability matrix (Patrini et al., 2017; Tanaka et al., 2018). In the context of FL, Xu et al. (2022); Zhang et al. (2023); Feng et al. (2023) propose to use symmetric noise to simulate label noise, evaluating FL algorithms at various noise levels. Fang and Ye (2022); Kim et al. (2022); Wu et al. (2023); Liang et al. (2024); Tsouvalas et al. (2024), on the other hand, propose to use asymmetric noise to simulate label noise. In particular, Fang and Ye (2022); Kim et al. (2022); Liang et al. (2024); Tsouvalas et al. (2024) design label transition probabilities in a pairwise manner, assuming that one label can only be mislabeled as another specific label with a random probability. In contrast, in FedAIoT, we propose a new label transition probability matrix that breaks this assumption, where a label can be mistakenly labeled as any other label with a learned probability. Specifically, we augment the ground truth labels of a dataset with a label transition probability matrix Q where, Q_{ij} is the probability that the true label i is changed to a different label j , i.e., $P(\hat{y} = j | y = i)$. The label transition probability matrix was constructed based on centralized training results, where the elements of Q_{ij} was determined from the ratio of samples labeled as j by a centrally trained model to those with ground truth label i .

Quantized Training. IoT devices are resource-constrained. Previous benchmarks such as FLUTE (Garcia et al., 2022) examined the performance of quantized training during server-side model aggregation to reduce the communication cost of FL. Ozkara et al. (2021) and Gupta et al. (2023) study quantization-aware training but still use full precision during training. In contrast, FedAIoT incorporates not only quantized model aggregation at the server side but also quantized training at the client side to reduce the memory demands of FL on client IoT devices. Quantized training on both server and client sides is key to enabling FL for AIoT as IoT devices are not just restrained in communication bandwidth but also in on-device memory.

4 Benchmark Results and Analysis

We implemented FedAIoT using PyTorch (Paszke et al., 2019) and Ray (Moritz et al., 2018) and conducted our experiments on NVIDIA A6000 GPUs. We run each of our experiments using three random seeds and report the mean and standard deviation.

4.1 Overall Performance

First, we benchmark the FL performance under two FL optimizers, FedAvg and FedOPT, under low ($\alpha = 0.5$) and high ($\alpha = 0.1$) data heterogeneity levels, and compare it against centralized training.

Table 5: Overall performance.

Dataset	Metric	Centralized	Low Data Heterogeneity ($\alpha = 0.5$)		High Data Heterogeneity ($\alpha = 0.1$)	
			FedAvg	FedOPT	FedAvg	FedOPT
WISDM-W	Accuracy (%)	74.05 \pm 2.47	70.03 \pm 0.13	71.50 \pm 1.52	68.51 \pm 2.21	65.76 \pm 2.42
WISDM-P	Accuracy (%)	36.88 \pm 1.08	36.21 \pm 0.19	34.32 \pm 0.84	34.28 \pm 3.28	32.99 \pm 0.55
UT-HAR	Accuracy (%)	95.24 \pm 0.75	94.03 \pm 0.63	94.10 \pm 0.84	74.24 \pm 3.87	87.78 \pm 5.48
Widar	Accuracy (%)	61.24 \pm 0.56	59.21 \pm 1.79	56.26 \pm 3.11	54.76 \pm 0.42	47.99 \pm 3.99
VisDrone	MAP-50 (%)	34.26 \pm 1.56	32.70 \pm 1.19	32.21 \pm 0.28	31.23 \pm 0.70	31.51 \pm 2.18
CASAS	Accuracy (%)	83.70 \pm 2.21	75.93 \pm 2.82	76.40 \pm 2.20	74.72 \pm 1.32	75.36 \pm 2.40
AEP	R^2	0.586 \pm 0.006	0.502 \pm 0.024	0.503 \pm 0.011	0.407 \pm 0.003	0.475 \pm 0.016
EPIC-SOUNDS	Accuracy (%)	46.97 \pm 0.24	45.51 \pm 1.07	42.39 \pm 2.01	33.02 \pm 5.62	37.21 \pm 2.68

Benchmark Results: Table 5 summarizes our results. We make three observations. (1) Data heterogeneity level and FL optimizer have different impacts on different datasets. In particular, the performance of UT-HAR, AEP, and EPIC-SOUNDS is extremely sensitive to the data heterogeneity level. In contrast, WISDM-P, CASAS, and VisDrone show limited accuracy differences under different data heterogeneity levels. (2) Under high data heterogeneity, FedAvg has a better performance compared to FedOPT in WISDM and Widar datasets and has lower deviation for all datasets except WISDM-P and EPIC-SOUNDS. The performance gap between the two FL optimizers reduces under low data heterogeneity. (3) Compared to the other datasets, CASAS, AEP, and WISDM-W have higher accuracy margins between centralized training and low data heterogeneity.

4.2 Impact of Client Sampling Ratio

Second, we benchmark the FL performance under two client sampling ratios: 10% and 30%. We report the maximum accuracy reached after completing 50%, 80%, and 100% of the total training rounds for both these ratios under high data heterogeneity, thereby offering empirical evidence of how the model performance and convergence rate are impacted by the client sampling ratio.

Benchmark Results: Table 6 summarizes our results. We make two observations. (1) When the client sampling ratio increases from 10% to 30%, the model performance increases at 50%, 80%, and 100% of the total training rounds across all the datasets. This demonstrates the importance of the client sampling ratio to the model performance. (2) However, a higher sampling ratio does not always speed up model convergence to the same extent. For example, model convergence of CASAS and VisDrone are comparable at both sampling ratios whereas it is much faster for UT-HAR and AEP.

4.3 Impact of Noisy Labels

Next, we examine the impact of noisy labels on the FL performance under two label error ratios: 10% and 30%, and compare these results with the control scenario that involves no label errors. Note that we only showcase this for WISDM, UT-HAR, Widar, CASAS, and EPIC-SOUNDS as these are classification tasks, and the concept of noisy labels only applies to classification tasks.

Table 6: Impact of client sampling ratio.

Dataset	Training Rounds	Low Client Sampling Ratio (10%)			High Client Sampling Ratio (30%)		
		50% Rounds	80% Rounds	100% Rounds	50% Rounds	80% Rounds	100% Rounds
WISDM-W	400	58.81 ± 1.43	63.82 ± 1.53	68.51 ± 2.21	65.57 ± 2.10	67.23 ± 0.77	69.21 ± 1.13
WISDM-P	400	29.49 ± 3.65	31.65 ± 1.42	34.28 ± 3.28	33.73 ± 2.77	34.01 ± 2.27	36.01 ± 2.23
UT-HAR	2000	61.81 ± 7.01	70.76 ± 2.23	74.24 ± 3.87	86.46 ± 10.90	90.84 ± 4.42	92.51 ± 2.65
Widar	1500	47.55 ± 1.20	50.65 ± 0.24	54.76 ± 0.42	53.93 ± 2.90	55.74 ± 2.15	57.39 ± 3.14
VisDrone	600	27.07 ± 3.09	31.05 ± 1.55	31.23 ± 0.70	30.56 ± 2.71	33.52 ± 2.90	34.85 ± 0.83
CASAS	400	71.68 ± 1.96	74.19 ± 1.26	74.72 ± 1.32	73.89 ± 1.16	74.68 ± 1.50	76.12 ± 2.03
AEP	3000	0.325 ± 0.013	0.371 ± 0.017	0.407 ± 0.003	0.502 ± 0.006	0.523 ± 0.014	0.538 ± 0.005
EPIC-SOUNDS	300	20.99 ± 5.19	25.73 ± 1.99	28.89 ± 2.82	23.70 ± 6.25	31.74 ± 7.83	35.11 ± 1.99

Table 7: Impact of noisy labels.

Noisy Label Ratio	WISDM-W	WISDM-P	UT-HAR	Widar	CASAS	EPIC-SOUNDS
0%	68.51 ± 2.21	34.28 ± 3.28	74.24 ± 3.87	54.76 ± 0.42	74.72 ± 1.32	28.89 ± 2.82
10%	50.63 ± 4.19	28.85 ± 1.44	73.75 ± 5.67	34.03 ± 0.33	65.01 ± 2.98	21.43 ± 3.86
30%	47.90 ± 3.05	27.68 ± 0.39	70.55 ± 3.27	27.20 ± 0.56	63.16 ± 1.34	13.30 ± 0.42

Benchmark Results: Table 7 summarizes our results. We make two observations. (1) As the ratio of erroneous labels increases, the performance of the models decreases across all the datasets, and the impact of noisy labels varies across different datasets. For example, UT-HAR only experiences a little performance drop at 10% label error ratio, but its performance drops more when the label error ratio increases to 30%. (2) In contrast, WISDM, Widar, CASAS, and EPIC Sounds are very sensitive to label noise and show significant accuracy drop even at 10% label error ratio.

4.4 Performance on Quantized Training

Lastly, we examine the impact of quantized training on FL under half-precision (FP16)¹. We assess model accuracy and memory usage under FP16 and compare the results to those from the full-precision (FP32) models. Memory usage is measured by analyzing the GPU memory usage of a model when trained with the same batch size under a centralized setting. Note that we use memory usage as the metric since it is a relatively consistent and hardware-independent metric. In contrast, other metrics such as computation speed and energy are highly hardware-dependent. Depending on the chipset that the IoT devices use, the computation speed and energy could exhibit wide variations. More importantly, new and more advanced chipsets are produced every year. The updates of the chipsets would inevitably make the benchmarking results quickly obsolete and out of date.

Benchmark Results: Table 8 summarizes the model performance and memory usage at two precision levels. We make three observations: (1) As expected, the memory usage significantly decreases when using FP16 precision, ranging from 57.0% to 63.3% reduction across different datasets. (2) Similar to Micikevicius et al. (2018), we also observe that model performance associated with the precision levels varies depending on the dataset. For AEP

1. PyTorch does not support lower quantization levels like INT8 and INT4 during training as referenced Pytorch (2023) at the time of writing and hence those were excluded. Additionally, FP8 is only supported for H100 GPUs, not the mobile GPUs used for IoT devices.

Table 8: Performance on quantized training.

Dataset	Metric	FP32		FP16	
		Model Performance	Memory Usage	Model Performance	Memory Usage
WISDM-W	Accuracy (%)	68.51 ± 2.21	1444 MB	60.31 ± 5.38	564 MB (↓ 60.9%)
WISDM-P	Accuracy (%)	34.28 ± 3.28	1444 MB	30.22 ± 2.05	564 MB (↓ 60.9%)
UT-HAR	Accuracy (%)	74.24 ± 3.87	1716 MB	72.86 ± 4.49	639 MB (↓ 62.8%)
Widar	Accuracy (%)	54.76 ± 0.42	1734 MB	34.03 ± 0.33	636 MB (↓ 63.3%)
VisDrone	MAP-50 (%)	31.23 ± 0.70	8369 MB	29.17 ± 4.70	3515 MB (↓ 60.0%)
CASAS	Accuracy (%)	74.72 ± 1.32	1834 MB	72.86 ± 4.49	732 MB (↓ 60.1%)
AEP	R^2	0.407 ± 0.003	1201 MB	0.469 ± 0.044	500 MB (↓ 58.4%)
EPIC-SOUNDS	Accuracy (%)	33.02 ± 5.62	2176 MB	35.43 ± 6.61	936 MB (↓ 57.0%)

and EPIC-SOUNDS, the FP16 models improve the performance compared to the FP32 models. (3) Widar and WISDM-W have a significant decline in performance when quantized to FP16 precision.

4.5 Insights from Benchmark Results

Need for Resilience on High Data Heterogeneity: As shown in Table 5, datasets can be sensitive to data heterogeneity. We observe that UT-HAR, Widar, AEP, and EPIC-SOUNDS show a significant impact under high data heterogeneity. These findings emphasize the need for developing advanced FL algorithms for data modalities that are sensitive to high data heterogeneity. Handling high data heterogeneity is still an open question in FL (Zhao et al., 2018; Li et al., 2020a) and our benchmark shows that it is a limiting factor for some of the IoT data modalities as well. To mitigate high data heterogeneity, although many techniques have been proposed (Sattler et al., 2019; Arivazhagan et al., 2019), their performance is still constrained. Most recently, some exploration on incorporating generative pre-trained transformers (GPT) as part of the FL framework has shown great performance in mitigating high data heterogeneity (Zhang et al., 2024).

Need for Balancing between Client Sampling Ratio and Resource Consumption of IoT Devices: Table 6 reveals that a higher sampling ratio can lead to improved performance in the long run. However, higher client sampling ratios generally entail increased communication overheads and energy consumption, which may not be desirable for IoT devices. Therefore, it is crucial to identify a balance between the client sampling ratio and resource consumption.

Need for Resilience on Noisy Labels: As shown in Table 7, certain datasets exhibit high sensitivity to label errors, significantly deterring FL performance. Notably, both WISDM-W and Widar experience a drastic decrease in accuracy when faced with a 10% label noise ratio. Given the inevitability of noise in real FL deployments where private data is unmonitored except by the respective data owners, the development of label noise resilient techniques becomes crucial for achieving reliable FL performance. However, handling noisy labels is a much less explored topic in FL. Pioneering work on this topic is still exploring the effects of noisy labels on the performance of FL (Zhang et al., 2023; Feng et al., 2023). To mitigate the effect of noisy labels, for low label noise rates, techniques such as data augmentation and regularization have been shown to be effective in centralized training settings (Shorten and

Khoshgoftaar, 2019; Zhang et al., 2018). If the label error rate is high, techniques such as knowledge distillation (Hinton et al., 2015), mixup (Zhang et al., 2018), and bootstrapping (Reed et al., 2015) have been proposed. We expect such techniques or their variants would help in the FL setting.

Need for Quantized Training: Table 4 highlights the need for quantized training given the limited RAM resources on representative IoT devices. From our results summarized in Table 8, we observe that FP16 quantization does not affect accuracy drastically unless normalization layers are present, like batch normalization (Jacob et al., 2018). To mitigate this issue, techniques such as incremental quantization (Zhou et al., 2017) or ternary weight networks (Liu et al., 2023) have shown great performance in the centralized training setting. We expect such techniques or their variants would help in the FL setting as well.

5 Conclusion

In this paper, we presented FedAIoT, an FL benchmark for AIoT. FedAIoT includes eight datasets collected from a wide range of authentic IoT devices as well as a unified end-to-end FL framework for AIoT that covers the complete FL-for-AIoT pipeline. We have benchmarked the performance of the datasets and provided insights on the opportunities and challenges of FL for AIoT. Moving forward, we aim to foster community collaboration by launching an open-source repository for this benchmark, continually enriching it with more datasets, algorithms, and thorough analytical evaluations, ensuring it remains a dynamic and invaluable resource for FL for AIoT research.

6 Acknowledgement

We would like to thank the action editor Peter Mattson and the anonymous reviewers of the Journal of Data-centric Machine Learning Research for their helpful and constructive comments. Zhichao Cao is supported in part by National Science Foundation (NSF) under award NeTS-2312675. JeongGil Ko is partially supported by the Ministry of Science and ICT (MSIT) and the IITP (IITP-2022-2020-001461, IITP-2022-0-00420) in the Republic of Korea. Tiantian Feng and Shrikanth S. Narayanan are supported in part by USC + Amazon Center on Secure & Trusted ML. Tuo Zhang and Salman Avestimehr are supported in part by ARO award W911NF1810400, ONR Award No. N00014-16-1-2189 and NSF under NSF SATC ProperData Center. Samiul Alam and Mi Zhang are supported in part by the Meta Reality Labs Faculty Research Award. The views, opinions, and/or findings expressed are those of the author(s) and should not be interpreted as representing the official views or policies of the Department of Defense or the U.S. Government.

References

- Samiul Alam, Luyang Liu, Ming Yan, and Mi Zhang. Fedrolex: Model-heterogeneous federated learning with rolling sub-model extraction. *Advances in neural information processing systems*, 35:29677–29690, 2022. URL <https://openreview.net/forum?id=OtxyysUdBE>.
- Manoj Ghuhana Arivazhagan, Vinay Aggarwal, Aaditya Kumar Singh, and Sunav Choudhary. Federated learning with personalization layers, 2019. URL <https://arxiv.org/abs/1912>.

00818.

- Luis M. Candanedo, Véronique Feldheim, and Dominique Deramaix. Data driven prediction models of energy use of appliances in a low-energy house. *Energy and Buildings*, 140:81–97, 2017. ISSN 0378-7788. URL <https://doi.org/10.1016/j.enbuild.2017.01.083>.
- Yae Jee Cho, Andre Manoel, Gauri Joshi, Robert Sim, and Dimitrios Dimitriadis. Heterogeneous ensemble knowledge transfer for training large models in federated learning. In Lud De Raedt, editor, *Proceedings of the Thirty-First International Joint Conference on Artificial Intelligence, IJCAI-22*, pages 2881–2887. International Joint Conferences on Artificial Intelligence Organization, 7 2022. URL <https://doi.org/10.24963/ijcai.2022/399>.
- Gregory Cohen, Saeed Afshar, Jonathan Tapson, and Andre Van Schaik. Emnist: Extending mnist to handwritten letters. In *2017 international joint conference on neural networks (IJCNN)*, pages 2921–2926. IEEE, 2017. URL <https://ieeexplore.ieee.org/document/7966217>.
- Luke N. Darlow, Elliot J. Crowley, Antreas Antoniou, and Amos J. Storkey. Cinic-10 is not imagenet or cifar-10, 2018. URL <https://arxiv.org/abs/1810.03505>.
- Enmao Diao, Jie Ding, and Vahid Tarokh. Hetero{fl}: Computation and communication efficient federated learning for heterogeneous clients. In *International Conference on Learning Representations*, 2021. URL <https://openreview.net/forum?id=TNkPBBYFkXg>.
- Jean Ogier du Terrail, Samy-Safwan Ayed, Edwige Cyffers, Felix Grimberg, Chaoyang He, Regis Loeb, Paul Mangold, Tanguy Marchand, Othmane Marfoq, Erum Mushtaq, Boris Muzellec, Constantin Philippenko, Santiago Silva, Maria Teleńczuk, Shadi Albarqouni, Salman Avestimehr, Aurélien Bellet, Aymeric Dieuleveut, Martin Jaggi, Sai Praneeth Karimireddy, Marco Lorenzi, Giovanni Neglia, Marc Tommasi, and Mathieu Andreux. FLamby: Datasets and benchmarks for cross-silo federated learning in realistic healthcare settings. In *Thirty-sixth Conference on Neural Information Processing Systems Datasets and Benchmarks Track*, 2022. URL <https://openreview.net/forum?id=GgM5DiAb6A2>.
- Environmental Protection Agency. Open data us epa. <https://www.epa.gov/data>, 2021. Accessed: 2024-04-02.
- Xiuwen Fang and Mang Ye. Robust federated learning with noisy and heterogeneous clients. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 10072–10081, 2022. URL https://openaccess.thecvf.com/content/CVPR2022/papers/Fang_Robust_Federated_Learning_With_Noisy_and_Heterogeneous_Clients_CVPR_2022_paper.pdf.
- Tiantian Feng, Digbalay Bose, Tuo Zhang, Rajat Hebbar, Anil Ramakrishna, Rahul Gupta, Mi Zhang, Salman Avestimehr, and Shrikanth Narayanan. Fedmultimodal: A benchmark for multimodal federated learning. In *Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, page 4035–4045, 2023. URL <https://doi.org/10.1145/3580305.3599825>.

- Mirian Hipolito Garcia, Andre Manoel, Daniel Madrigal Diaz, Fatemehsadat Mireshghallah, Robert Sim, and Dimitrios Dimitriadis. Flute: A scalable, extensible framework for high-performance federated learning simulations, 2022. URL <https://arxiv.org/abs/2203.13789>.
- Ankur Goel, Jyoti Gautam, and Sitesh Kumar. Real time sentiment analysis of tweets using naive bayes. In *2016 2nd international conference on next generation computing technologies (NGCT)*, pages 257–261. IEEE, 2016. URL <https://ieeexplore.ieee.org/document/7877424>.
- Kartik Gupta, Marios Fournarakis, Matthias Reisser, Christos Louizos, and Markus Nagel. Quantization robust federated learning for efficient inference on heterogeneous devices. *Transactions on Machine Learning Research*, 2023. ISSN 2835-8856. URL <https://openreview.net/forum?id=lvevdX6bxm>.
- Chaoyang He, Keshav Balasubramanian, Emir Ceyani, Carl Yang, Han Xie, Lichao Sun, Lifang He, Liangwei Yang, Philip S. Yu, Yu Rong, Peilin Zhao, Junzhou Huang, Murali Annavaram, and Salman Avestimehr. Fedgraphnn: A federated learning system and benchmark for graph neural networks, 2021a. URL <https://arxiv.org/abs/2104.07145>.
- Chaoyang He, Alay Dilipbhai Shah, Zhenheng Tang, Di Fan1Adarshan Naiynar Sivashunmugam, Keerti Bhogaraju, Mita Shimpi, Li Shen, Xiaowen Chu, Mahdi Soltanolkotabi, and Salman Avestimehr. Fedcv: A federated learning framework for diverse computer vision tasks, 2021b. URL <https://arxiv.org/abs/2111.11066>.
- Geoffrey Hinton, Oriol Vinyals, and Jeff Dean. Distilling the knowledge in a neural network, 2015. URL <https://arxiv.org/abs/1503.02531>.
- Tzu-Ming Harry Hsu, Hang Qi, and Matthew Brown. Measuring the effects of non-identical data distribution for federated visual classification, 2019. URL <https://arxiv.org/abs/1909.06335>.
- Jaesung Huh, Jacob Chalk, Evangelos Kazakos, Dima Damen, and Andrew Zisserman. EPIC-SOUNDS: A Large-Scale Dataset of Actions that Sound. In *IEEE International Conference on Acoustics, Speech, & Signal Processing (ICASSP)*, 2023. URL <https://ieeexplore.ieee.org/document/10096198>.
- Sohei Itahara, Takayuki Nishio, Yusuke Koda, Masahiro Morikura, and Koji Yamamoto. Distillation-based semi-supervised federated learning for communication-efficient collaborative training with non-iid private data. *IEEE Transactions on Mobile Computing*, 22(1): 191–205, 2021. URL <https://www.computer.org/csdl/journal/tm/2023/01/09392310/1sq7s1kASM8>.
- Benoit Jacob, Skirmantas Kligys, Bo Chen, Menglong Zhu, Matthew Tang, Andrew Howard, Hartwig Adam, and Dmitry Kalenichenko. Quantization and training of neural networks for efficient integer-arithmetic-only inference. In *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 2704–2713, 2018. URL <https://ieeexplore.ieee.org/document/8578384>.

- Peter Kairouz, H. Brendan McMahan, Brendan Avent, Aurélien Bellet, Mehdi Bennis, Arjun Nitin Bhagoji, Kallista Bonawit, Zachary Charles, Graham Cormode, Rachel Cummings, Rafael G. L. D’Oliveira, Hubert Eichner, Salim El Rouayheb, David Evans, Josh Gardner, Zachary Garrett, Adrià Gascón, Badih Ghazi, Phillip B. Gibbons, Marco Gruteser, Zaid Harchaoui, Chaoyang He, Lie He, Zhouyuan Huo, Ben Hutchinson, Justin Hsu, Martin Jaggi, Tara Javidi, Gauri Joshi, Mikhail Khodak, Jakub Konečný, Aleksandra Korolova, Farinaz Koushanfar, Sanmi Koyejo, Tancrede Lepoint, Yang Liu, Prateek Mittal, Mehryar Mohri, Richard Nock, Ayfer Özgür, Rasmus Pagh, Hang Qi, Daniel Ramage, Ramesh Raskar, Mariana Raykova, Dawn Song, Weikang Song, Sebastian U. Stich, Ziteng Sun, Ananda Theertha Suresh, Florian Tramèr, Praneeth Vepakomma, Jianyu Wang, Li Xiong, Zheng Xu, Qiang Yang, Felix X. Yu, Han Yu, and Sen Zhao. *Advances and open problems in federated learning*, volume 14, pages 1–210. Now Publishers, Inc., 2021. URL <https://ieeexplore.ieee.org/document/9464278>.
- Sai Praneeth Karimireddy, Satyen Kale, Mehryar Mohri, Sashank Reddi, Sebastian Stich, and Ananda Theertha Suresh. Scaffold: Stochastic controlled averaging for federated learning. In *International conference on machine learning*, pages 5132–5143. PMLR, 2020. URL <https://proceedings.mlr.press/v119/karimireddy20a.html>.
- Andrej Karpathy. Char-rnn: Multi-layer recurrent neural networks (lstm, gru, rnn) for character-level language models in torch, 2015.
- SangMook Kim, Wonyoung Shin, Soohyuk Jang, Hwanjun Song, and Se-Young Yun. Fedrn: Exploiting k-reliable neighbors towards robust federated learning. In *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*, pages 972–981, 2022. URL <https://dl.acm.org/doi/abs/10.1145/3511808.3557322>.
- Alex Krizhevsky, Geoffrey Hinton, et al. Learning multiple layers of features from tiny images, 2009. URL <https://www.cs.toronto.edu/~kriz/learning-features-2009-TR.pdf>.
- Yann LeCun, Léon Bottou, Yoshua Bengio, and Patrick Haffner. Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11):2278–2324, 1998. URL <https://ieeexplore.ieee.org/document/726791>.
- Tian Li, Anit Kumar Sahu, Ameet Talwalkar, and Virginia Smith. Federated learning: Challenges, methods, and future directions. *IEEE Signal Processing Magazine*, 37(3): 50–60, 2020a. URL <https://dx.doi.org/10.1109/MSP.2020.2975749>.
- Tian Li, Anit Kumar Sahu, Manzil Zaheer, Maziar Sanjabi, Ameet Talwalkar, and Virginia Smith. Federated optimization in heterogeneous networks, 2020b. URL <https://arxiv.org/abs/1812.06127>.
- Siqi Liang, Jintao Huang, Junyuan Hong, Dun Zeng, Jiayu Zhou, and Zenglin Xu. Fednoisy: Federated noisy label learning benchmark, 2024. URL <https://arxiv.org/abs/2306.11650>.
- Daniele Liciotti, Michele Bernardini, Luca Romeo, and Emanuele Frontoni. A sequential deep learning application for recognising human activities in smart homes. *Neurocomputing*,

2019. ISSN 0925-2312. URL <http://www.sciencedirect.com/science/article/pii/S0925231219304862>.
- Bill Yuchen Lin, Chaoyang He, Zihang Ze, Hulin Wang, Yufen Hua, Christophe Dupuy, Rahul Gupta, Mahdi Soltanolkotabi, Xiang Ren, and Salman Avestimehr. FedNLP: Benchmarking federated learning methods for natural language processing tasks. In *Findings of the Association for Computational Linguistics: NAACL 2022*, pages 157–175. Association for Computational Linguistics, July 2022. URL <https://aclanthology.org/2022.findings-naacl.13>.
- Tao Lin, Lingjing Kong, Sebastian U Stich, and Martin Jaggi. Ensemble distillation for robust model fusion in federated learning. *Advances in Neural Information Processing Systems*, 33:2351–2363, 2020. URL <https://dl.acm.org/doi/abs/10.5555/3495724.3495922>.
- Bin Liu, Fengfu Li, Xiaoxing Wang, Bo Zhang, and Junchi Yan. Ternary weight networks. In *ICASSP 2023 - 2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 1–5, 2023. URL <https://ieeexplore.ieee.org/document/10094626>.
- Shuying Liu and Weihong Deng. Very deep convolutional neural network based image classification using small training sample size. In *2015 3rd IAPR Asian Conference on Pattern Recognition (ACPR)*, pages 730–734, 2015. URL <https://doi.org/10.1109/ACPR.2015.7486599>.
- Jeffrey W. Lockhart, Gary M. Weiss, Jack C. Xue, Shaun T. Gallagher, Andrew B. Grosner, and Tony T. Pulickal. Design considerations for the wisdm smart phone-based sensor mining architecture. In *Proceedings of the Fifth International Workshop on Knowledge Discovery from Sensor Data, SensorKDD '11*, page 25–33, New York, NY, USA, 2011. Association for Computing Machinery. ISBN 9781450308328. URL <https://doi.org/10.1145/2003653.2003656>.
- Rongxin Lv, Zhongzhi Li, Jiankai Zuo, and Jing Liu. Flower classification and recognition based on significance test and transfer learning. In *2021 IEEE International Conference on Consumer Electronics and Computer Engineering (ICCECE)*, pages 649–652. IEEE, 2021. URL <https://ieeexplore.ieee.org/document/9342468>.
- Brendan McMahan, Eider Moore, Daniel Ramage, Seth Hampson, and Blaise Agueray Arcas. Communication-efficient learning of deep networks from decentralized data. In *Artificial intelligence and statistics*, pages 1273–1282. PMLR, 2017. URL <https://proceedings.mlr.press/v54/mcmahan17a>.
- Stephen Merity, Caiming Xiong, James Bradbury, and Richard Socher. Pointer sentinel mixture models. In *International Conference on Learning Representations*, 2017. URL <https://openreview.net/forum?id=Byj72udxe>.
- Paulius Micikevicius, Sharan Narang, Jonah Alben, Gregory Diamos, Erich Elsen, David Garcia, Boris Ginsburg, Michael Houston, Oleksii Kuchaiev, Ganesh Venkatesh, and Hao Wu. Mixed precision training, 2018. URL <https://arxiv.org/abs/1710.03740>.

- Philipp Moritz, Robert Nishihara, Stephanie Wang, Alexey Tumanov, Richard Liaw, Eric Liang, Melih Elibol, Zongheng Yang, William Paul, Michael I. Jordan, and Ion Stoica. Ray: A distributed framework for emerging ai applications. In *Proceedings of the 13th USENIX Conference on Operating Systems Design and Implementation*, page 561–577, USA, 2018. USENIX Association. URL <https://www.usenix.org/conference/osdi18/presentation/moritz>.
- Kaan Ozkara, Navjot Singh, Deepesh Data, and Suhas Diggavi. Quped: Quantized personalization via distillation with applications to federated learning. *Advances in Neural Information Processing Systems*, 34:3622–3634, 2021. URL https://openreview.net/forum?id=P_egPJZKro.
- Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, Alban Desmaison, Andreas Kopf, Edward Yang, Zachary DeVito, Martin Raison, Alykhan Tejani, Sasank Chilamkurthy, Benoit Steiner, Lu Fang, Junjie Bai, and Soumith Chintala. Pytorch: An imperative style, high-performance deep learning library. In *Advances in Neural Information Processing Systems 32*, pages 8024–8035. Curran Associates, Inc., 2019. URL <http://papers.neurips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>.
- Giorgio Patrini, Alessandro Rozza, Aditya Krishna Menon, Richard Nock, and Lizhen Qu. Making deep neural networks robust to label noise: A loss correction approach. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 1944–1952, 2017. URL <https://ieeexplore.ieee.org/document/8099723>.
- Renjie Pi, Weizhong Zhang, Yueqi Xie, Jiahui Gao, Xiaoyu Wang, Sunghun Kim, and Qifeng Chen. Dynafed: Tackling client data heterogeneity with global dynamics. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 12177–12186, 2023.
- Karol J Piczak. Esc: Dataset for environmental sound classification. In *Proceedings of the 23rd ACM international conference on Multimedia*, pages 1015–1018, 2015. URL <https://dl.acm.org/doi/10.1145/2733373.2806390>.
- Dorian Pyle. *Data Preparation for Data Mining*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 1st edition, 1999. ISBN 1558605290. URL <https://dl.acm.org/doi/10.5555/299577>.
- Pytorch. Introduction to quantization on pytorch, 2023. <https://pytorch.org/blog/introduction-to-quantization-on-pytorch/>.
- Nishkam Ravi, Nikhil Dandekar, Preetham Mysore, and Michael L. Littman. Activity recognition from accelerometer data. In *Proceedings of the 17th Conference on Innovative Applications of Artificial Intelligence - Volume 3*, page 1541–1546. AAAI Press, 2005. URL <https://dl.acm.org/doi/10.5555/1620092.1620107>.

- Sashank J. Reddi, Zachary Charles, Manzil Zaheer, Zachary Garrett, Keith Rush, Jakub Konečný, Sanjiv Kumar, and Hugh Brendan McMahan. Adaptive federated optimization. In *International Conference on Learning Representations*, 2021. URL <https://openreview.net/forum?id=LkFG31B13U5>.
- Scott Reed, Honglak Lee, Dragomir Anguelov, Christian Szegedy, Dumitru Erhan, and Andrew Rabinovich. Training deep neural networks on noisy labels with bootstrapping, 2015. URL <https://arxiv.org/abs/1412.6596>.
- Christina Reinbothe. Wisdm—biometric-time-series-data-classification. <https://github.com/Chrissi2802/WISDM---Biometric-time-series-data-classification>, 2023.
- Jorge-L Reyes-Ortiz, Luca Oneto, Albert Samà, Xavier Parra, and Davide Anguita. Transition-aware human activity recognition using smartphones. *Neurocomputing*, 171:754–767, 2016. URL <https://doi.org/10.1016/j.neucom.2015.07.085>.
- Charissa Ann Ronao and Sung-Bae Cho. Human activity recognition with smartphone sensors using deep learning neural networks. *Expert systems with applications*, 59:235–244, 2016. URL <https://doi.org/10.1016/j.eswa.2016.04.032>.
- Olga Russakovsky, Jia Deng, Hao Su, Jonathan Krause, Sanjeev Satheesh, Sean Ma, Zhiheng Huang, Andrej Karpathy, Aditya Khosla, Michael Bernstein, Alexander C. Berg, and Li Fei-Fei. Imagenet large scale visual recognition challenge. *International Journal of Computer Vision*, 115(3):211–252, 2015. ISSN 1573-1405. URL <https://doi.org/10.1007/s11263-015-0816-y>.
- Felix Sattler et al. Robust and communication-efficient federated learning from non-iid data. *IEEE transactions on neural networks and learning systems*, 31(9):3400–3413, 2019. URL <https://ieeexplore.ieee.org/document/8889996>.
- M. Schmitter-Edgecombe and D. J. Cook. Assessing the quality of activities in a smart environment. *Methods of Information in Medicine*, 48(05):480–485, 2009. URL <https://doi.org/10.3414/me0592>.
- Saleh Seyedzadeh, Farzad Pour Rahimian, Ivan Glesk, and Marc Roper. Machine learning for estimation of building energy consumption and performance: a review. *Visualization in Engineering*, 6(1):5, 2018. URL <https://doi.org/10.1186/s40327-018-0064-7>.
- Sholahudin, Azimil Gani Alam, Chang In Baek, and Hwataik Han. Prediction and analysis of building energy efficiency using artificial neural network and design of experiments. *Applied mechanics and materials*, 819:541–545, 2016. URL <http://dx.doi.org/10.4028/www.scientific.net/AMM.819.541>.
- Connor Shorten and Taghi M Khoshgoftaar. A survey on image data augmentation for deep learning. *Journal of big data*, 6(1):1–48, 2019. URL <https://doi.org/10.1186/s40537-019-0197-0>.
- Richard Socher, Alex Perelygin, Jean Wu, Jason Chuang, Christopher D. Manning, Andrew Ng, and Christopher Potts. Recursive deep models for semantic compositionality over

- a sentiment treebank. In *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, pages 1631–1642. Association for Computational Linguistics, October 2013. URL <https://aclanthology.org/D13-1170>.
- Hwanjun Song, Minseok Kim, Dongmin Park, Yooju Shin, and Jae-Gil Lee. Learning from noisy labels with deep neural networks: A survey. *IEEE Transactions on Neural Networks and Learning Systems*, 34(11):8135–8153, 2023. URL <https://doi.org/10.1109/TNNLS.2022.3152527>.
- Daiki Tanaka, Daiki Ikami, Toshihiko Yamasaki, and Kiyoharu Aizawa. Joint optimization framework for learning with noisy labels. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 5552–5560, 2018. URL <https://doi.ieeecomputersociety.org/10.1109/CVPR.2018.00582>.
- TensorFlow Federated. Tensorflow: federated stack overflow dataset. https://www.tensorflow.org/federated/api_docs/python/tff/simulation/datasets/stackoverflow, 2019. Accessed: 2024-04-02.
- Juan Terven, Diana-Margarita Córdova-Esparza, and Julio-Alejandro Romero-González. A comprehensive review of yolo architectures in computer vision: From yolov1 to yolov8 and yolo-nas. *Machine Learning and Knowledge Extraction*, 5(4):1680–1716, November 2023. ISSN 2504-4990. URL <http://dx.doi.org/10.3390/make5040083>.
- Vasileios Tsouvalas, Aaqib Saeed, Tanir Ozcelebi, and Nirvana Meratnia. Labeling chaos to learning harmony: Federated learning with noisy labels. *ACM Transactions on Intelligent Systems and Technology*, 15(2):1–26, 2024.
- Boudewijn van Dongen and F. (Florian) Borchert. Bpi challenge 2018, 2018. URL https://data.4tu.nl/articles/_/12688355/1.
- Praveen Venkateswaran, Vatche Isahagian, Vinod Muthusamy, and Nalini Venkatasubramanian. Fedgen: Generalizable federated learning for sequential data. In *2023 IEEE 16th International Conference on Cloud Computing (CLOUD)*, pages 308–318. IEEE, 2023. URL <https://doi.ieeecomputersociety.org/10.1109/CLOUD60044.2023.00044>.
- Jianyu Wang, Zachary Charles, Zheng Xu, Gauri Joshi, H. Brendan McMahan, Blaise Agueray Arcas, Maruan Al-Shedivat, Galen Andrew, Salman Avestimehr, Katharine Daly, Deepesh Data, Suhas Diggavi, Hubert Eichner, Advait Gadhikar, Zachary Garrett, Antonious M. Girgis, Filip Hanzely, Andrew Hard, Chaoyang He, Samuel Horvath, Zhouyuan Huo, Alex Ingerman, Martin Jaggi, Tara Javidi, Peter Kairouz, Satyen Kale, Sai Praneeth Karimireddy, Jakub Konecny, Sanmi Koyejo, Tian Li, Luyang Liu, Mehryar Mohri, Hang Qi, Sashank J. Reddi, Peter Richtarik, Karan Singhal, Virginia Smith, Mahdi Soltanolkotabi, Weikang Song, Ananda Theertha Suresh, Sebastian U. Stich, Ameet Talwalkar, Hongyi Wang, Blake Woodworth, Shanshan Wu, Felix X. Yu, Honglin Yuan, Manzil Zaheer, Mi Zhang, Tong Zhang, Chunxiang Zheng, Chen Zhu, and Wennan Zhu. A field guide to federated optimization, 2021. URL <https://arxiv.org/abs/2107.06917>.
- Jiaqi Wang, Xingyi Yang, Suhan Cui, Liwei Che, Lingjuan Lyu, Dongkuan DK Xu, and Fenglong Ma. Towards personalized federated learning via heterogeneous model reassembly.

- Advances in Neural Information Processing Systems*, 36, 2024. URL <https://openreview.net/forum?id=zcVCITHknd>.
- Pete Warden. Speech commands: A dataset for limited-vocabulary speech recognition, 2018. URL <https://arxiv.org/abs/1804.03209>.
- Gary M. Weiss, Kenichi Yoneda, and Thayer Hayajneh. Smartphone and smartwatch-based biometrics using activities of daily living. *IEEE Access*, 7:133190–133202, 2019. URL <https://doi.org/10.1109/ACCESS.2019.2940729>.
- Nannan Wu, Li Yu, Xuefeng Jiang, Kwang-Ting Cheng, and Zengqiang Yan. Fednoro: Towards noise-robust federated learning by addressing class imbalance and label noise heterogeneity, 2023. URL <https://arxiv.org/abs/2305.05230>.
- Han Xiao, Kashif Rasul, and Roland Vollgraf. Fashion-mnist: a novel image dataset for benchmarking machine learning algorithms, 2017. URL <https://arxiv.org/abs/1708.07747>.
- Jingyi Xu, Zihan Chen, Tony QS Quek, and Kai Fong Ernest Chong. Fedcorr: Multi-stage federated learning for label noise correction. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 10184–10193, 2022. URL <https://ieeexplore.ieee.org/document/9878965>.
- Jianfei Yang, Xinyan Chen, Han Zou, Chris Xiaoxuan Lu, Dazhuo Wang, Sumei Sun, and Lihua Xie. Sensefi: A library and benchmark on deep-learning-empowered wifi human sensing. *Patterns*, 4(3):100703, 2023. ISSN 2666-3899. URL <https://www.sciencedirect.com/science/article/pii/S2666389923000405>.
- Rundong Yang, Yancong Deng, Anqi Zhu, Xin Tong, and Zhihao Chen. Few shot learning based on the street view house numbers (svhn) dataset. In *Edge Computing and IoT: Systems, Management and Security: First EAI International Conference, ICECI 2020, Virtual Event, November 6, 2020, Proceedings 1*, pages 86–102. Springer, 2021. URL https://link.springer.com/chapter/10.1007/978-3-030-73429-9_6.
- Zheng Yang. Widar3.0 dataset: Cross-domain gesture recognition with wi-fi, 2020. URL <https://ieee-dataport.org/open-access/widar30-dataset-cross-domain-gesture-recognition-wi-fi>.
- Siamak Yousefi, Hirokazu Narui, Sankalp Dayal, Stefano Ermon, and Shahrokh Valaee. A survey on behavior recognition using WiFi channel state information. *IEEE Communications Magazine*, 55(10):98–104, October 2017. URL <https://doi.org/10.1109/mcom.2017.1700082>.
- Hongyi Zhang, Moustapha Cisse, Yann N. Dauphin, and David Lopez-Paz. mixup: Beyond empirical risk minimization. In *International Conference on Learning Representations*, 2018. URL <https://openreview.net/forum?id=r1Ddp1-Rb>.
- Tuo Zhang, Lei Gao, Chaoyang He, Mi Zhang, Bhaskar Krishnamachari, and Amir Salman Avestimehr. Federated learning for the internet of things: Applications, challenges,

- and opportunities. *IEEE Internet of Things Magazine*, 5:24–29, 2022. URL <https://api.semanticscholar.org/CorpusID:263858510>.
- Tuo Zhang, Tiantian Feng, Samiul Alam, Sunwoo Lee, Mi Zhang, Shrikanth S Narayanan, and Salman Avestimehr. Fedaudio: A federated learning benchmark for audio tasks. In *ICASSP 2023-2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 1–5. IEEE, 2023. URL <https://ieeexplore.ieee.org/document/10096500>.
- Tuo Zhang, Tiantian Feng, Samiul Alam, Dimitrios Dimitriadis, Sunwoo Lee, Mi Zhang, Shrikanth S. Narayanan, and Salman Avestimehr. Gpt-fl: Generative pre-trained model-assisted federated learning, 2024. URL <https://arxiv.org/abs/2306.02210>.
- Xiang Zhang, Junbo Zhao, and Yann LeCun. Character-level convolutional networks for text classification. *Advances in neural information processing systems*, 28, 2015. URL <https://dl.acm.org/doi/10.5555/2969239.2969312>.
- Yue Zhao, Meng Li, Liangzhen Lai, Naveen Suda, Damon Civin, and Vikas Chandra. Federated learning with non-iid data, 2018. URL <https://arxiv.org/abs/1806.00582>.
- Yue Zheng, Yi Zhang, Kun Qian, Guidong Zhang, Yunhao Liu, Chenshu Wu, and Zheng Yang. Zero-effort cross-domain gesture recognition with wi-fi. In *Proceedings of the 17th Annual International Conference on Mobile Systems, Applications, and Services*. ACM, June 2019. URL <https://doi.org/10.1145/3307334.3326081>.
- Aojun Zhou, Anbang Yao, Yiwen Guo, Lin Xu, and Yurong Chen. Incremental network quantization: Towards lossless CNNs with low-precision weights. In *International Conference on Learning Representations*, 2017. URL <https://openreview.net/forum?id=HyQJ-mclg>.
- Pengfei Zhu, Longyin Wen, Dawei Du, Xiao Bian, Heng Fan, Qinghua Hu, and Haibin Ling. Detection and tracking meet drones challenge. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, pages 1–1, 2021. URL <https://ieeexplore.ieee.org/document/9573394>.