

RAPL: A Relation-Aware Prototype Learning Approach for Few-Shot Document-Level Relation Extraction

Shiao Meng, Xuming Hu, Aiwei Liu, Shu’ang Li, Fukun Ma, Yawen Yang, Lijie Wen*

School of Software, Tsinghua University

{msa21, hxm19, liuaw20, lisa18, mfk22, yyw19}@mails.tsinghua.edu.cn
wenlj@tsinghua.edu.cn

Abstract

How to identify semantic relations among entities in a document when only a few labeled documents are available? Few-shot document-level relation extraction (FSDLRE) is crucial for addressing the pervasive data scarcity problem in real-world scenarios. Metric-based meta-learning is an effective framework widely adopted for FSDLRE, which constructs class prototypes for classification. However, existing works often struggle to obtain class prototypes with accurate relational semantics: 1) To build prototype for a target relation type, they aggregate the representations of all entity pairs holding that relation, while these entity pairs may also hold other relations, thus disturbing the prototype. 2) They use a set of generic *NOTA* (*none-of-the-above*) prototypes across all tasks, neglecting that the *NOTA* semantics differs in tasks with different target relation types. In this paper, we propose a relation-aware prototype learning method for FSDLRE to strengthen the relational semantics of prototype representations. By judiciously leveraging the relation descriptions and realistic *NOTA* instances as guidance, our method effectively refines the relation prototypes and generates task-specific *NOTA* prototypes. Extensive experiments demonstrate that our method outperforms state-of-the-art approaches by average 2.61% F_1 across various settings of two FSDLRE benchmarks.¹

1 Introduction

Document-level relation extraction (DocRE) aims to identify the relations between each pair of entities within a document, which is crucial for extracting complex cross-sentence relations and implementing large-scale information extraction (Zhou et al., 2021; Xie et al., 2022; Wei and Li, 2022; Sun et al., 2023). However, the annotation of DocRE data is both time-consuming and labor-intensive,

*Corresponding author.

¹The data and code are available at <https://github.com/THU-BPM/RAPL>.




Figure 1: Illustration of a 1-Doc FSDLRE task. Entity mentions involved in relation instances are colored and in bold. Other mentions are also in bold for clarity.

and many specific domains often lack annotated documents, making data scarcity a common issue in real-world scenarios. This motivates us to explore few-shot document-level relation extraction (FSDLRE) (Popovic and Färber, 2022). We illustrate an example of the FSDLRE task under the 1-Doc setting in Figure 1, where only one annotated support document is given along with three target relation types: Place of Birth, Work Location and Place of Death. The task is to predict all instances of the target relation types for pre-given entities in the query document, such as (Grace Taylor, Place of Birth, Brisbane).

Current efforts on FSDLRE (Popovic and Färber, 2022) mainly adopt the popular metric-based meta-learning framework (Vinyals et al., 2016; Snell et al., 2017), which aims to learn a metric space in which classification can be performed by computing distances to prototype representations of each class. By training on a collection of sampled FSDLRE tasks, the model learns general knowledge for FSDLRE, enabling rapid generalization to new tasks with novel relation types.

Ideally, within the metric-based paradigm, prototype representations should accurately capture

the relational semantics of each category. However, this can be challenging for existing FSDLRE methods: (1) Considering that an entity pair may express multiple relations in a document, if a relation prototype is obtained by aggregating the representations of entity pairs in the support set holding that relation, the relational semantics of the prototype is inevitably disturbed by irrelevant relations, thus affecting the discriminability of the metric space, as depicted in Figure 2(a). (2) Since most query entity pairs do not express any target relation, NOTA (*none-of-the-above*) is also considered as a category. Given that the target relation types vary for different tasks, if we merely introduce a set of learnable vectors as NOTA prototypes and apply them to all tasks, this “one-size-fits-all” strategy could result in the NOTA prototypes deviating from ideal NOTA semantics in certain tasks, thereby confusing the classification. As shown in Figure 2(a), the set of generic NOTA prototypes seems reasonable for task 1, while does not work well for task 2.

To address the two aforementioned issues in FSDLRE, we propose a novel **Relation-Aware Prototype Learning** method (RAPL). First, for each entity pair that holds relations in the support document, we leverage the inherent relational semantics in relation descriptions as guidance, deriving an instance-level representation for each expressed relation, as illustrated in Figure 2(b). The relation prototype is constructed by aggregating the representations of all its support relation instances, thus better focusing on relation-relevant information. Based on the instance-level support embeddings, we propose a relation-weighted contrastive learning method to further refine the prototypes. By incorporating inter-relation similarities into a contrastive objective, we can better distinguish the prototypes of semantically-close relations. Moreover, we design a task-specific NOTA prototype generation strategy. For each task, we adaptively select support NOTA instances and fuse them into a set of learnable base NOTA prototypes to generate task-specific NOTA prototypes, which more effectively capture the NOTA semantics in each task.

In summary, our main contributions are as follows: (1) We propose a novel relation-aware prototype learning method (RAPL) for FSDLRE, which effectively enhances the relational semantics of prototype representations. (2) In RAPL, we reframe the construction of relation prototypes into instance level and further propose a relation-weighted con-




Figure 2: Embedding space illustration of previous methods (left) and our method (right). Task 1&2 are two FSDLRE tasks with different target relation types.

trastive learning method to jointly refine the relation prototypes. We also design a task-specific NOTA prototype generation strategy to better capture the NOTA semantics in each task. (3) Experiments demonstrate that our method outperforms state-of-the-art baselines by average 2.61% in F_1 across various settings of two FSDLRE benchmarks.

2 Problem Formulation

Few-shot document-level relation extraction is defined with an N -Doc setting (Popovic and Färber, 2022). In each individual FSDLRE task (also called an episode²), there are a set of N support documents $\{D_{S,1}, \dots, D_{S,N}\}$ and a query document D_Q , and the entity mentions in each document are pre-annotated. For each support document $D_{S,i}$, there is also a triple set $\mathcal{T}_{S,i}$ containing all valid (e_h, r, e_t) triples in the document. Here e_h and e_t are the head and tail entity of a relation instance, and $r \in \mathcal{R}_{episode}$ is a relation type, with $\mathcal{R}_{episode}$ being the relation type set for which instances are to be extracted. The annotations of support documents are complete, which means any entity pair for which no relation type has been assigned can be considered as NOTA. Given these as inputs, the FSDLRE task aims to predict the triple set \mathcal{T}_Q for the query document D_Q , which contains all valid triples in D_Q of relation types in $\mathcal{R}_{episode}$.

Our approach follows the typical meta-learning

²In this paper, we use the terms “task” and “episode” interchangeably, which refer to the same concept.




Figure 3: The overall architecture of our proposed RAPL method.

paradigm. In training phase, we construct a group of training episodes by sampling support and query documents from a training document corpus \mathcal{C}_{train} . The set $\mathcal{R}_{episode}$ of each training episode is a subset of \mathcal{R}_{train} , a relation type set for meta-training. The model aims to learn general knowledge from these training tasks to better generalize to novel tasks. In test phase, the model is evaluated on a group of test episodes sampled from a test document corpus \mathcal{C}_{test} , which is disjoint with \mathcal{C}_{train} . The set $\mathcal{R}_{episode}$ of each test episode is a subset of \mathcal{R}_{test} , a relation type set for meta-testing, which is also disjoint with \mathcal{R}_{train} .

3 Methodology

The overall architecture of RAPL is illustrated in Figure 3. We first introduce the encoding procedure for documents and entities in Section 3.1. In Section 3.2 and Section 3.3, we elaborate on the learning of relation-aware relation prototypes and NOTA prototypes respectively. The training and inference processes are finally given in Section 3.4.

3.1 Document and Entity Encoding

We employ the pre-trained language model (Devlin et al., 2019) as the document encoder to encode each support or query document in a given episode. For each document D , we first insert a special token “*” at the start and end of each entity mention to mark the position of entity mentions. Then we feed the document into the encoder to obtain the contextualized token embeddings \mathbf{H} and cross token attention \mathbf{A} :

$$\mathbf{H}, \mathbf{A} = \text{DocEncoder}(D), \quad (1)$$

where $\mathbf{H} = [\mathbf{h}_1, \dots, \mathbf{h}_{N_t}] \in \mathbb{R}^{N_t \times d}$, N_t is the number of tokens in D , d is the output dimension of encoder, and $\mathbf{A} = [\mathbf{a}_1, \dots, \mathbf{a}_{N_t}] \in \mathbb{R}^{N_t \times N_t}$ is the average of attention heads in the last encoder layer. We take the embedding of “*” before each entity mention as the corresponding mention embedding. For an entity e_i mentioned N_{e_i} times in the document via $\mathcal{M}_{e_i} = \{m_j^i\}_{j=1}^{N_{e_i}}$, we apply log-sumexp pooling (Jia et al., 2019) over mention embeddings to obtain the entity embedding $\mathbf{h}_{e_i} \in \mathbb{R}^d$: $\mathbf{h}_{e_i} = \log \sum_{j=1}^{N_{e_i}} \exp(\mathbf{h}_{m_j^i})$, where $\mathbf{h}_{m_j^i} \in \mathbb{R}^d$ is the embedding of e_i ’s j -th mention.

3.2 Relation-Aware Relation Prototype Learning

For each target relation type in a given episode, we aim to obtain a prototype representation that can better capture the corresponding relational semantics. To this end, we first propose to construct the relation prototypes based on instance-level support embeddings, enabling each prototype to focus more on relation-relevant information in support documents. Then we propose an instance-level relation-weighted contrastive learning method, which further refines the relation prototypes.

3.2.1 Instance-Based Prototype Construction

Given a relation instance (e_h, r, e_t) in a support document, we first compute a pair-level importance distribution $\mathbf{a}^{(h,t)} \in \mathbb{R}^{N_t}$ over all tokens in the document to capture the context relevant to the entity pair (e_h, e_t) (Zhou et al., 2021):

$$\mathbf{a}^{(h,t)} = \frac{\mathbf{a}_{e_h} \odot \mathbf{a}_{e_t}}{\mathbf{a}_{e_h}^\top \mathbf{a}_{e_t}}, \quad (2)$$

where $\mathbf{a}_{e_h} \in \mathbb{R}^{N_t}$ is an entity-level attention obtained by averaging the mention-level attention $\mathbf{a}_{m_i^h} \in \mathbb{R}^{N_t}$ at the token “*” before e_h 's each mention m_i^h : $\mathbf{a}_{e_h} = \frac{1}{N_{e_h}} \sum_{i=1}^{N_{e_h}} \mathbf{a}_{m_i^h}$, likewise for \mathbf{a}_{e_t} , and \odot is the Hadamard product. Meanwhile, we compute a relation-level attention distribution $\mathbf{a}^r \in \mathbb{R}^{N_t}$ over all tokens to capture the context relevant to relation r . We employ another pre-trained language model as the relation encoder, and concatenate the name and description of relation r into a sequence, then feed the sequence into the encoder. We take the output embedding of “[CLS]” token as the relation embedding $\mathbf{h}_r \in \mathbb{R}^d$:

$$\mathbf{h}_r = \text{RelEncoder}(r), \quad (3)$$

and compute the relation-level attention \mathbf{a}^r as:

$$\mathbf{a}^r = \text{softmax}\left(\frac{\mathbf{H}\mathbf{W}\mathbf{h}_r}{\sqrt{d}}\right), \quad (4)$$

where $\mathbf{W} \in \mathbb{R}^{d \times d}$ is a learnable parameter.

Based on $\mathbf{a}^{(h,t)}$ and \mathbf{a}^r , we further compute an instance-level attention distribution $\mathbf{a}^{(h,r,t)} \in \mathbb{R}^{N_t}$ over all tokens to capture the context relevant to the instance. Specifically, the value $a_i^{(h,r,t)}$ at i -th dimension of $\mathbf{a}^{(h,r,t)}$ is obtained by:

$$a_i^{(h,r,t)} = a_i^{(h,t)} + \mathbb{I}(i \in \text{top-}k\%(\mathbf{a}^{(h,t)} \odot \mathbf{a}^r)) \cdot a_i^r, \quad (5)$$

where $\text{top-}k\%(\mathbf{x})$ returns the indices of the largest $k\%$ elements of \mathbf{x} , k is a hyperparameter, and \mathbb{I} is the indicator function. We also normalize $\mathbf{a}^{(h,r,t)}$ to regain the attention distribution. Here we do not use $\mathbf{a}^{(h,t)} \odot \mathbf{a}^r$ as the instance-level attention because, for an instance, the relation is expressed based on the entity pair. Multiplying them directly may erroneously increase the weight of tokens unrelated to the entity pair. Instead, we leverage relation-level attention to amplify the pair-level weight of the most relevant context with the instance.

Then, we compute an instance context embedding $\mathbf{c}^{(h,r,t)} \in \mathbb{R}^d$ by:

$$\mathbf{c}^{(h,r,t)} = \mathbf{H}^\top \mathbf{a}^{(h,r,t)}, \quad (6)$$

and fuse it into the embeddings of head entity and tail entity to obtain the instance-aware entity representations $\mathbf{z}_h^{(h,r,t)}, \mathbf{z}_t^{(h,r,t)} \in \mathbb{R}^d$:

$$\mathbf{z}_h^{(h,r,t)} = \tanh(\mathbf{W}_h[\mathbf{h}_{e_h}; \mathbf{c}^{(h,r,t)}] + \mathbf{b}_h), \quad (7)$$

$$\mathbf{z}_t^{(h,r,t)} = \tanh(\mathbf{W}_t[\mathbf{h}_{e_t}; \mathbf{c}^{(h,r,t)}] + \mathbf{b}_t), \quad (8)$$

where $\mathbf{W}_h, \mathbf{W}_t \in \mathbb{R}^{d \times 2d}$, $\mathbf{b}_h, \mathbf{b}_t \in \mathbb{R}^d$ are learnable parameters. The instance representation of (e_h, r, e_t) is then obtained by concatenating the head and tail entity representations, which we denote as $\mathbf{s}^{(h,r,t)} = [\mathbf{z}_h^{(h,r,t)}; \mathbf{z}_t^{(h,r,t)}] \in \mathbb{R}^{2d}$.

Finally, denoting the set of all instances of relation r in support documents as \mathcal{S}_r , we compute the relation prototype $\mathbf{p}^r \in \mathbb{R}^{2d}$ by averaging the representations of relation instances in \mathcal{S}_r :

$$\mathbf{p}^r = \frac{1}{|\mathcal{S}_r|} \sum_{(e_h, r, e_t) \in \mathcal{S}_r} \mathbf{s}^{(h,r,t)}. \quad (9)$$

3.2.2 Contrastive-Based Prototype Refining

By reframing the construction of relation prototypes into instance level, each prototype can better focus on relation-relevant support information. However, due to the complexity of document context, different instances of the same relation may exhibit varying patterns in expressing the relation, making it difficult for prototypes to capture the common relational semantics. Additionally, limited support instances make it challenging for prototypes of semantically-close relations to capture their deeper semantic differences. Therefore, we propose a relation-weighted contrastive learning method to further refine the relation prototypes.

Specifically, given an episode, we denote the set of all relation instances in support documents as \mathcal{S} , i.e., $\mathcal{S} = \bigcup_{r \in \mathcal{R}_{episode}} \mathcal{S}_r$. Also, for a relation instance (e_h, r, e_t) , we define the set $\mathcal{P}_{h,r,t} = \mathcal{S}_r \setminus \{(e_h, r, e_t)\}$ which contains all other instances in the support set that also express the relation r , and the set $\mathcal{A}_{h,r,t} = \mathcal{S} \setminus \{(e_h, r, e_t)\}$ which simply contains all other instances in the support set. Then we incorporate inter-relation similarities into a contrastive objective and define the relation-weighted contrastive loss \mathcal{L}_{RCL} as:

$$\mathcal{L}_{RCL} = \frac{1}{|\mathcal{S}|} \sum_{(e_h, r, e_t) \in \mathcal{S}} \frac{-1}{|\mathcal{P}_{h,r,t}|} \sum_{(e_{\hat{h}}, r, e_{\hat{t}}) \in \mathcal{P}_{h,r,t}} \frac{\exp(\mathbf{s}^{(h,r,t)} \cdot \mathbf{s}^{(\hat{h},r,\hat{t})} / \tau)}{\sum_{(e_{\hat{h}}, \hat{r}, e_{\hat{t}}) \in \mathcal{A}_{h,r,t}} \omega_{r,\hat{r}} \cdot \exp(\mathbf{s}^{(h,r,t)} \cdot \mathbf{s}^{(\hat{h},\hat{r},\hat{t})} / \tau)}, \quad (10)$$

$$\omega_{r,\hat{r}} = 1 + \mathbb{I}(r \neq \hat{r}) \cdot \frac{\text{cossim}(\mathbf{h}_r, \mathbf{h}_{\hat{r}}) + 1}{2}, \quad (11)$$

where τ is a hyperparameter and cossim denotes the cosine similarity. We argue that the proposal of this contrastive loss is non-trivial, considering

two aspects. First, it is difficult for previous methods to integrate with contrastive objective as they only obtain the pair-level support embeddings. The multi-label nature of entity pairs makes it difficult to define positive and negative pairs reasonably. Moreover, by incorporating inter-relation similarities, the proposed contrastive loss focuses more on pushing apart the instance embeddings of semantically-close relations, thus helping to better distinguish the corresponding relation prototypes.

3.3 Relation-Aware NOTA Prototype Learning

Since most query entity pairs do not hold any target relation, NOTA is also treated as a class. Existing methods typically learn a set of generic NOTA prototypes that are applied to all tasks, which may not be optimal in certain tasks since the NOTA semantics differs in tasks with different target relation types. To this end, we propose a task-specific NOTA prototype generation strategy to better capture the NOTA semantics in each individual task.

Concretely, we first introduce a set of learnable vectors $\mathcal{N}_{base} = \{\mathbf{p}_i^{base} \in \mathbb{R}^{2d}\}_{i=1}^{N_{nota}}$, where N_{nota} is a hyperparameter. Unlike previous works that directly treat this set of vectors as NOTA prototypes, we regard them as base NOTA prototypes that need further rectification in each task. Since the annotation of support documents are complete, we have access to a support NOTA distribution which implicitly expresses the NOTA semantics. Therefore we resort to support NOTA instances to capture the NOTA semantics in each specific task. For a support NOTA instance $(e_h, nota, e_t)$, we use Equation 2 as the instance-level attention and obtain the instance representation $\mathbf{s}^{(h,nota,t)} = [\mathbf{z}_h^{(h,nota,t)}; \mathbf{z}_t^{(h,nota,t)}] \in \mathbb{R}^{2d}$ based on Equation 6~8. Denoting the set of all support NOTA instances as \mathcal{S}_{nota} , we adaptively select a NOTA instance for each base NOTA prototype \mathbf{p}_i^{base} :

$$(e_h, nota, e_t) = \underset{(e_h, nota, e_t) \in \mathcal{S}_{nota}}{\operatorname{argmax}} (\mathbf{s}^{(h,nota,t)} \cdot \mathbf{p}_i^{base}) - \underset{r \in \mathcal{R}_{episode}}{\max} (\mathbf{s}^{(h,nota,t)} \cdot \mathbf{p}^r), \quad (12)$$

which locates the NOTA instance that is close to the base NOTA prototype while being far away from relation prototypes. Then we fuse it into \mathbf{p}_i^{base} to obtain the final NOTA prototype $\mathbf{p}_i^{nota} \in \mathbb{R}^{2d}$:

$$\mathbf{p}_i^{nota} = \alpha \mathbf{p}_i^{base} + (1 - \alpha) \mathbf{s}^{(h,nota,t)}, \quad (13)$$

Benchmark	Task	N	K (micro)	K (macro)
FREDo	In-Domain 1-Doc	2.18	2.36	2.24
	In-Domain 3-Doc	3.47	4.30	4.31
ReFREDo	In-Domain 1-Doc	3.50	3.50	3.11
	In-Domain 3-Doc	5.67	6.50	5.73
FREDo & ReFREDo	Cross-Domain 1-Doc	4.26	2.73	2.40
	Cross-Domain 3-Doc	6.08	5.55	5.27

Table 1: Average values for N (way) and K (shot) across test episodes in two benchmarks. K (micro) denotes the average across all episodes, K (macro) denotes the average of mean K for each relation type.

where α is a hyperparameter. In this way, we obtain a set of task-specific NOTA prototypes which not only contain the general knowledge from meta-learning but also implicitly capture the NOTA semantics in each specific task.

3.4 Training Objective

Given an entity pair (e_h, e_t) in the query document, we use Equation 2 as the pair-level attention and adopt a similar approach as Equation 6~8 to obtain the pair representation $\mathbf{q}^{(h,t)} = [\mathbf{z}_h^{(h,t)}; \mathbf{z}_t^{(h,t)}] \in \mathbb{R}^{2d}$. For each target relation type r in the episode, we compute the probability of r as:

$$P_r^{(h,t)} = \frac{\exp(\mathbf{q}^{(h,t)} \cdot \mathbf{p}^r)}{\exp(\mathbf{q}^{(h,t)} \cdot \mathbf{p}^r) + \max_{i \in \mathcal{I}} \exp(\mathbf{q}^{(h,t)} \cdot \mathbf{p}_i^{nota})}, \quad (14)$$

where $\mathcal{I} = \{1, \dots, N_{nota}\}$. Then, denoting the set of all entity pairs in the query document as \mathcal{Q} , we compute the classification loss as:

$$\mathcal{L}_{BCE} = \frac{1}{|\mathcal{Q}|} \sum_{(e_h, e_t) \in \mathcal{Q}} - \sum_{r \in \mathcal{R}_{episode}} (y_r^{(h,t)} \log(P_r^{(h,t)}) + (1 - y_r^{(h,t)}) \log(1 - P_r^{(h,t)})), \quad (15)$$

where $y_r^{(h,t)} = 1$ if r exists between (e_h, e_t) , otherwise $y_r^{(h,t)} = 0$. The overall loss is defined as:

$$\mathcal{L} = \mathcal{L}_{BCE} + \lambda \mathcal{L}_{RCL}, \quad (16)$$

where λ is a hyperparameter. During inference, we extract the relation instance (e_h, r, e_t) in the query document if $\mathbf{q}^{(h,t)} \cdot \mathbf{p}^r > \max_{i \in \mathcal{I}} \mathbf{q}^{(h,t)} \cdot \mathbf{p}_i^{nota}$.

4 Experiments

4.1 Benchmarks and Evaluation Metric

We conduct experiments on the public FSDLRE benchmark FREDo (Popovic and Färber, 2022), and also construct ReFREDo, a revised version

Model	FREDo				ReFREDo			
	In-Domain		Cross-Domain		In-Domain		Cross-Domain	
	1-Doc F_1	3-Doc F_1	1-Doc F_1	3-Doc F_1	1-Doc F_1	3-Doc F_1	1-Doc F_1	3-Doc F_1
DL-Base	0.60	0.89	1.76	1.98	1.38	1.84	1.76	1.98
DL-MNAV	7.05 ± 0.18	8.42 ± 0.64	0.84 ± 0.16	0.48 ± 0.21	12.97 ± 0.88	12.43 ± 0.36	1.12 ± 0.38	2.28 ± 0.19
DL-MNAV _{SIE}	<u>7.06 ± 0.15</u>	6.77 ± 0.21	1.77 ± 0.60	2.51 ± 0.66	<u>13.37 ± 0.98</u>	12.00 ± 0.80	1.39 ± 0.74	2.92 ± 0.41
DL-MNAV _{SIE+SBN}	1.71 ± 0.04	2.79 ± 0.24	2.85 ± 0.12	3.72 ± 0.14	4.59 ± 0.30	5.43 ± 0.24	2.84 ± 0.24	3.86 ± 0.27
KDDocRE	2.59 ± 0.71	4.66 ± 0.83	1.03 ± 0.31	2.00 ± 0.46	4.76 ± 0.55	9.02 ± 0.64	2.30 ± 0.59	3.61 ± 0.43
RAPL (Ours)	8.75 ± 0.80	10.67 ± 0.77	3.33 ± 0.50	5.35 ± 0.72	15.20 ± 0.82	16.35 ± 0.60	3.51 ± 0.79	5.48 ± 0.63

Table 2: Results on FREDo and ReFREDo benchmarks. Reported results are macro averages across relation types. The best and second best performance methods are denoted in bold and underlined respectively.

of FREDo which resolves the annotation errors, enabling more reliable evaluation.

FREDo consists of two main tasks, an in-domain and a cross-domain task. For in-domain tasks, the training and test document corpus are from the same domain. For cross-domain tasks, the test documents are taken from a different domain, leading to wider disparities of text style, document topic and relation types between training and test. Each task has a 1-Doc and a 3-Doc subtask to measure the scalability of models. FREDo uses the training set of DocRED (Yao et al., 2019) as the training and development document corpus, the development set of DocRED as the in-domain test document corpus, and the whole set of SciERC (Luan et al., 2018) as the cross-domain test document corpus. The relation type set of DocRED is split into 3 disjoint sets for training (62), development (16) and in-domain test (18) in FREDo. FREDo samples 15k episodes for in-domain evaluation and 3k episodes for cross-domain evaluation.

Considering that FREDo uses DocRED, which suffers from the problem of incomplete annotation (Huang et al., 2022; Tan et al., 2022b), as the underlying document corpus, the episodes constructed in FREDo may also inherit these annotation errors. Therefore, we construct **ReFREDo** as a revised version of FREDo. In ReFREDo, we replace the training, development and in-domain test document corpus as Re-DocRED (Tan et al., 2022b), a revised version of DocRED with more complete annotations. Then we follow the same split of relation types as FREDo and sample 15k episodes for in-domain evaluation. The cross-domain test episodes remain the same with FREDo. We also follow Popovic and Färber (2022) to calculate the average class number N and average support instance number per class K across test episodes in ReFREDo, as shown in Table 1. An overview of the relation types and total instance number per relation of two

benchmarks is listed in Appendix A. Following Popovic and Färber (2022), we use macro F_1 to evaluate the overall performance.

4.2 Baselines

We compare our method with four baselines of FREDo (Popovic and Färber, 2022): **DL-Base** is an initial baseline which uses the pre-trained language model without fine-tuning. **DL-MNAV** is a metric-based approach built upon the state-of-the-art supervised DocRE method (Zhou et al., 2021) and few-shot sentence-level relation extraction method (Sabo et al., 2021). **DL-MNAV_{SIE}** uses all individual support entity pairs during inference instead of averaging their embeddings into a single prototype to improve DL-MNAV for cross-domain tasks. **DL-MNAV_{SIE+SBN}** uses NOTA instances as additional NOTA prototypes during training and only uses NOTA instances during inference to further improve DL-MNAV_{SIE} for cross-domain tasks. Besides, we also evaluate the supervised DocRE model by learning on the whole training corpus and fine-tuning on the support set. Here we choose **KDDocRE** (Tan et al., 2022a) which is the state-of-the-art public-available supervised DocRE method. For a fair comparison, we follow Popovic and Färber (2022) to use BERT-base (Devlin et al., 2019) as the encoder in our approach. We present the implementation details in Appendix B.

4.3 Main Results

The main results on FREDo and ReFREDo are shown in Table 2. We have following observations from the experimental results: (1) RAPL achieves significantly better average results on two benchmarks compared to baseline approaches (2.50% F_1 on FREDo and 2.72% F_1 on ReFREDo), demonstrating the superiority of our method. (2) RAPL consistently outperforms the best baseline method (which varies in different task settings) in each task

Model / F_1	In-Domain		Cross-Domain	
	1-Doc	3-Doc	1-Doc	3-Doc
RAPL	15.20	16.35	3.51	5.48
– RCL	14.13	15.32	2.51	4.63
– IBPC – RCL	13.36	13.96	1.68	3.10
– IBPC – RCL + SCL	13.51	13.88	1.95	3.23
– TNPG	14.50	15.69	2.99	4.72

Table 3: Ablation study results on ReFREDo.

setting, making it more versatile than previous approaches. (3) RAPL shows more improvements on in-domain tasks compared to cross-domain tasks. This further reflects the greater challenge posed by cross-domain settings. (4) The performance of RAPL on 3-Doc tasks is consistently higher than that on 1-Doc tasks, which is not always guaranteed for the best baseline method, demonstrating the better scalability of RAPL. (5) The in-domain performance of all methods on ReFREDo is significantly higher than that on FREDo, while this performance gap is not reflected between two benchmarks under the cross-domain setting. This suggests that a higher-quality training set may not effectively resolve the domain adaption problem. (6) The performance of KDDocRE is not satisfactory, indicating that the supervised DocRE method may not adapt well to few-shot scenarios.

4.4 Ablation Study

We conduct an ablation study on ReFREDo to investigate the influence of each module in our method. Specifically, for “–RCL”, we remove the relation-weighted contrastive learning method; for “–IBPC–RCL”, we further remove the instance-based relation prototype construction method, and only obtain the pair-level embedding for each support entity pair in the same way as query entity pairs; for “–IBPC–RCL+SCL”, we add a supervised contrastive learning objective (Khosla et al., 2020; Gunel et al., 2021) into the “–IBPC–RCL” model, where we treat those entity pairs sharing common relations as positive pairs, else as negative pairs; for “–TNPG”, we remove the task-specific NOTA prototype generation strategy, and directly treat the base NOTA prototypes as final NOTA prototypes. The average results are shown in Table 3. We can observe that the performance of model “–RCL” and “–TNPG” drops to varying degrees compared to RAPL, and the model “–IBPC–RCL” performs even worse than “–RCL”, demonstrating the effectiveness of each module in our method. Be-




Figure 4: Effect of hyperparameters k , τ , α and N_{nota} on RAPL under the 3-Doc task setting in ReFREDo.

sides, integrating the contrastive objective at pair-level do not bring significant improvements, which indicates the importance of learning instance-level support embeddings.

4.5 Analyses and Discussions

Effect of Hyperparameters. We investigate the impact of different hyperparameters on the performance of our approach. We conduct the experiments on 3-Doc tasks in ReFREDo. As shown in Figure 4, we can observe that: (1) For the hyperparameter k which controls the derivation of instance-level attention, the best value for in-domain tasks are larger than cross-domain tasks, which may be related to the longer document in in-domain corpus. (2) An appropriate temperature hyperparameter τ (around 0.4) in the contrastive objective is crucial for the synergy with classification objective and the overall model performance. (3) Blindly reducing the hyperparameter α to increase the weight of support NOTA instances in NOTA prototypes may have a negative impact on the learning of NOTA prototypes. (4) Compared to other hyperparameters, the model is not very sensitive to the number of NOTA prototypes N_{nota} within a certain range.

Support Embeddings Visualization. To intuitively illustrate the advantage of our proposed method, we select three semantically-close relation types from the in-domain 3-Doc test corpus of ReFREDo and sample ten support instances for each relation type, then use t-SNE for visualization (Van der Maaten and Hinton, 2008), as shown in Figure 5. Apart from two model variants in ablation study, we also experiment with RAPL–RCL+SCL, which replaces the relation-weighted contrastive loss with the supervised con-




Figure 5: Visualization of support entity pair embeddings for RAPL-IBPC-RCL and support relation instance embeddings for RAPL-RCL, RAPL-RCL+SCL and RAPL.

Model / F_1	NR \in [0%, 95%]	NR \in [95%, 97%]	NR \in [97%, 99%]	NR \in [99%, 100%]
RAPL - TNPG	23.11	18.65	17.11	5.55
RAPL	23.51 (\uparrow 0.40)	19.12 (\uparrow 0.47)	17.76 (\uparrow 0.65)	6.66 (\uparrow 1.11)

Table 4: Model performance on episodes with different NOTA rates (abbreviated “NR”) in in-domain 3-Doc test set of ReFREDo.

trastive loss (Khosla et al., 2020; Gunel et al., 2021) at instance level. Since some entity pairs express both the “part of” and “member of” relation, or both the “part of” and “subclass of” relation, we only visualize “part of” relation for RAPL-IBPC-RCL in Figure 5(a). We can observe that the support instance embeddings learned by RAPL-RCL improve the support pair embeddings learned by RAPL-IBPC-RCL, demonstrating the effectiveness of instance-level embeddings for relation prototype construction. Besides, although incorporating instance-level supervised contrastive objective forms more compact clusters, the distinction among three relation types is still insufficient. As shown in Figure 5(d), our proposed relation-weighted contrastive learning method better distinguishes the three relation types.

Performance vs. NOTA Rate of Episodes. We further explore the impact of task-specific NOTA prototype generation strategy on the performance improvements. We divide the in-domain 3-Doc test episodes of ReFREDo into disjoint subsets according to the NOTA rate of each episode, i.e., the proportion of NOTA entity pairs to the total number of entity pairs in the query document of an episode. We establish four subsets, corresponding to the




Figure 6: Performance of RAPL under different number of support relation instances on in-domain 3-Doc tasks of ReFREDo.

scenarios where the NOTA rate falls within [0%, 95%), [95%, 97%), [97%, 99%) and [99%, 100%], respectively. Then we evaluate models trained with or without task-specific NOTA prototype generation strategy on each subset. The experiment results are shown in Table 4. It is observed that the task-specific NOTA prototype generation strategy has brought improvement on each subset. More importantly, the performance gain gets larger as the NOTA rate increases. It demonstrates that the task-specific NOTA prototype generation strategy conduces to the capture of NOTA semantics for derived NOTA representations, especially in those episodes with more NOTA query pairs involved.

Performance vs. Number of Support Relation Instances.

We also analyze the effect of the number of support relation instances on the overall performance. We conduct the experiments on in-domain 3-Doc tasks in ReFREDo benchmark. For each relation type in each test episode, we calculate the number of support instances of that relation type in the episode. Here we divide the number of support instances into 10 categories, where the first 9 categories correspond to 1 to 9, and the last category corresponds to cases where the number of support instances is greater than or equal to 10. Then we evaluate the performance of RAPL method on each of these categories, as shown in Figure 6. We can observe that the performance of RAPL generally exhibits an upward trend as the number of support relation instances increases, while fluctuations also appear at certain points. This indicates that the proposed method demonstrates a certain level of scalability, but the performance may not be perfectly positively correlated with the number of support relation instances.

Preliminary Exploration of LLM for FSDLRE.

Recently large language models (LLM) (Brown et al., 2020; Touvron et al., 2023) have achieved promising results in many few-shot tasks through in-context learning (Wei et al., 2022; Rubin et al., 2022). Also some works focus on leveraging LLM to solve few-shot information extraction problems (Ma et al., 2023c; Ye et al., 2023; Wadhwa et al., 2023). However, most studies mainly target sentence-level tasks. Therefore, we conduct a preliminary experiment using gpt-3.5-turbo³ to explore the performance of LLM on FSDLRE tasks. Due to the input length limit, we only experiment on 1-Doc setting. We randomly select 1000 episodes from the in-domain test episodes of REFREDo and design an in-context learning prompt template that includes task description, demonstration and query (detailed in Appendix C). The experimental results show that gpt-3.5-turbo achieves only **12.98%** macro F_1 , even lower than some baseline methods. Although the test may not fully reflect the capabilities of LLM, we argue that FSDLRE remains a challenging problem even in the era of LLM.

5 Related Work

Sentence-Level Relation Extraction. Relation extraction is a pivot task of information extraction (Hu et al., 2021, 2023b; Yang et al., 2023). Early studies mainly focus on predicting the relation between two entities within a single sentence. A variety of pattern based (Pantel and Pennacchiotti, 2006; Mintz et al., 2009; Qu et al., 2018) and neural based (Zhang et al., 2018; Baldini Soares et al., 2019; Hu et al., 2020; Liu et al., 2022c) models have achieved satisfactory results. Nevertheless, sentence-level relation extraction has significant limitations in terms of extraction scope and scale. The demand for cross-sentence and large-scale relation extraction has led to a surge of research interest in document-level relation extraction (Quirk and Poon, 2017; Yao et al., 2019).

Document-Level Relation Extraction. Most of existing DocRE studies are grounded on a data-driven supervised scenario, and can be generally categorized into graph-based and sequence-based approaches. Graph-based methods (Zeng et al., 2020; Xu et al., 2021b; Zhang et al., 2021; Xu et al., 2022; Duan et al., 2022) typically abstract

the document by graph structures and perform inference with graph neural networks. Sequence-based methods (Xu et al., 2021a; Tan et al., 2022a; Yu et al., 2022; Xiao et al., 2022; Ma et al., 2023b) encode the long-distance contextual dependencies with transformer-only architectures. Both categories of methods have achieved impressive results in DocRE. However, the reliance on large-scale annotated documents makes these methods difficult to adapt to low-resource scenarios (Li et al., 2023; Hu et al., 2023a).

Few-Shot Document-Level Relation Extraction.

To tackle the data scarcity problem prevalent in real-world DocRE scenarios, Popovic and Färber (2022) formulate DocRE into a few-shot learning task. To accomplish the task, they propose multiple metric-based models built upon the state-of-the-art supervised DocRE method (Zhou et al., 2021) and few-shot sentence-level relation extraction method (Sabo et al., 2021), aiming to address different task settings. We note that for an effective metric-based FSDLRE method, the prototype of each class should accurately capture the corresponding relational semantics. However, this can be challenging for existing methods due to their coarse-grained relation prototype learning strategy and “one-for-all” NOTA prototype learning strategy. In this work, we propose a relation-aware prototype learning method to better capture the relational semantics for prototype representations.

6 Conclusion

In this paper, we propose RAPL, a novel relation-aware prototype learning method for FSDLRE. We reframe the construction of relation prototypes into instance level and further propose a relation-weighted contrastive learning method to jointly refine the relation prototypes. Moreover, we design a task-specific NOTA prototype generation strategy to better capture the NOTA semantics in each task. Experiment results and further analyses demonstrate the superiority of our method and effectiveness of each component. For future work, we would like to transfer our method to other few-shot document-level IE tasks such as few-shot document-level event argument extraction, which shares similar task structure with FSDLRE.

Limitations

Firstly, the incorporation of relation encoder and the search process for support NOTA instances add

³<https://platform.openai.com/docs/models/gpt-3-5>

to both memory and time expenses. This motivates us to further refine the overall efficiency of our proposed method. Secondly, the assumption that the entity information should be specified may affect the robustness of the method (Liu et al., 2022b). We have noticed that in supervised scenarios, some recent DocRE studies explore the joint entity and relation extraction to circumvent this assumption (Eberts and Ulges, 2021; Xu and Choi, 2022; Zhang et al., 2023). We believe it is beneficial to investigate end-to-end DocRE in few-shot scenarios, where the RAPL method may shed some lights on future work. Lastly, the performance gain of RAPL on cross-domain tasks is lower than that on in-domain tasks. An intriguing avenue for future research is to explore techniques for better performance on cross-domain tasks, e.g., data augmentation (Hu et al., 2023c) and structured knowledge guidance (Liu et al., 2022a; Ma et al., 2023a).

Acknowledgements

We sincerely thank the anonymous reviewers for their valuable comments. The work was supported by the National Key Research and Development Program of China (No. 2019YFB1704003), the National Nature Science Foundation of China (No. 62021002), Tsinghua BNRist and Beijing Key Laboratory of Industrial Bigdata System and Application.

References

- Livio Baldini Soares, Nicholas FitzGerald, Jeffrey Ling, and Tom Kwiatkowski. 2019. [Matching the blanks: Distributional similarity for relation learning](#). In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 2895–2905.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel Ziegler, Jeffrey Wu, Clemens Winter, Chris Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. [Language models are few-shot learners](#). In *Advances in Neural Information Processing Systems*, pages 1877–1901.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. [BERT: Pre-training of deep bidirectional transformers for language understanding](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186.
- Zhichao Duan, Xiuxing Li, Zhenyu Li, Zhuo Wang, and Jianyong Wang. 2022. [Not just plain text! fuel document-level relation extraction with explicit syntax refinement and subsentence modeling](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 1941–1951.
- Markus Eberts and Adrian Ulges. 2021. [An end-to-end model for entity-level relation extraction using multi-instance learning](#). In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 3650–3660.
- Beliz Gunel, Jingfei Du, Alexis Conneau, and Veselin Stoyanov. 2021. [Supervised contrastive learning for pre-trained language model fine-tuning](#). In *International Conference on Learning Representations*.
- Xuming Hu, Junzhe Chen, Shiao Meng, Lijie Wen, and Philip S. Yu. 2023a. [Selfre: Self-refining representation learning for low-resource relation extraction](#). In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval*, page 2364–2368.
- Xuming Hu, Zhaochen Hong, Chenwei Zhang, Aiwei Liu, Shiao Meng, Lijie Wen, Irwin King, and Philip S. Yu. 2023b. [Reading broadly to open your mind improving open relation extraction with search documents under self-supervisions](#). *IEEE Transactions on Knowledge and Data Engineering*, pages 1–14.
- Xuming Hu, Aiwei Liu, Zeqi Tan, Xin Zhang, Chenwei Zhang, Irwin King, and Philip S. Yu. 2023c. [GDA: Generative data augmentation techniques for relation extraction tasks](#). In *Findings of the Association for Computational Linguistics: ACL 2023*, pages 10221–10234.
- Xuming Hu, Lijie Wen, Yusong Xu, Chenwei Zhang, and Philip Yu. 2020. [SelfORE: Self-supervised relational feature learning for open relation extraction](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 3673–3682.
- Xuming Hu, Chenwei Zhang, Yawen Yang, Xiaohe Li, Li Lin, Lijie Wen, and Philip S. Yu. 2021. [Gradient imitation reinforcement learning for low resource relation extraction](#). In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 2737–2746.
- Quzhe Huang, Shibo Hao, Yuan Ye, Shengqi Zhu, Yansong Feng, and Dongyan Zhao. 2022. [Does recommend-revise produce reliable annotations? an](#)

- analysis on missing instances in DocRED. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 6241–6252.
- Robin Jia, Cliff Wong, and Hoifung Poon. 2019. Document-level n-ary relation extraction with multi-scale representation learning. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 3693–3704.
- Prannay Khosla, Piotr Teterwak, Chen Wang, Aaron Sarna, Yonglong Tian, Phillip Isola, Aaron Maschiot, Ce Liu, and Dilip Krishnan. 2020. Supervised contrastive learning. In *Advances in Neural Information Processing Systems*, pages 18661–18673.
- Shu’ang Li, Xuming Hu, Li Lin, Aiwei Liu, Lijie Wen, and Philip S. Yu. 2023. A multi-level supervised contrastive learning framework for low-resource natural language inference. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 31:1771–1783.
- Aiwei Liu, Xuming Hu, Li Lin, and Lijie Wen. 2022a. Semantic enhanced text-to-sql parsing via iteratively learning schema linking graph. In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, page 1021–1030.
- Aiwei Liu, Honghai Yu, Xuming Hu, Shu’ang Li, Li Lin, Fukun Ma, Yawen Yang, and Lijie Wen. 2022b. Character-level white-box adversarial attacks against transformers via attachable subwords substitution. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7664–7676.
- Shuliang Liu, Xuming Hu, Chenwei Zhang, Shu’ang Li, Lijie Wen, and Philip Yu. 2022c. HiURE: Hierarchical exemplar contrastive learning for unsupervised relation extraction. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 5970–5980.
- Ilya Loshchilov and Frank Hutter. 2019. Decoupled weight decay regularization. In *International Conference on Learning Representations*.
- Yi Luan, Luheng He, Mari Ostendorf, and Hannaneh Hajishirzi. 2018. Multi-task identification of entities, relations, and coreference for scientific knowledge graph construction. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3219–3232.
- Fukun Ma, Xuming Hu, Aiwei Liu, Yawen Yang, Shuang Li, Philip S. Yu, and Lijie Wen. 2023a. AMR-based network for aspect-based sentiment analysis. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 322–337.
- Youni Ma, An Wang, and Naoaki Okazaki. 2023b. DREEAM: Guiding attention with evidence for improving document-level relation extraction. In *Proceedings of the 17th Conference of the European Chapter of the Association for Computational Linguistics*, pages 1971–1983.
- Yubo Ma, Yixin Cao, YongChing Hong, and Aixun Sun. 2023c. Large language model is not a good few-shot information extractor, but a good reranker for hard samples! *arXiv preprint arXiv:2303.08559*.
- Mike Mintz, Steven Bills, Rion Snow, and Daniel Jurafsky. 2009. Distant supervision for relation extraction without labeled data. In *Proceedings of the Joint Conference of the 47th Annual Meeting of the ACL and the 4th International Joint Conference on Natural Language Processing of the AFNLP*, pages 1003–1011.
- Patrick Pantel and Marco Pennacchiotti. 2006. Espresso: Leveraging generic patterns for automatically harvesting semantic relations. In *Proceedings of the 21st International Conference on Computational Linguistics and 44th Annual Meeting of the Association for Computational Linguistics*, pages 113–120.
- Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, Alban Desmaison, Andreas Kopf, Edward Yang, Zachary DeVito, Martin Raison, Alykhan Tejani, Sasank Chilamkurthy, Benoit Steiner, Lu Fang, Junjie Bai, and Soumith Chintala. 2019. Pytorch: An imperative style, high-performance deep learning library. In *Advances in Neural Information Processing Systems*.
- Nicholas Popovic and Michael Färber. 2022. Few-shot document-level relation extraction. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 5733–5746.
- Meng Qu, Xiang Ren, Yu Zhang, and Jiawei Han. 2018. Weakly-supervised relation extraction by pattern-enhanced embedding learning. In *Proceedings of the 2018 World Wide Web Conference*, page 1257–1266.
- Chris Quirk and Hoifung Poon. 2017. Distant supervision for relation extraction beyond the sentence boundary. In *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics: Volume 1, Long Papers*, pages 1171–1182.
- Ohad Rubin, Jonathan Herzig, and Jonathan Berant. 2022. Learning to retrieve prompts for in-context learning. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2655–2671.
- Ofer Sabo, Yanai Elazar, Yoav Goldberg, and Ido Dagan. 2021. Revisiting Few-shot Relation Classification: Evaluation Data and Classification Schemes.

- Transactions of the Association for Computational Linguistics*, 9:691–706.
- Jake Snell, Kevin Swersky, and Richard Zemel. 2017. [Prototypical networks for few-shot learning](#). In *Advances in Neural Information Processing Systems*.
- Qi Sun, Kun Huang, Xiaocui Yang, Pengfei Hong, Kun Zhang, and Soujanya Poria. 2023. [Uncertainty guided label denoising for document-level distant relation extraction](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 15960–15973.
- Qingyu Tan, Ruidan He, Lidong Bing, and Hwee Tou Ng. 2022a. [Document-level relation extraction with adaptive focal loss and knowledge distillation](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 1672–1681.
- Qingyu Tan, Lu Xu, Lidong Bing, Hwee Tou Ng, and Sharifah Mahani Aljunied. 2022b. [Revisiting DocRED - addressing the false negative problem in relation extraction](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 8472–8487.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. 2023. [Llama: Open and efficient foundation language models](#). *arXiv preprint arXiv:2302.13971*.
- Laurens Van der Maaten and Geoffrey Hinton. 2008. [Visualizing data using t-sne](#). *Journal of machine learning research*, 9(11).
- Oriol Vinyals, Charles Blundell, Timothy Lillicrap, kory kavukcuoglu, and Daan Wierstra. 2016. [Matching networks for one shot learning](#). In *Advances in Neural Information Processing Systems*.
- Somin Wadhwa, Silvio Amir, and Byron Wallace. 2023. [Revisiting relation extraction in the era of large language models](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 15566–15589.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, brian ichter, Fei Xia, Ed Chi, Quoc V Le, and Denny Zhou. 2022. [Chain-of-thought prompting elicits reasoning in large language models](#). In *Advances in Neural Information Processing Systems*, pages 24824–24837.
- Ying Wei and Qi Li. 2022. [Sagdre: Sequence-aware graph-based document-level relation extraction with adaptive margin loss](#). In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, page 2000–2008.
- Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Remi Louf, Morgan Funtowicz, Joe Davison, Sam Shleifer, Patrick von Platen, Clara Ma, Yacine Jernite, Julien Plu, Canwen Xu, Teven Le Scao, Sylvain Gugger, Mariama Drame, Quentin Lhoest, and Alexander Rush. 2020. [Transformers: State-of-the-art natural language processing](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, pages 38–45.
- Yuxin Xiao, Zecheng Zhang, Yuning Mao, Carl Yang, and Jiawei Han. 2022. [SAIS: Supervising and augmenting intermediate steps for document-level relation extraction](#). In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2395–2409.
- Yiqing Xie, Jiaming Shen, Sha Li, Yuning Mao, and Jiawei Han. 2022. [Eider: Empowering document-level relation extraction with efficient evidence extraction and inference-stage fusion](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 257–268.
- Benfeng Xu, Quan Wang, Yajuan Lyu, Yong Zhu, and Zhendong Mao. 2021a. [Entity structure within and throughout: Modeling mention dependencies for document-level relation extraction](#). *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(16):14149–14157.
- Liyan Xu and Jinho Choi. 2022. [Modeling task interactions in document-level joint entity and relation extraction](#). In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 5409–5416.
- Tianyu Xu, Wen Hua, Jianfeng Qu, Zhixu Li, Jiajie Xu, An Liu, and Lei Zhao. 2022. [Evidence-aware document-level relation extraction](#). In *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*, page 2311–2320.
- Wang Xu, Kehai Chen, and Tiejun Zhao. 2021b. [Discriminative reasoning for document-level relation extraction](#). In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 1653–1663.
- Yawen Yang, Xuming Hu, Fukun Ma, Shu’Ang Li, Aiwei Liu, Lijie Wen, and Philip S. Yu. 2023. [Gaussian prior reinforcement learning for nested named entity recognition](#). In *ICASSP 2023 - 2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 1–5.
- Yuan Yao, Deming Ye, Peng Li, Xu Han, Yankai Lin, Zhenghao Liu, Zhiyuan Liu, Lixin Huang, Jie Zhou, and Maosong Sun. 2019. [DocRED: A large-scale document-level relation extraction dataset](#). In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 764–777.

Junjie Ye, Xuanting Chen, Nuo Xu, Can Zu, Zekai Shao, Shichun Liu, Yuhan Cui, Zeyang Zhou, Chao Gong, Yang Shen, et al. 2023. A comprehensive capability analysis of gpt-3 and gpt-3.5 series models. *arXiv preprint arXiv:2303.10420*.

Jiaxin Yu, Deqing Yang, and Shuyu Tian. 2022. Relation-specific attentions over entity mentions for enhanced document-level relation extraction. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 1523–1529.

Shuang Zeng, Runxin Xu, Baobao Chang, and Lei Li. 2020. Double graph based reasoning for document-level relation extraction. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1630–1640.

Ningyu Zhang, Xiang Chen, Xin Xie, Shumin Deng, Chuanqi Tan, Mosha Chen, Fei Huang, Luo Si, and Huajun Chen. 2021. Document-level relation extraction as semantic segmentation. In *Proceedings of the Thirtieth International Joint Conference on Artificial Intelligence, IJCAI-21*, pages 3999–4006.

Ruoyu Zhang, Yanzeng Li, and Lei Zou. 2023. A novel table-to-graph generation approach for document-level joint entity and relation extraction. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 10853–10865.

Yuhao Zhang, Peng Qi, and Christopher D. Manning. 2018. Graph convolution over pruned dependency trees improves relation extraction. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 2205–2215.

Wenxuan Zhou, Kevin Huang, Tengyu Ma, and Jing Huang. 2021. Document-level relation extraction with adaptive thresholding and localized context pooling. In *Proceedings of the AAAI conference on artificial intelligence*, pages 14612–14620.

A Relation Types in Benchmarks

In Table 5–9, we list the relation types of training, development, in-domain test and cross-domain test document corpus in FREDo and ReFREDo. We present the name, description and total instance number of each relation type.

B Implementation Details

We implement our method with Pytorch (Paszke et al., 2019) and Huggingface’s Transformers (Wolf et al., 2020). We use AdamW (Loshchilov and Hutter, 2019) for optimization with a linear warmup for the first 4% steps followed by a linear decay to 0. We train the model for 50k episodes and perform early stopping based on the macro F_1 on the

development set. We take the learning rate as $1e-5$. The episode number per batch during training is set to 4. We clip the gradients to a max norm of 1.0. The hyperparameters k , τ , N_{nota} , α and λ are set to 15, 0.4, 15, 0.9 and 0.1 for in-domain tasks, 10, 0.4, 20, 0.95 and 0.1 for cross-domain tasks. All hyperparameters are tuned on the development set. We report the mean and standard deviation of macro F_1 by five training trials with different random seeds. All experiments are conducted with one Tesla V100-32G GPU. For the baseline results on ReFREDo, we reimplement all baseline models with official public codes for comparison.

C In-Context Learning Prompt Template for 1-Doc FSDLRE Tasks

In-context learning prompt template for 1-Doc FSDLRE tasks:

Given a target relation type list, a document, and all entity mentions of each entity in the document, please identify all valid given relation types between any two given entities in the document.

Target relation type names and descriptions:

<Relation Name 1>: <Relation Description 1>

<Relation Name 2>: <Relation Description 2>

.....

Document (each entity mention is enclosed by the ID of the entity):

<Document>

ID and mentions of each entity in the document:

[1]: <Mention 1 of Entity 1>; <Mention 2 of Entity 1>;

[2]: <Mention 1 of Entity 2>; <Mention 2 of Entity 2>;

.....

All non-duplicate valid “subject entity”-“relation type”-“object entity” triples in the document (output format: “entity ID”-“relation type name”-“entity ID”, e.g., [1]-country-[2]; one triple per line):

[<Entity ID>]-<Relation Name>-[<Entity ID>]

[<Entity ID>]-<Relation Name>-[<Entity ID>]

.....

Document (each entity mention is enclosed by the ID of the entity):

<Document>

ID and mentions of each entity in the document:

[1]: <Mention 1 of Entity 1>; <Mention 2 of Entity 1>;

[2]: <Mention 1 of Entity 2>; <Mention 2 of Entity 2>;

.....

All non-duplicate valid “subject entity”-“relation type”-“object entity” triples in the document (output format: “entity ID”-“relation type name”-“entity ID”, e.g., [1]-country-[2]; one triple per line):

D Case Study

We select a representative in-domain 1-Doc episode from ReFREDo benchmark for a case study, as shown in Table 10, which intuitively illustrates both the superiority and the bottleneck of the RAPL method. We can observe that: (1) RAPL corrected a false negative prediction of relation P361 for the baseline method. Note that the entity pair of the only instance for P361 in the support document also expresses the relation P140 and P279, and the relation P279 and P463 are semantically close to P361. This suggests the effectiveness of instance-level prototype construction and relation-weighted contrastive refinement in RAPL method. (2) RAPL corrected a false positive prediction of relation P140 between entity *Mayflower* and *Episcopal Diocese of Connecticut*. This pair of entities actually does not convey any target relationship in the query document. Such case may benefit from the task-specific NOTA prototype generation strategy, which better characters the NOTA semantics. (3) When the patterns or reasoning processes of the relation instances in query document differ significantly from the support instances with same relation type, RAPL often struggles with extraction. Also, RAPL tends to exhibit cases of over-prediction, resulting in relatively lower precision. Although the proposed RAPL method achieves certain improvements, the overall performance of few-shot DocRE still lags far behind the supervised setting, and how to overcome the two aforementioned challenges is worth further exploration in future research.

Wikidata ID	Name	Description	# Instances in FREDo	# Instances in ReFREDo
P131	located in the administrative territorial entity	the item is located on the territory of the following administrative entity	4193	20402
P577	publication date	date or point in time a work is first published or released	1142	1621
P175	performer	performer involved in the performance or the recording of a work	1052	1773
P569	date of birth	date on which the subject was born	1044	1172
P570	date of death	date on which the subject died	805	1000
P527	has part	part of this subject. Inverse property of "part of"	632	2313
P161	cast member	actor performing live for a camera or audience	621	919
P264	record label	brand and trademark associated with the marketing of subject music recordings and music videos	583	923
P19	place of birth	most specific known (e.g. city instead of country, or hospital instead of city) birth location of a person, animal or fictional character	511	692
P54	member of sports team	sports teams or clubs that the subject currently represents or formerly represented	379	379
P40	child	subject has the object in their family as their offspring son or daughter (independently of their age)	360	703
P30	continent	continent of which the subject is a part	356	761
P69	educated at	educational institution attended by the subject	316	503
P400	platform	platform for which a work has been developed or released / specific platform version of a software developed	304	460
P26	spouse	the subject has the object as their spouse (husband, wife, partner, etc.)	303	640
P607	conflict	battles, wars or other military engagements in which the person or item participated	275	575
P22	father	male parent of the subject	273	466
P159	headquarters location	specific location where an organization's headquarters is or has been situated	264	263
P178	developer	organisation or person that developed this item	238	402
P170	creator	maker of a creative work or other object (where no more specific property exists)	231	410
P1344	participant of	event a person or an organization was a participant in, inverse of "participant"	223	1168
P6	head of government	head of the executive power of this town, city, municipality, state, country, or other governmental body	210	368
P127	owned by	owner of the subject	208	389
P20	place of death	most specific known (e.g. city instead of country, or hospital instead of city) death location of a person, animal or fictional character	203	281
P108	employer	person or organization for which the subject works or worked	196	421
P206	located in or next to body of water	sea, lake or river	194	431
P156	followed by	immediately following item in some series of which the subject is part	192	506
P710	participant	person, group of people or organization (object) that actively takes/took part in the event (subject)	191	1168
P155	follows	immediately prior item in some series of which the subject is part	188	506
P166	award received	award or recognition received by a person, organisation or creative work	173	340
P276	location	location of the item, physical object or event is within	172	336

Table 5: Relation types of training document corpus in FREDo and ReFREDo (continued on next page).

Wikidata ID	Name	Description	# Instances in FREDo	# Instances in ReFREDo
P123	publisher	organization or person responsible for publishing books, periodicals, games or software	172	298
P58	screenwriter	author(s) of the screenplay or script for this work	156	237
P1412	languages spoken, written or signed	language(s) that a person speaks or writes, including the native language(s)	155	366
P449	original network	network(s) the radio or television show was originally aired on, including	152	264
P800	notable work	notable scientific, artistic or literary work, or other work of significance among subject's works	150	3055
P706	located on terrain feature	located on the specified landform	137	293
P37	official language	language designated as official by this item	119	281
P162	producer	producer(s) of this film or music work (film: not executive producers, associate producers, etc.)	119	249
P580	start time	indicates the time an item begins to exist or a statement starts being valid	110	222
P241	military branch	branch to which this military unit, award, office, or person belongs	108	191
P937	work location	location where persons were active	104	204
P31	instance of	that class of which this subject is a particular example and member. (Subject typically an individual member with Proper Name label.)	103	225
P585	point in time	time and date something took place, existed or a statement was true	96	191
P403	mouth of the watercourse	the body of water to which the watercourse drains	95	200
P749	parent organization	parent organization of an organisation, opposite of subsidiaries	92	230
P36	capital	primary city of a country, state or other type of administrative territorial entity	85	178
P205	basin country	country that have drainage to/from or border the body of water	85	174
P172	ethnic group	subject's ethnicity (consensus is that a VERY high standard of proof is needed for this field to be used. In general this means 1) the subject claims it him/herself, or 2) it is widely agreed on by scholars, or 3) is fictional and portrayed as such).	79	155
P576	dissolved, abolished or demolished	date or point in time on which an organisation was dissolved/disappeared or a building demolished	79	181
P1376	capital of	country, state, department, canton or other administrative division of which the municipality is the governmental seat	76	178
P171	parent taxon	closest parent taxon of the taxon in question	75	117
P740	location of formation	location where a group or organization was formed	62	102
P840	narrative location	the narrative of the work is set in this location	48	83
P676	lyrics by	author of song lyrics	36	79
P551	residence	the place where the person is, or has been, resident	35	66
P1336	territory claimed by	administrative divisions that claim control of a given area	33	59
P1365	replaces	person or item replaced	18	96
P737	influenced by	this person, idea, etc. is informed by that other person, idea, etc.	9	22
P190	sister city	twin towns, sister cities, twinned municipalities and other localities that have a partnership or cooperative agreement, either legally or informally acknowledged by their governments	4	8
P1198	unemployment rate	portion of a workforce population that is not employed	2	2
P807	separated from	subject was founded or started by separating from identified object	2	8

Table 6: Relation types of training document corpus in FREDo and ReFREDo (continued).

Wikidata ID	Name	Description	# Instances in FREDo	# Instances in ReFREDo
P27	country of citizenship	the object is a country that recognizes the subject as its citizen	2689	4665
P150	contains administrative territorial entity	(list of) direct subdivisions of an administrative territorial entity	2004	3369
P571	inception	date or point in time when the organization/subject was founded/created	475	868
P50	author	main creator(s) of a written work (use on works, not humans)	320	489
P1441	present in work	work in which this fictional entity or historical person is present	299	669
P57	director	director(s) of this motion picture, TV-series, stageplay, video game or similar	246	341
P179	series	subject is part of a series, whose sum constitutes the object	144	245
P136	genre	a creative work's genre or an artist's field of work	111	239
P112	founded by	founder or co-founder of this organization, religion or place	100	204
P137	operator	person or organization that operates the equipment, facility, or service	95	192
P355	subsidiary	subsidiary of a company or organization, opposite of parent company	92	230
P176	manufacturer	manufacturer or producer of this product	83	144
P86	composer	person(s) who wrote the music	79	171
P488	chairperson	presiding member of an organization, group or body	63	145
P1056	product or material produced	material or product produced by a government agency, business, industry, facility, or process	36	65
P1366	replaced by	person or item which replaces another	36	96

Table 7: Relation types of development document corpus in FREDo and ReFREDo.

Wikidata ID	Name	Description	# Instances in FREDo	# Instances in ReFREDo
P17	country	sovereign state of this item; don't use on humans	2831	5505
P495	country of origin	country of origin of the creative work or subject item	212	455
P361	part of	object of which the subject is a part. Inverse property of "has part"	194	900
P3373	sibling	the subject has the object as their sibling (brother, sister, etc.)	134	274
P463	member of	organization or club to which the subject belongs	113	578
P102	member of political party	the political party of which this politician is or has been a member	98	98
P1001	applies to jurisdiction	the item (an institution, law, public office ...) belongs to or has power over or applies to the value (a territorial jurisdiction: a country, state, municipality, ...)	83	485
P140	religion	religion of a person, organization or religious building, or associated with this subject	82	184
P674	characters	characters which appear in this item (like plays, operas, operettas, books, comics, films, TV series, video games)	74	204
P194	legislative body	legislative body governing this entity; political institution with elected representatives, such as a parliament/legislature or council	56	119
P118	league	league in which team or player plays or has played in	56	126
P35	head of state	official with the highest formal authority in a country/state	51	131
P272	production company	company that produced this film, audio or performing arts work	36	79
P279	subclass of	all instances of these items are instances of those items; this item is a class (subset) of that item	36	86
P364	original language of work	language in which a film or a performance work was originally created	30	55
P582	end time	indicates the time an item ceases to exist or a statement stops being valid	23	53
P25	mother	female parent of the subject	15	59
P39	position held	subject currently or formerly holds the object position or public office	8	19

Table 8: Relation types of in-domain test document corpus in FREDo and ReFREDo.

SciERC ID	Name	Description	# Instances in FREDo	# Instances in ReFREDo
used-for	used for	subject is used for the object; subject models the object; object is trained on the subject; subject exploits the object; object is based on the subject.	2415	2415
conjunction	conjunction	function as similar role or use/incorporate with.	577	577
hyponym-of	hyponym of	subject is a hyponym of the object; subject is a type of the object.	477	477
evaluate-for	evaluate for	evaluate for	447	447
part-of	part of	subject is a part of the object.	268	268
feature-of	feature of	subject belongs to the object; subject is a feature of the object; subject is under the object domain.	264	264
compare	compare	compare two models/methods, or listing two opposing entities.	232	232

Table 9: Relation types of cross-domain test document corpus in FREDo and ReFREDo.

Support Document:

Adolfo Nicolás Pachón (born 29 April 1936), is a *Spanish* priest of the *Roman Catholic Church*. He was the thirtieth Superior General of the *Society of Jesus*, the largest religious order in the *Roman Catholic Church*. *Nicolás*, after consulting with Pope *Francis*, determined to resign after his 80th birthday, and initiated the process of calling a *Jesuit General Congregation* to elect his successor. Until the resignation of his predecessor, *Peter Hans Kolvenbach*, it was not the norm for a Jesuit Superior General to resign; they, like the great majority of the Popes up until *Benedict XVI*, generally served until death. However, the *Jesuit* constitutions include provision for a resignation. In *October 2016* the thirty-sixth General Congregation of the *Society of Jesus* appointed his successor, *Arturo Sosa* from *Venezuela*.

Support Relation Instances:

P1001 [applies to jurisdiction]: <*Arturo Sosa* - P1001 - *Venezuela*>

P463 [member of]: <*Adolfo Nicolás Pachón* - P463 - *Society of Jesus*>; <*Arturo Sosa* - P463 - *Society of Jesus*>

P35 [head of state]: <*Venezuela* - P35 - *Arturo Sosa*>

P279 [subclass of]: <*Society of Jesus* - P279 - *Roman Catholic Church*>; <*Jesuit* - P279 - *Roman Catholic Church*>

P140 [religion]: <*Adolfo Nicolás Pachón* - P140 - *Roman Catholic Church*>; <*Peter Hans Kolvenbach* - P140 - *Roman Catholic Church*>; <*Benedict XVI* - P140 - *Roman Catholic Church*>; <*Arturo Sosa* - P140 - *Roman Catholic Church*>; <*Francis* - P140 - *Roman Catholic Church*>; <*Society of Jesus* - P140 - *Roman Catholic Church*>

P361 [part of]: <*Society of Jesus* - P361 - *Roman Catholic Church*>

Query Document:

Chauncey Bunce Brewster (September 5, 1848 – April 9, 1941) was the fifth Bishop of the *Episcopal Diocese of Connecticut*. *Brewster* was born in *Windham, Connecticut*, to the Reverend *Joseph Brewster* and *Sarah Jane Bunce Brewster*. His father was rector of *St. Paul's Church* in *Windham* and later became rector of *Christ Church* in *New Haven, Connecticut*. His younger brother was the future bishop *Benjamin Brewster*. The family were descendants of *Mayflower* passenger *William Brewster*. *Brewster* attended *Hopkins Grammar School*, then went to *Yale College*, where he graduated in 1868. At *Yale* he was elected *Phi Beta Kappa* and was a member of *Skull and Bones*. He attended *Yale's Berkeley Divinity School* the following year. He was consecrated as a bishop on *October 28, 1897*. He was a coadjutor bishop before being diocesan bishop from 1899 to 1928.

Gold Outputs for Query Document:

<*Chauncey Bunce Brewster* - P463 - *Phi Beta Kappa*>; <*Episcopal Diocese of Connecticut* - P1001 - *Connecticut*>; <*Berkeley Divinity School* - P361 - *Yale College*>; <*Chauncey Bunce Brewster* - P463 - *Skull and Bones*>; <*Chauncey Bunce Brewster* - P361 - *Skull and Bones*>

Examples of RAPL Method Correcting Errors in DL-MNAV Method:

(1) Add the triple <*Berkeley Divinity School* - P361 - *Yale College*>, which is a false negative case for DL-MNAV method.

(2) Drop the triple <*Mayflower* - P140 - *Episcopal Diocese of Connecticut*>, which is a false positive case for DL-MNAV method.

Examples of Errors in RAPL Method:

(1) False negative prediction of the triple <*Chauncey Bunce Brewster* - P463 - *Phi Beta Kappa*>.

(2) False positive prediction of the triple <*Benjamin Brewster* - P1001 - *New Haven*>.

Table 10: Case study of an in-domain 1-Doc episode in ReFREDo. Entity mentions are indicated in italics.