Robust and Diverse Multi-Agent Learning via Rational Policy Gradient

Niklas Lauffer¹ Ameesh Shah¹ Micah Carroll¹

Sanjit A. Seshia¹ Stuart Russell¹ Michael Dennis²

¹UC Berkeley ²Google Deepmind

Abstract

Adversarial optimization algorithms that explicitly search for flaws in agents' policies have been successfully applied to finding robust and diverse policies in multi-agent settings. However, the success of adversarial optimization has been largely limited to zero-sum settings because its naive application in cooperative settings leads to a critical failure mode: agents are irrationally incentivized to selfsabotage, blocking the completion of tasks and halting further learning. To address this, we introduce Rationality-preserving Policy Optimization (RPO), a formalism for adversarial optimization that avoids self-sabotage by ensuring agents remain rational—that is, their policies are optimal with respect to some possible partner policy. To solve RPO, we develop Rational Policy Gradient (RPG), which trains agents to maximize their own reward in a modified version of the original game in which we use *opponent shaping* techniques to optimize the adversarial objective. RPG enables us to extend a variety of existing adversarial optimization algorithms that, no longer subject to the limitations of self-sabotage, can find adversarial examples, improve robustness and adaptability, and learn diverse policies. We empirically validate that our approach achieves strong performance in several popular cooperative and general-sum environments. Our project page can be found at rational-policy-gradient.github.io.

1 Introduction

A longstanding challenge in the field of multi-agent reinforcement learning (MARL) is that of learning *robust* behavior: individual agents should be able to adapt to a variety of different strategies that other agents might exhibit. One way to achieve robustness is by training agents to iteratively find and fix flaws in their policy. In zero-sum settings, this can be naturally achieved through *self-play* [Samuel, 1959, Silver et al., 2016], where agents train against copies of themselves. Due to the adversarial nature of zero-sum self-play, agents will continually be encouraged to find new ways of attacking their opponents which will naturally lead to iterative improvement and robustification. In *general-sum* (especially cooperative) settings, however, self-play will explicitly *avoid* the weaknesses of other players, as it is harmful to the shared reward, resulting in brittle agents [Carroll et al., 2019].

Inspired by its success in zero-sum settings, we leverage a form of *adversarial optimization* (i.e., we incentivize minimizing other players' rewards) to train agents to find and fix flaws in general-sum settings. However, seeking to minimize others' rewards in cooperative settings, where all agents aim to maximize a shared reward, unsurprisingly leads to *self-sabotaging* behavior [Cui et al., 2023]. If an agent is solely incentivized to minimize the rewards of another player, the adversary can simply learn to refuse to collaborate with that teammate. Even worse, the adversary has an incentive to act irrationally by actively sabotaging its teammate's (and by extension, its own) reward, preventing meaningful learning.




Figure 1: Rational policy gradient (RPG) allows finding rational adversarial examples, robustifying behavior, and discovering diverse policies.

In order to reap the benefits of adversarial optimization without incurring self-sabotaging behavior, we establish a new paradigm for adversarial optimization called *Rationality-preserving Policy Optimization* (RPO). We formalize RPO as an adversarial optimization problem that requires the policy to be optimal with respect to at least one policy that other agent(s) might play. This can be thought of as enforcing the agent to be *rational*: the agent must be utility-maximizing for some choice of teammates.

The rationality constraint imposed by RPO is difficult to directly integrate into a single optimization objective. To solve RPO, we introduce a novel approach called *rational policy gradient (RPG)*, which provides a gradient-based method for ensuring rational learning while optimizing an adversarial objective. RPG introduces a new set of agents called *manipulators*, one for each of the agents in the original optimization problem (which we call *base agents*). In RPG, the base agents only train to maximize their own reward in a copy of the game (called its *manipulator environment*) with their teammates replaced by their manipulator counterparts – this ensures that the base agents are solely learning to be rational. Each manipulator uses opponent-shaping [Foerster et al., 2017] to manipulate the base agents' learning and guide them towards policies that optimize the adversarial objective (e.g., achieving low reward with one another in the original *base environment*). The manipulators are discarded after training and the trained base agents give the solution to the RPO-version of the adversarial objective – whether that be related to robustness, diversity, or some other objective.

As summarized in Figure 1, we use RPG to extend several existing adversarial optimization algorithms to find adversarial examples in pretrained policies, train more robust strategies, and fully eliminate self-sabotaging behavior exhibited by existing adversarial diversity algorithms [Cui et al., 2023, Sarkar et al., 2024] – an open problem in existing literature. We summarize our contributions:

- We introduce a formalism called RPO that overcomes the issue of self-sabotage in any adversarial optimization algorithm.
- We introduce a gradient-based deep learning algorithm called RPG that solves RPO.
- We use RPG to construct five novel adversarial optimization algorithms that find rational adversarial examples, train robust agents, and learn diverse policies.
- We empirically demonstrate that our algorithms avoid self-sabotage and outperform existing baselines in popular cooperative environments.

2 Preliminaries

We consider the setting in which agents play in a general-sum partially-observable stochastic game $(M, \mathcal{S}, \mathcal{A}, R, \gamma, P, \Omega, \mathcal{O})$ defined as follows. $M = \{1, \ldots, k\}$ is a set of agents. \mathcal{S} is a set of states with initial distribution \mathcal{S}_0 . $\mathcal{A} = \mathcal{A}_1 \times \cdots \times \mathcal{A}_m$ is the space of joint actions; for ease of notation, we assume without loss of generality that the action set is identical across agents.

 $R_i: \mathcal{S} \times \mathcal{A} \times \mathcal{S} \to \mathbb{R}$ is agent *i*'s reward function. γ is the discount factor. $P: \mathcal{S} \times \mathcal{A} \times \mathcal{S} \to [0,1]$ is the transition function where $\sum_{s' \in \mathcal{S}} P(s,a,s') = 1$. $\Omega = \Omega_1 \times \cdots \times \Omega_m$ is the joint observation space. $\mathcal{O}: \mathcal{S} \times \mathcal{A} \times \Omega \to [0,1]$ is the observation function.

For sake of exposition, we limit ourselves to games with two players. Agents follow *stochastic Markovian policies*: the policy π_i agent i specifies a distribution over actions \mathcal{A}_i for every observation in Ω_i . Let Π denote the joint stochastic Markovian policy space for all agents, Π_i denote the policy space of agent i, and Π_{-i} denote the *co-policy* space, the joint policy space of the co-players (all agents other than i). We note that our methods will work for history-dependent policies too (e.g., by allowing the policies to maintain external memory). We use $U_i(\pi_i, \pi_{-i})$ to denote the expected (over stochasticity from the environment and policy) sum of discounted rewards $\mathbb{E}\left[\sum_t \gamma^t R_i(s_t, a_t, s_{t+1})\right]$ for agent i from the initial distribution over states. The *best-response* function for agent i is the set-valued function $\mathrm{BR}_i:\Pi_{-i}\to\mathcal{P}(\Pi_i)$ such that $\mathrm{BR}_i(\pi_{-i})=\arg\max_{\pi_i}U_i(\pi_i,\pi_{-i})$, denoting the set of policies agent i could play to maximize the sum of discounted returns in response to π_{-i} . We investigate the problem setting in which arbitrary optimization objectives O_i are given for each agent i as discussed in the following section.

3 Rationality-Preserving Policy Optimization

3.1 Adversarial Optimization Causes Self-Sabotage

We call an optimization objective *adversarial* when some of the agents are explicitly incentivized to minimize the reward of another agent. For example, the adversarial training (AT) optimization problem [Gleave et al., 2019] is defined for a victim π_{victim} and an adversary $\pi_{\text{adversary}}$ in a 2-player game. The objective for the adversary is $\min_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{victim}}, \pi_{\text{adversary}})$ while the objective for the victim is non-adversarial: $\max_{\pi_{\text{victim}}} U_{\text{victim}}(\pi_{\text{victim}}, \pi_{\text{adversary}})$. In zero-sum settings, AT has been used to train the adversary to find adversarial examples that expose robustness flaws in the victim's policy and have the victim learn to fix them.

In an attempt to train an agent that is robust in a cooperative setting, consider applying AT to the game between two players defined by the matrix in Figure 2. Suppose the victim is the row player and the adversary is the column player. Under the objectives specified by AT, no matter which policy π_{victim} plays, the adversary will self-sabotage the game by playing policy




Figure 2: A cooperative game.

 $\pi_{\mathrm{adversary}}^{\mathrm{AT}} = E$ since this automatically minimizes π_{victim} 's reward at a value of -1. Notice how $\pi_{\mathrm{adversary}}^{\mathrm{AT}}$ will not help π_{victim} improve its robustness: no policy available to π_{victim} can do well if $\pi_{\mathrm{adversary}}^{\mathrm{AT}}$ plays action E. Motivated by such examples, we define self-sabotage as follows.

Definition 3.1 (Self-sabotage). Optimization problems in multi-agent games often include objectives distinct from the incentives in the underlying game (i.e., agents' incentive to maximize their individual reward). When the optimization problem results in policies with *irrational behavior*, behavior that causes an agent to act against its own incentive in the underlying game, we call this *self-sabotage*.

3.2 The Rationality-Preserving Policy Optimization Formalism

Rationality-preserving policy optimization (RPO) fixes the issue of self-sabotage in adversarial optimization problems by requiring an adversarial agent's policy to be rational, i.e., a best-response to at least one possible co-policy.

Definition 3.2 (Rationality-preserving Policy Optimization (RPO)). For each agent i, let $O_i(\pi_1, \dots, \pi_m)$ denote its adversarial optimization objective. The RPO-version of agent i's objective is given by

$$\max_{\pi_i} O_i(\pi_1, \dots, \pi_m) \quad \text{subject to } \exists \pi'_{-i} \in \Pi_{-i} \text{ s.t. } \pi_i \in BR(\pi'_{-i}). \tag{1}$$

Let us walk through an example of applying RPO to the adversarial training (AT) objective $\min_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{victim}}, \pi_{\text{adversary}})$. RPO will modify AT by requiring that $\pi_{\text{adversary}}$ is rational by serving as a best response to some co-policy. Notice that the RPO constraint has no affect on π_{victim} since it is already optimizing to be rational.

Now, if $\pi_{\text{victim}} = A$, the constraint from Definition 3.2 will lead the adversary to find the policy $\pi_{\text{adversary}}^{\text{RPO}} = D$ since D is a valid best response if the victim plays B. Note that while playing E

minimizes the adversarial objective further than playing D, it does not satisfy the constraint of being a rational action. Importantly, the adversary is teaching the victim something actionable: increasing their likelihood of playing B would improve their reward. Moreover, the only equilibrium of this new optimization problem is for the victim to play a uniform mixture over actions A and B. This makes the victim robust because the minimum expected reward it will obtain against any rational co-policy is 0.5.

Notice that the AT-RPG is a strict generalization of AT since they are identical in zero-sum games. In the zero-sum setting, letting $\pi' = \pi_{\text{victim}}$ trivially satisfies the rationality constraint since $\text{BR}(\pi_{\text{victim}}) = \max_{\pi_{\text{adversary}}} U_{\text{adversary}}(\pi_{\text{victim}}, \pi_{\text{adversary}}) = \min_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{victim}}, \pi_{\text{adversary}})$ in zero-sum games.

4 Rational Policy Gradient

Rational policy gradient (RPG) incorporates the constraint from Definition 3.2 by introducing a new manipulator agent policy π_{-i}^M for each base agent policy π_i . Each base agent i now ignores its original objective $O_i(\pi_1, \ldots, \pi_m)$ and instead optimizes to play a best response against its manipulator to enforce the rationality constraint from Equation (1). The manipulator is responsible for the original objectives O_i , giving the following two objectives

Base agents:
$$\max_{\pi_i} U(\pi_i, \pi_{-i}^M)$$
, Manipulators: $\max_{\pi_{-i}^M} O_i(\pi_1, \dots, \pi_m)$. (2)

Notice that the manipulators can only influence the original objective indirectly by choosing which policy the base agents should best respond to. Since the rationality constraint has no affect on agents with non-adversarial objectives (e.g., the victim in AT), as an optimization, such base agents keep their original optimization objective: $\max_{\pi_i} O_i(\pi_1, \dots, \pi_n)$.

The full RPG-modified objectives of several adversarial optimization problems modified are given in Appendix D. In the rest of this section, we give an overview of the principles behind the gradient update for RPG. Further details are available in Appendix E.

4.1 RPG Gradients

RPG approximates the objectives in Equation (2) through a policy gradient update. Let θ_i and θ_{-i}^M denote the parameters for policies π_i and π_{-i}^M . The gradient update for the base policies is straightforward:

$$\theta_i' \leftarrow \theta_i + \nabla_{\theta_i} U(\theta_i, \theta_{-i}^M). \tag{3}$$

Building atop existing opponent shaping techniques [Foerster et al., 2017], the manipulator takes higher-order gradients through their base agents' update with respect to the adversarial objective

$$\theta_{-i}^M \leftarrow \theta_{-i}^M + \nabla_{\theta_{-i}^M} O_i(\theta_1', \dots, \theta_m'). \tag{4}$$

Notice that O_i is evaluated at the base agents' parameters θ'_i after they have taken one gradient step into the future. The manipulators are responsible for the adversarial objective but can only indirectly affect it by altering the base agent's learning process.

In order to compute gradients in a model-free deep learning setting, we need to use a surrogate loss that preserve higher-order gradients. We use Loaded DiCE [Farquhar et al., 2019], which is based on DiCE [Foerster et al., 2018] to define such a surrogate loss. See Appendix E.1 for more details.

4.2 Partner-play Regularization

In deep learning settings, significant distribution shifts between training and evaluation data can lead to poor performance. In our case, base agents are training against manipulators and then evaluated against other base agents: this shift in partner can easily put the base agent's policy out-of-distribution. To minimize the impact of this distribution shift, we introduce a regularization term in the base agent's loss function called partner-play regularization: for each base agent i, we add to the training data some rollouts of i partnered with each other base agent that i is evaluated against under O_i . This prevents i's policy from being out-of-distribution during evaluation and ensures that manipulators cannot optimize adversarial objectives by simply putting the base agents training out-of-distribution.

Algorithm 1 RPG update with lookahead N

input Policy parameters θ_{-i}^M , θ_i , $\forall i \in [m]$.

- 1: Copy: $\theta_i' \leftarrow \theta_i, \forall i \in [m]$
- 2: **for** n in 1 ... N **do**
- Rollout trajectories under $(\theta_i', \theta_{-i}^M)$
- 4: $\theta_i' \leftarrow \theta_i' + \alpha_1 \nabla_{\theta_i'} \mathcal{L}(\theta_i', \theta_{-i}^M)$ 5: **end for**
- 6: Rollout trajectories under $(\theta'_1, \dots, \theta'_m)$
- 7: $\theta_{-i}^{M} \leftarrow \theta_{-i}^{M} + \alpha_{2} \nabla_{\theta_{-i}^{M}} \mathcal{L}_{\square}^{O_{i}}(\theta_{1}^{i}, \dots, \theta_{m}^{i})$ 8: $\theta_{i} \leftarrow \theta_{i} + \alpha_{3} \nabla_{\theta_{i}} \mathcal{L}(\theta_{i}, \theta_{-i}^{M})$ output $\theta_{-i}^{M}, \theta_{i}, \forall i \in [m]$.




Figure 3: Psuedo code (left) and visualization (right) for the RPG update. The inner box visualizes a base agent's update and the full figure visualizes the corresponding manipulator update taking gradients through the base agent's update.

4.3 The Rational Policy Gradient Algorithm

Algorithm 1 shows pseudocode for a single policy update of RPO. Lines 2-5 perform N lookahead steps on the base agent policies by taking gradient steps towards being a best-response to their corresponding manipulator policies (as well as partner-play regularization). Line 6 performs rollouts between all of the updated base agents required to evaluate the original objectives O_i (rollouts between all base agents are shown for simplicity). Line 7 then applies a gradient step on the manipulator policies through the DiCE-modified [Foerster et al., 2018] loss function $\mathcal{L}^{O}_{[\cdot]}$ (defined in Appendix E) evaluated on the rollouts from updated base agents. Line 8 simply applies a single gradient step on the base agents (identical to the update on line 4) with respect to a traditional RL surrogate loss. We note that RPG is agnostic to the underlying RL algorithm used to compute the gradients of the loss function.

4.4 RPG Algorithms

In this section, we give an overview of the novel algorithms that we introduce using RPG, allowing them to be applied to non-zero-sum games. A more detailed specification along with a visualization of each algorithm is given in Appendix D.


AP-RPG is used to find flaws in agents. AP-RPG is the RPG variant of adversarial policy (AP) [Gleave et al., 2019]. AP is used in zero-sum settings to find adversarial vulnerabilities in existing agents. In both AP and AP-RPG, we refer to this agent as the victim. Meanwhile, the learning agent that attempts to find a vulnerability in the victim is called the *adversary*. In the case of AP-RPG, since we want to prevent the adversary from acting irrationally, it trains against an adversary manipulator.

AT-RPG is used to robustify a learning agent. AT-RPG is the RPG variant of adversarial training (AT) [Gleave et al., 2019]. AT is an extension of adversarial policy that allows the victim to simultaneously learn while the adversary attacks. AT-RPG modifies AP-RPG in the same way by allowing the victim to learn. Since the victim is not subject to any adversarial incentives, it does not require a manipulator.

PAIRED-RPG is used to robustify a learning agent using regret. PAIRED-RPG is the RPG variant of protagonist-antagonist induced regret minimization (PAIRED) [Dennis et al., 2020]. PAIRED is an algorithm used for unsupervised environment design and if naively applied to *coplayer design*, the adversary can simply learn to sabotage the game when matched with the protagonist. PAIRED-RPG fixes this issue by introducing a manipulator for the adversary.

PAIRED-Attack-RPG is used to find flaws that maximize an agent's regret. PAIRED-A-RPG is a variant of PAIRED-RPG in which the protagonist is fixed, allowing us to find adversarial policies that the protagonist performs well with, but the victim does not.

AD-RPG is dual purpose: (1) finding a set of truly diverse (i.e., incompatible) policies, and (2) generating an auto-curriculum to train robust policies. AD-RPG is the RPG variant of the adversarial diversity (AD) algorithm [Cui et al., 2023, Charakorn et al., 2023]. AD works by framing diversity as the problem of finding a set of strategies that perform well in self-play but poorly in crossplay, indicating that distinct solutions have been found. However, naively training a population this way leads agents to achieve low cross-play scores by sabotaging the game rather than finding



Algorithm	Self-play	Cross-play
CoMeDi	220	2
AD	240	1.25
AD-RPG	240	240

Figure 4: **Left:** training curves for each learning agent in AD-RPG. Self-play rewards increase while cross-play scores decrease (but notably never reach zero). Manipulator's only reach the level of reward necessary to influence the base agents to be diverse. Shaded region shows 95% confidence interval. **Right:** self-play and cross-play rewards for adversarial diversity-based algorithms in the *cramped room* Overcooked layout. Self-sabotage leads to deceptively low cross-play rewards for CoMeDi and AD while AD-RPG maintains high score even in cross-play.

fundamentally incompatible strategies. AD is typically implemented by sequentially training agents, however, we find that simultaneously training all agents with AD-RPG serves the dual purpose of producing an auto-curriculum that identifies and fixes robustness issues in the population's strategies throughout training.

5 Experiments

Following a description of our experiment setup, results are organized into three subsections according to the following empirical claims, with the last one explored throughout:

Claim 1 RPG allows the learning of *meaningfully diverse* policies, a set of policies that covers differing strategies.

Claim 2 RPG algorithms train policies that are more robust to differing partners.

Claim 3 RPG algorithms find non-trivial adversarial examples in pretrained policies.

Claim 4 RPG prevents self-sabotage across a range of adversarial algorithms.

The project webpage includes interactive visualizations, demos and videos that supplement the results.

5.1 Experiment Setup

We evaluate our approach in four primary environments: **matrix games** with varying zero-sum, cooperative, and mixed-motive payoffs; several standard **Overcooked** [Carroll et al., 2019] layouts, a modified version of **STORM** [Khan et al., 2023] that requires agents to collect either green or red coins, rewarding them when they collect the same color; and a simplified 2-player version of **Hanabi** [Bard et al., 2020] that contains 3 colors and ranks and a version that contains 4 colors and ranks (instead of the standard 5). See Appendix F for descriptions and visualization of each of these environments. We use the JaxMARL [Rutherford et al., 2023] implementation for the latter three environments. Appendix E outlines algorithm implementation and hyperparameter details used in our experiments.

To evaluate the efficacy of RPG, we compare it against a number of baselines. We first include (1) self-play (SP) [Samuel, 1959], where policies are learned by training with themselves. We then compare against a selection of methods from previous works that attempt to use adversarial optimization in multi-agent training. Specifically, we compare against (2) adversarial policy [Gleave et al., 2019], (3) adversarial training [Gleave et al., 2019], (4) PAIRED [Dennis et al., 2020], (5) adversarial diversity [Cui et al., 2023, Charakorn et al., 2023], and the previous SOTA extension for preventing self-sabotage in adversarial diversity, called (6) CoMeDi [Sarkar et al., 2024]. Our work extends algorithms (2) - (5) with RPG, as discussed in Section 4.4.

5.2 Claim 1: RPG Finds Meaningfully Diverse Policies

In this section we demonstrate how RPG allows the learning of diverse (i.e, incompatible) policies by solving sabotage in adversarial diversity-based algorithms, whereas existing approaches [Cui et al., 2023, Sarkar et al., 2024] fail.

STORM. Figure 4 (left) shows the training curves for AD-RPG in the original STORM environment. Around episode 10000, the manipulators learn to lead each base agent to gather a different colored

coin, causing cross-play reward (e.g., base 0 vs. base 1) to drop. The manipulator's rollout rewards eventually plateau since further shaping would do nothing to increase the objective of diversity between base agents. Even in cross-play, agents avoid self-sabotage and continue to receive a positive reward, supporting **Claim 4**. Qualitatively, in cross-play, the agents first each gather an opposite colored coin. Then, once they realize their incompatibility, they adapt their initial strategy, gathering a matching coin in order to receive a partial reward. This highlights that *AD-RPG only drives down value in cross-play if it is necessary to improve self-play*.

We also test CoMeDi [Sarkar et al., 2024] in the STORM environment and it fails to exhibit any attempt to deviate, quickly driving cross-play reward all the way to zero, even though AD-RPG shows that this is not necessary for high self-play reward. In order to exemplify this behavior, we modify the original STORM environment so that both agents receive a reward of -0.1 on every timestep either agent occupies the top-left square in the grid, giving agents an easy way to sabotage the game if desired. Figure 18 shows the training curves for CoMeDi run in this modified version of the STORM environment. The policy quickly learns to *intentionally* sabotage and receive a large negative reward in cross-play. Meanwhile, AD-RPG learns to avoid the sabotage state in both self-play and cross-play in this modified environment.

Overcooked. Figure 4 (right) shows the self-play and cross-play rewards computed by different algorithms in the *cramped room* Overcooked layout. CoMeDi achieves low cross-play rewards (along with AD), seemingly a sign of finding incompatible strategies. However, closer inspection reveals that in cross-play, CoMeDi and AD agents will simply stand in front of the plate dispenser to prevent their partner from finishing any dishes – a clear sign of sabotage. See the project webpage for videos of this behavior. Moreover, high cross-play rewards with *AD-RPG demonstrate that it is able to avoid sabotage* (**Claim 4**) and that the *cramped room* layout contains very little genuine diversity: agents will only achieve low cross-play reward if they are incentivized to sabotage. This is unsurprising in light of Lauffer et al. [2023], which showed that policies in Overcooked require trivial levels of coordination to be successful.

5.3 Claim 2: RPG Trains Robust Policies

In this section, we show that AD-RPG can learn policies that can generalize across partners. To do so, we train five policies with different seeds for AD, AD-RPG, SP (with entropy coefficient 0.01), and SP (with entropy coefficient 0.05). We found that using a large entropy coefficient with SP often encouraged policies to converge on the same strategy (therefore leading to higher robustness within its population). AD and AD-RPG both use a population size of two policies.

Figure 5 shows robustness results for different environments in the form of *cross-play grids*. The project webpage includes an interactive visualization of rollouts from these cross-play grids. In our cross-play grids, each row represents a single seed trained by the specified algorithm. The first five rows represent SP with an entropy coefficient of 0.01 and the second five represent SP with an entropy coefficient of 0.05. The following ten rows represent the five pairs of policies from each run of AD (since we use a population of size two) and the last ten rows represent AD-RPG in the same fashion. Each column represents the same so that in diagonal entries, both players come from the same seed. Each square in the cross-play grid represents the average reward of the policies from the two associated seeds played against one another averaged over 1000 rollouts of the game. Figure 6 shows the average *intra-population cross-play* reward for each algorithm: the average of the cross-play scores from within the population of seeds of each individual algorithm.

Overcooked. SP policies in *cramped room* and *forced coordination* often tend to converge on a single strategy, especially with high entropy regularization (second set of 5 SP seeds). It's therefore unsurprising that these seeds perform well with one another. However, their adaptability to strategies from other algorithms is very poor – they often achieve close to zero reward with other policies. Take *forced coordination* for example: even the two sets of SP seeds (with different entropy) are completely incompatible. On the other hand, *AD-RPG performs nearly perfectly with any partner as evident by the right third of the grid achieving high value.* The asymmetry of the grid can be explained by the asymmetry of roles in *forced coordination*: the column player is responsible for picking up onions passed by their partner. AD-RPG, as the column player, is able to adapt to any strategy for passing the onions while other algorithms are only robust to a single one.




Figure 5: Cross-play grids between different algorithms across environments. Each square represents the average reward from a specific pair of seeds trained by one of the three algorithms when paired as teammates. Standard error < 1 for Overcooked and < 0.1 for Hanabi for all values.




Figure 6: Intra-population cross-play rewards for different algorithms across environments. Points represent pairs of seeds, bar charts represent means, and error bars represent 95% confidence intervals.

		Adversarial Attack		
Victim	Training	AP	PAIRED-A-RPG	AP-RPG
PAIRED	0.13	0.0	0.50	0.42
PAIRED-RPG	0.93	0.0	0.84	0.85
AT	0.0	0.0	0.0	0.0
AT-RPG	0.65	0.0	0.72	0.88
AD	0.00	0.0	0.00	0.00
AD-RPG	0.98	0.0	0.25	0.96
Self-play	0.98	0.0	0.16	0.96

Table 1: The average reward that "Victims" trained by various algorithms achieve against different adversarial attack types. The "Train" column shows the reward achieved during training and the following columns show the reward against different adversarial attack types. The AP attack trivially achieves zero reward because it suffers from self-sabotage.




Figure 7: A rational adversarial example found by AD-RPG. Both agents assume the other will move out of the way, preventing progress.

The more complicated layouts of *coordination ring* and *counter circuit* allow multiple solutions and prove a challenge for SP (even with high entropy), achieving very low cross-play rewards. Meanwhile, AD-RPG is able to maintain much higher cross-play rewards, evident by the higher mean bars in Figure 6 and the fact that it rarely achieves close to zero reward with itself in cross-play.

Hanabi. In the 3-color and 4-color version of Hanabi, SP with high entropy achieves significantly higher intra-population rewards than low entropy. We speculate that this is due to the entropy regularization causing policies to converge on very similar strategies. This is somewhat surprising given previous works [Bard et al., 2020, Hu et al., 2020] on Hanabi and might result from our policies lacking history-dependence or because the game is simpler with fewer colors, either of which might make SP policies less likely to develop specialized strategies.

5.4 Claim 3: RPG Finds Rational Adversarial Examples

In order to explore the effectiveness of AT-RPG, PAIRED-RPG, AP-RPG, and PAIRED-A-RPG, we use a modified version of STORM, which we call **unobserved STORM**, in which the agents cannot observe their partner's position. This simplifies the strategy space by preventing agents from learning policies that react to their partner (such as how AD-RPG adapts in cross-play). Table 1 shows the performance of various fixed victims against different types of adversarial attacks in unobserved STORM. The 'Victim' column indicates the algorithm used to train the victim and the 'Training' column the reward that the algorithm achieved by the end of training. The 'AP', 'PAIRED-A-RPG' and 'AP-RPG' columns show the performance against the respective adversarial attacks.

These results demonstrate that (1) PAIRED-A-RPG and AP-RPG are both able to find weaknesses in fixed policies and neither is susceptible to sabotage, (2) PAIRED-RPG and AT-RPG training lead to more robust policies, indicated by high scores against both PAIRED-A-RPG and AP-RPG attacks. Unsurprisingly, every victim achieves zero reward against the AP attack since the adversary simply learns to self-sabotage the game by collecting no coins. Likewise, the non-RPG variations of algorithms (AT, PAIRED, AD) fail during training due to self-sabotage. Figures 19 to 21 in Appendix G.2 show AP, AP-RPG, and PAIRED-RPG attack training curves against these victims.

Overcooked. We tested the ability of AP-RPG to discover weaknesses in fixed policies in the *cramped room* Overcooked layout. AP-RPG is able to successfully find weaknesses in a fixed policy trained via self-play, finding an adversarial policy that achieves a reward of 4.6, even though the fixed policy achieves a reward of 240 in self-play. Figure 7 and videos on the project webpage illustrate one of these adversarial examples that AP-RPG finds: instead of simply sabotaging the game like AP, AP-RPG discovers that the victim (blue) assumes that the agents will move around each other clockwise. The manipulator in AP-RPG incentivizes the adversary (red) to instead move in a counterclockwise fashion, a rational strategy, though it happens to be incompatible with the victim.

6 Related Works

Previous work [Cui et al., 2023, Sarkar et al., 2024] has identified the issue of sabotage in the context of adversarial diversity and proposed fixes based on making the observation distributions of self-play and cross-play similar. Our experiments show that the approach from Sarkar et al. [2024] fails to prevent sabotage in our environments; see Appendix C for a detailed discussion of why. Several simultaneous works [Ruhdorfer et al., 2025, Wang et al., 2025, Chaudhary et al., 2025] have explored the idea of extending adversarial training to the cooperative setting to improve robustness against unseen partners. Wang et al. [2025] and Chaudhary et al. [2025] encounter the problem of self-sabotage and attempt to fix it by mixing state distributions across self-play and cross-play and by limiting the adversarial search space via a generative model, respectively. However, none of these methods propose a complete framework for preventing self-sabotage across any adversarial optimization algorithm in the way that we do.

There are several other paradigms for training more performant or robust policies in cooperative settings. Approaches based on the setting of zero-shot coordination Hu et al. [2020], Treutlein et al. [2021], Muglich et al. [2022] aim to learn policies that do not depend on arbitrary symmetries of the game. Several other methods aim make policies robust by training them against a population of agents Vinyals et al. [2019], Rahman et al. [2022] or against human-data-informed policies Carroll et al. [2019], [FAIR], Liang et al. [2024]. Our work instead directly applies different forms of adversarial optimization.

A significant part of the technical backing of RPG is based on the line of work on *opponent shaping* [Foerster et al., 2017, Kim et al., 2021, Letcher et al., 2018]. To the best of the author's knowledge, RPG represents the first use of opponent shaping in the context of adversarial training. A more recent line of work [Lu et al., 2022, Khan et al., 2023] aims to achieve opponent shaping without having to explicitly compute expensive higher-order gradients. Investigating whether this type of shaping could be incorporated into RPG to improve efficiency would be an exciting line of future research.

7 Conclusion

We introduce the problem of *rationality-preserving policy optimization* and give a solution in the form of a gradient-based algorithm called *rational policy gradient* (RPG). We demonstrate the diverse uses of RPG by constructing algorithms that robustify agents, expose rational adversarial examples, and learn genuinely diverse behaviors across general-sum settings. Our results highlight that the success of adversarial optimization in zero-sum training methods can be extended to the general-sum setting and we aim to inspire further research in this direction. Furthermore, we hope that the generality of RPG will enable the development of entirely new classes of adversarial optimization algorithms in general-sum settings.

8 Acknowledgment

This research was supported in part by a gift from the Open Philanthropy Foundation to the Center for Human-Compatible AI, by DARPA Contract HR00112490425 (TIAMAT), and the Schmidt AI 2050 Fellowship (Russell). Niklas Lauffer is supported by a National Science Foundation Graduate Research Fellowship and a Cooperative AI Foundation Fellowship.

References

Arthur L Samuel. Some studies in machine learning using the game of checkers. *IBM Journal of research and development*, 3(3):210–229, 1959.

David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George Van Den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, et al. Mastering the game of go with deep neural networks and tree search. *nature*, 529(7587):484–489, 2016.

Micah Carroll, Rohin Shah, Mark K Ho, Tom Griffiths, Sanjit Seshia, Pieter Abbeel, and Anca Dragan. On the utility of learning about humans for human-AI coordination. *Advances in neural information processing systems*, 32, 2019.

- Brandon Cui, Andrei Lupu, Samuel Sokota, Hengyuan Hu, David J Wu, and Jakob Nicolaus Foerster. Adversarial diversity in Hanabi. In *The Eleventh International Conference on Learning Representations*, 2023.
- Jakob N Foerster, Richard Y Chen, Maruan Al-Shedivat, Shimon Whiteson, Pieter Abbeel, and Igor Mordatch. Learning with opponent-learning awareness. *arXiv preprint arXiv:1709.04326*, 2017.
- Bidipta Sarkar, Andy Shih, and Dorsa Sadigh. Diverse conventions for human-AI collaboration. *Advances in Neural Information Processing Systems*, 36, 2024.
- Adam Gleave, Michael Dennis, Cody Wild, Neel Kant, Sergey Levine, and Stuart Russell. Adversarial policies: Attacking deep reinforcement learning. *arXiv preprint arXiv:1905.10615*, 2019.
- Gregory Farquhar, Shimon Whiteson, and Jakob Foerster. Loaded dice: Trading off bias and variance in any-order score function gradient estimators for reinforcement learning. *Advances in Neural Information Processing Systems*, 32, 2019.
- Jakob Foerster, Gregory Farquhar, Maruan Al-Shedivat, Tim Rocktäschel, Eric Xing, and Shimon Whiteson. Dice: The infinitely differentiable monte carlo estimator. In *International Conference* on Machine Learning, pages 1529–1538. PMLR, 2018.
- Michael Dennis, Natasha Jaques, Eugene Vinitsky, Alexandre Bayen, Stuart Russell, Andrew Critch, and Sergey Levine. Emergent complexity and zero-shot transfer via unsupervised environment design. *Advances in neural information processing systems*, 33:13049–13061, 2020.
- Rujikorn Charakorn, Poramate Manoonpong, and Nat Dilokthanakul. Generating diverse cooperative agents by learning incompatible policies. In *The Eleventh International Conference on Learning Representations*, 2023.
- Akbir Khan, Timon Willi, Newton Kwan, Andrea Tacchetti, Chris Lu, Edward Grefenstette, Tim Rocktäschel, and Jakob Foerster. Scaling opponent shaping to high dimensional games. *arXiv* preprint arXiv:2312.12568, 2023.
- Nolan Bard, Jakob N Foerster, Sarath Chandar, Neil Burch, Marc Lanctot, H Francis Song, Emilio Parisotto, Vincent Dumoulin, Subhodeep Moitra, Edward Hughes, et al. The hanabi challenge: A new frontier for ai research. *Artificial Intelligence*, 280:103216, 2020.
- Alexander Rutherford, Benjamin Ellis, Matteo Gallici, Jonathan Cook, Andrei Lupu, Gardar Ingvarsson, Timon Willi, Akbir Khan, Christian Schroeder de Witt, Alexandra Souly, et al. Jaxmarl: Multi-agent rl environments in jax. *arXiv preprint arXiv:2311.10090*, 2023.
- Niklas Lauffer, Ameesh Shah, Micah Carroll, Michael D Dennis, and Stuart Russell. Who needs to know? minimal knowledge for optimal coordination. In *International Conference on Machine Learning*, pages 18599–18613. PMLR, 2023.
- Hengyuan Hu, Adam Lerer, Alex Peysakhovich, and Jakob Foerster. "other-play" for zero-shot coordination. In *International Conference on Machine Learning*, pages 4399–4410. PMLR, 2020.
- Constantin Ruhdorfer, Matteo Bortoletto, Victor Oei, Anna Penzkofer, and Andreas Bulling. Unsupervised partner design enables robust ad-hoc teamwork. *arXiv preprint arXiv:2508.06336*, 2025.
- Caroline Wang, Arrasy Rahman, Jiaxun Cui, Yoonchang Sung, and Peter Stone. Rotate: Regret-driven open-ended training for ad hoc teamwork. *arXiv preprint arXiv:2505.23686*, 2025.
- Paresh Chaudhary, Yancheng Liang, Daphne Chen, Simon S Du, and Natasha Jaques. Improving human-ai coordination through adversarial training and generative models. *arXiv* preprint arXiv:2504.15457, 2025.
- Johannes Treutlein, Michael Dennis, Caspar Oesterheld, and Jakob Foerster. A new formalism, method and open issues for zero-shot coordination. In *International Conference on Machine Learning*, pages 10413–10423. PMLR, 2021.

- Darius Muglich, Christian Schroeder de Witt, Elise van der Pol, Shimon Whiteson, and Jakob Foerster. Equivariant networks for zero-shot coordination. *Advances in Neural Information Processing Systems*, 35:6410–6423, 2022.
- Oriol Vinyals, Igor Babuschkin, Wojciech M Czarnecki, Michaël Mathieu, Andrew Dudzik, Junyoung Chung, David H Choi, Richard Powell, Timo Ewalds, Petko Georgiev, et al. Grandmaster level in starcraft ii using multi-agent reinforcement learning. *nature*, 575(7782):350–354, 2019.
- Arrasy Rahman, Elliot Fosong, Ignacio Carlucho, and Stefano V Albrecht. Generating teammates for training robust ad hoc teamwork agents via best-response diversity. *arXiv preprint arXiv:2207.14138*, 2022.
- Meta Fundamental AI Research Diplomacy Team (FAIR)†, Anton Bakhtin, Noam Brown, Emily Dinan, Gabriele Farina, Colin Flaherty, Daniel Fried, Andrew Goff, Jonathan Gray, Hengyuan Hu, et al. Human-level play in the game of diplomacy by combining language models with strategic reasoning. *Science*, 378(6624):1067–1074, 2022.
- Yancheng Liang, Daphne Chen, Abhishek Gupta, Simon S Du, and Natasha Jaques. Learning to cooperate with humans using generative agents. *arXiv preprint arXiv:2411.13934*, 2024.
- Dong Ki Kim, Miao Liu, Matthew D Riemer, Chuangchuang Sun, Marwa Abdulhai, Golnaz Habibi, Sebastian Lopez-Cot, Gerald Tesauro, and Jonathan How. A policy gradient algorithm for learning to learn in multiagent reinforcement learning. In *International Conference on Machine Learning*, pages 5541–5550. PMLR, 2021.
- Alistair Letcher, Jakob Foerster, David Balduzzi, Tim Rocktäschel, and Shimon Whiteson. Stable opponent shaping in differentiable games. *arXiv preprint arXiv:1811.08469*, 2018.
- Christopher Lu, Timon Willi, Christian A Schroeder De Witt, and Jakob Foerster. Model-free opponent shaping. In *International Conference on Machine Learning*, pages 14398–14411. PMLR, 2022.
- Logan Engstrom, Andrew Ilyas, Benjamin Chen, Axel Feldmann, William Moses, and Aleksander Madry. Optimizing ml training with metagradient descent. *arXiv preprint arXiv:2503.13751*, 2025.
- Diederik P Kingma. Adam: A method for stochastic optimization. arXiv preprint arXiv:1412.6980, 2014.
- Caroline Claus and Craig Boutilier. The dynamics of reinforcement learning in cooperative multiagent systems. *AAAI/IAAI*, 1998(746-752):2, 1998.
- Michael Bowling and Manuela Veloso. Multiagent learning using a variable learning rate. *Artificial intelligence*, 136(2):215–250, 2002.

A Glossary of terms

Acronym	Term	Definition
RPO	Rationality-preserving Policy Optimization	Section 3.2, Equation (1)
RPG	Rational Policy Gradient	Section 4, Algorithm 1
AP-RPG	Adversarial Policy – RPG	Section 4.4 Appendix D.1
AT-RPG	Adversarial Training – RPG	Section 4.4 Appendix D.1
PAIRED-RPG	Protagonist-Antagonist Induced Regret Min RPG	Section 4.4 Appendix D.1
PAIRED-A-RPG	PAIRED-Attack – RPG	Section 4.4 Appendix D.1
AD-RPG	Adversarial Diversity – RPG	Section 4.4 Appendix D.1
AP	Adversarial Policy	[Gleave et al., 2019]
AT	Adversarial Training	[Gleave et al., 2019]
PAIRED	Protagonist-Antagonist Induced Regret Minimization	[Dennis et al., 2020]
AD	Adversarial Diversity	[Cui et al., 2023, Charakorn et al., 2023]
SP	Self-play	[Samuel, 1959]
CoMeDi	Cross-play optimized, Mixed-play enforced Diversity	[Sarkar et al., 2024]

Table 2: Glossary of terms.

B Limitations

RPG relies on higher-order gradients through agents' learning updates, which introduces computational overhead, especially in high-dimensional domains. However, this overhead is roughly linear in the number of optimizing agents in the problem and is indepedent of any other aspects of the problem. Empirically, we see that adversarial diversity (AD) is roughly two times slower (in wall-clock time) throughout our experiments since it doubles the number of agents and AD-RPG is an extra three times slower than that through the introduction of a manipulator agent for each base agent. Otherwise, RPG algorithms experience only a constant overhead as the size of the problem grows. Estimating higher-order gradients from samples has high variance, so large batch sizes are required to stabilize learning in our experiments although recent works [Engstrom et al., 2025] have significantly improved the stability of meta-gradients and could be extended to our work.

While RPG enforces rationality constraints by ensuring that base agents only train to maximize their utility, we currently have no formal guarantee of convergence to truly rational strategies. However, it would be useful for future work to explore under which conditions RPG ensures a solution to RPO.

C Comparison to existing attempts to solve self-sabotage

In this section, we theorize why existing approaches to preventing self-sabotage fail. In order to match the setting of existing work on self-sabotage [Cui et al., 2023, Sarkar et al., 2024], we investigate the setting of the *adversarial diversity* (AD) algorithm. The AD algorithm aims to generate a diverse population of policies by maximizing self-play scores and minimizing cross-play scores within the population. Consider running AD with a population of size two in the following matrix game:

Figure 8: The payoff matrix for a cooperative game.

Optimizing the original AD algorithm (along with those from [Cui et al., 2023, Sarkar et al., 2024]) with a population of size two will lead to the solution $\{(A,D),(B,E)\}$, achieving self-play scores of 0.9 and cross-play scores of -1. Both policies are happy to irrationally play D and E instead of C and E, respectively, trading-off a little bit of score in self-play to greatly increase the cross-play score. Notably, the actions D and E are strictly worse no matter what their partner plays – clearly an irrational choice.

As identified in [Cui et al., 2023, Sarkar et al., 2024], true diversity should only come from making trade-offs that are *necessary* to improve self-play score. Choosing action D over C is the opposite:




Figure 9: Graphical representation of the RPG algorithms described in section D.1. Nodes represent optimizing agents and outgoing edges represent their optimization objectives. Weights on edges scale the importance of different objectives such that negative weights indicate minimization.

sacrificing self-play score to artificially reduce cross-play score. AD-RPG finds the desired solution $\{(A,C),(B,F)\}$ because it constrains the diversity to rational policies and only allows a decrease in cross-play if it benefits self-play However, just like ordinary AD, the algorithms presented in [Cui et al., 2023, Sarkar et al., 2024] find the undesired solution $\{(A,D),(B,E)\}$. Both of the algorithms presented in these works are based on the idea of confusing agents during training so that they do not know whether they are currently training in self-play or cross-play. They do this by altering RL training so that the distributions of observations seen during self-play and cross-play are as similar as possible. However, the example in Figure 8 demonstrates that self-sabotage can happen, even if there's only a single observation in the game. No amount of confusion about observation distributions can prevent self-sabotage, so the approaches in [Cui et al., 2023, Sarkar et al., 2024] fail in situations like this. The experiments shown in Figure 4 and Figure 18 demonstrate that these approaches fail in STORM and Overcooked, too, indicating that the structure of the game in Figure 8 may be present in more complicated environments.

D RPO objectives

D.1 A Graphical Language for RPG Algorithms

In order to simplify specifying and interpreting RPG algorithms, we introduce a graphical language. Agents (base agents and manipulators) are represented by nodes and an agent's loss function is represented by a collection of triples that can be visually represented by outgoing edges in the graph. A triple is defined by the optimizing agent (i.e. the node that the edge is coming out of) and the two agents being evaluated.

Figure 9 shows the graph for all RPG algorithms. Let us use AP-RPG as an example. It includes three agents: the victim, adversary base agent, and adversary manipulator. The victim is fixed, indicated by having no solid outgoing edges. The adversary base agent has two outgoing edges, one for training against its manipulator (with weight $1-\epsilon$), and one for partner-play against the victim base agents (with weight ϵ). The adversary manipulator has a single outgoing edge pointing to the victim's reward when the adversary base agents and victim base agents are evaluated against one another. The weight of -1 on this edge indicates that the adversary manipulator's loss wants to minimize this value.

D.2 Adversarial Training-RPG

The objective for adversarial training-RPG is

$$\begin{aligned} & \min_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{victim}}), \\ & \max_{\pi_{\text{victim}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{victim}}), \\ & \text{s.t.} \quad \pi_{\text{adversary}} \in BR(\pi_{\text{adversary}}^{M}). \end{aligned} \tag{5}$$

D.3 Adversarial Policy-RPG

The objective for adversarial policy-RPG is

$$\begin{split} & \min_{\pi_{\text{adversary}}^{M}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{victim}}), \\ & \text{s.t.} \quad \pi_{\text{adversary}} \in BR(\pi_{\text{adversary}}^{M}). \end{split} \tag{6}$$

Notice that AP-RPG is identical to AT-RPG except that the the victim is fixed.

D.4 PAIRED-RPG

The objective for PAIRED-RPG is

$$\max_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{antagonist}}) - U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{protagonist}}),$$

$$\max_{\pi_{\text{protagonist}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{protagonist}}),$$

$$\max_{\pi_{\text{antagonist}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{antagonist}}),$$

$$\text{s.t.} \quad \pi_{\text{adversary}} \in BR(\pi_{\text{adversary}}^{M}).$$

$$(7)$$

D.5 PAIRED-Attack-RPG

The objective for PAIRED-A-RPG is

$$\begin{aligned} & \max_{\pi_{\text{adversary}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{antagonist}}) - U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{protagonist}}), \\ & \max_{\pi_{\text{antagonist}}} U_{\text{victim}}(\pi_{\text{adversary}}, \pi_{\text{antagonist}}), \\ & \text{s.t.} \quad \pi_{\text{adversary}} \in BR(\pi_{\text{adversary}}^M). \end{aligned} \tag{8}$$

Notice that PAIRED-A-RPG is identical to PAIRED-RPG except that the protagonist (which acts as the victim) is fixed.

D.6 Adversarial Diversity-RPG

The objective for adversarial diversity-RPG with a population size of m is

$$\max_{\substack{\pi_1^M \dots, \pi_m^M \\ i \in [m]}} \sum_{i \in [m]} \left(U_i(\pi_i, \pi_i) - \frac{\lambda}{m-1} \sum_{j \in [m], j \neq i} U_i(\pi_i, \pi^j) \right)$$
s.t. $\pi_i \in BR(\pi_i^M) \quad \forall i \in [m],$

where λ weighs the relative importance of minimizing cross-play. Our experiments use $\lambda=0.25$. Note that we only apply AD-RPG to cooperative settings.

E RPG Details

E.1 Estimating Gradients with Samples

In model-free settings, gradient computation must be performed via sampling. Traditional RL surrogate losses are sufficient for single-order gradients, but we need a different surrogate loss for the manipulator gradients that preserves all dependencies (in our case, the manipulator's influence on the base agents's update) of the higher-order gradient. We use DiCE [Foerster et al., 2018] to define a surrogate loss that admits computing valid higher-order gradients through autodiff. Let E be a set of rollouts between agents relevant to the optimization objective O_i . The manipulator loss is defined as:

$$\mathcal{L}_{\square}^{O_i} = \sum_{e \in E} w_e \sum_t \gamma^t \square \left(\left\{ a_{j \in P, M}^{t' \le t} \right\} \right) r_e^t \tag{10}$$

where $\left\{a_{j\in P,M}^{t'\leq t}\right\}$ denotes the set of actions when the base agents trains with its manipulator during lookahead, w_e is the weight (e.g., +1 for maximize and -1 for minimize) specified by the optimization objective, and r_e^t are the associated rewards between the two base agents specified by e. \Box is the magic box operator from [Foerster et al., 2018]. In our experiments, we use Loaded DiCE [Farquhar et al., 2019], allowing us to compute higher-order gradients over advantage estimates. The loss for each base agent is simply

$$\mathcal{L} = \sum_{e \in E} w_e \sum_{t} \gamma^t \log \left(\pi(a_t | s_t) \right) r_e^t, \tag{11}$$

the sum of rewards for different training partners rescaled by the training weight (e.g., $w_e = \epsilon$) for partner-play.

E.2 Implementation details

RL algorithm. Our implementation of RPG uses actor-critic with a single epoch and update as the RL algorithm. We initially considered trying PPO, but realized that clipping might interfere with the higher-order gradients, leaving the implementation of more sophisticated RL algorithms to future work. For the same reason, only the manipulators use a max gradient norm. We use a separately learned centralized critic for each pair of agents rolled out in the underlying game. All of our experiments also use entropy regularization.

Choice of optimizer. Since the manipulators need to take gradient's through the base agent's update, the base agent's optimizer update must be differentiable. Many modern optimizers for deep learning incorporate methods such as *momentum*, which might make it more difficult for the manipulator's to estimate their influence on their base agent. In our experiments, we show that our methods work whether we use vanilla SGD or adam optimizers [Kingma, 2014].

Normalization. We also find that properly normalizing advantage estimates for each agent is important: each agent normalizes the advantage estimates associated with each of their training partners together. We also tried normalizing advantages between training partner's independently but learning proved to be more unstable.

Variable learning rates. Using different learning rates between the manipulator and the base agents is often important. We find that it is often necessary to use a significantly larger manipulator learning rate than base agent learning rate to magnify the manipulator's ability to influence the base agent's learning. We also find that using different learning rate in the base agent lookahead vs. its actual update step is important. A larger inner base agent learning rate allows the manipulator to project the base agent's update further into the future, similar to using a additional lookahead step, except without the added computational burden.

Partner-play. Partner-play regularization also makes a manipulator's optimization problem more difficult: if a manipulator wants to minimize the score between two base agents, it cannot simply make sure its base agent's training is trivially out-of-distribution. We find that in the case of AD-RPG, a small partner-play (0.05 - 0.1) is more effective at finding genuinely diverse solutions while a large partner-play (0.1 - 0.2) is more effective at robustifying policies. Too large of a partner-play eliminates the manipulator's influence over the base agent entirely, rendering RPG useless.

E.3 RPG hyperparameters

Table 3 contains the RPG hyperparemeters used in the experiments for each of our environments.

Table 3: RPG hyperparameters for different environments

Hyperparameter	Matrix	STORM	Overcooked	Hanabi
Architecture	64x64	64x64	64x64	512x512
Optimizer	SGD	Adam	Adam	Adam
Manipulator LR	1×10^{-2}	8×10^{-3}	1×10^{-3}	2.5×10^{-3}
Base LR	1×10^{-2}	1×10^{-4}	2×10^{-4}	5×10^{-3}
Base lookahead LR	1×10^{-1}	4×10^{-4}	2×10^{-4}	5×10^{-3}
Batch size	128	256	512	128
Discount factor (γ)	0.95	0.99	0.99	0.99
GAE parameter (λ)	0.95	0.99	0.99	0.99
Loaded DiCE coef (λ)	0.95	0.99	0.99	0.99
Value function coef.	0.5	0.5	0.5	0.5
Entropy coef.	0.0	0.01	0.01, SP: 0.05	0.01, SP: 0.05
Manipulator max gradient norm	0.5	0.5	0.5	0.5
Partnerplay coefficient	0	0.15	0.1	0.1

E.4 Compute Resources

Experiments were all performed on single GPUs (a mix of A4000s and A6000s) on a local SLURM cluster using 32 cpu cores and 50Gb of RAM. Seeds for all experiments took between a minute up to 24 hours to run.

F Environment descriptions

F.1 STORM




Figure 10: A visualization of the storm environment with green and red coins and the agents in orange and blue. Their 5x5 observation windows are illuminated in front of them.

The Spatial-Temporal Representations of Matrix Games (STORM) [Khan et al., 2023] environment is visualized in Appendix F. The agents move around the grid and collect green and red coins while only observing a limited area directly in front of them. The agents can 'interact' by getting near each other and playing the 'interact' action. When the agents interact, a coin is randomly chosen from the ones they have picked up. The agents both get a reward of +1 if they interact with the same colored coin, and 0 otherwise.

Our experiments also investigate two modifications of the original STORM environment. In the first modification, which we refer to as *unobserved STORM*, agents' observations no longer include their partner's position. We use this modification to simplify analysis by eliminating the possibility of strategies that react to their partner's policy. In the second modification, both agents receive a reward of -0.1 when either agent stands in grid position (0,0). We use this modification to exemplify sabotaging behavior exhibited by the CoMeDi [Sarkar et al., 2024] baseline.

F.2 Overcooked




Figure 11: Visualization of various Overcooked layouts in their initial positions. From left to right: Cramped Room, Coordination Ring, Counter Circuit, Asymmetric Advantages, and Forced Coordination.

Overcooked [Carroll et al., 2019] is a cooperative game where players control chefs working together in a kitchen to prepare and serve meals under time constraints. The agents need to work together to gather multiple ingredients into a pot, wait for the soup to cook, and then plate and deliver the dish. We perform experiments in a variety of Overcooked layouts.

F.3 Hanabi

Hanabi [Bard et al., 2020] is a cooperative, imperfect-information card game that has been a cornerstone of recent coordination benchmarks. Players work together to arrange a shared set of colored, numbered cards in order. Each player holds their cards facing outward, unable to see their own hand but able to see others'. Players provide limited hints to teammates about their hands, constrained by a finite set of clue tokens. The challenge lies in deducing one's own cards and playing them correctly without direct knowledge. It is difficult to coordinate in Hanabi because strategies often rely on arbitrary signaling strategies to communicate information to teammates. Hanabi is typically played with 5 colors and 5 ranks, but we experiment with a version that uses 3 colors and 3 ranks as well as a version that uses 4 colors and 4 ranks.

G Additional results

G.1 Matrix Games

G.1.1 RPG stabilizes learning dynamics.




Figure 12: A larger RPG lookahead stabilizes learning dynamics and allows them to converge on an unstable equilibrium.

It is well known that multi-agent problems can have unstable learning dynamics [Claus and Boutilier, 1998, Bowling and Veloso, 2002]. However, a large enough number of lookahead steps in RPG helps stabilize learning, leading to convergence. Figure 12 shows the reward of the learned victim policy in various runs of AT-RPG for the matrix game from Figure 2. The solutions converge on playing an equal mixture between actions A and B even though this is an unstable equilibrium. By allowing the manipulator to look several steps forward through the learning of the base agents, it can anticipate that the victim could respond to a deviation which would ultimately decrease the manipulator's objective. We observed the effect in RPG algorithms across a variety of matrix games. See Appendix G.1 for more details.

G.1.2 Understanding how RPG behaves through various matrix games

		Player Y		
		C	D	E
Player X	A	1	0.9	0
1 luyel A	B	0	-1	1

Figure 13: A common-payoff game with a dominated action.

Consider the problem of finding two different pairs of diverse strategies in the matrix game in Figure 13 using adversarial diversity (AD). Imagine for a moment that column D did not exist. Clearly, the most diverse population of successful strategy pairs would then be the solutions (A, C) and (B, E): both pairs of strategies get the maximum self-play score of 1 and the minimum cross-play score of 0. Now, consider adding column D back in: Player Y could change their action in the first pair from C to D. This greatly improves the diversity metric by decreasing the cross-play score to -1 while only losing a little bit of score in self-play. However, Player Y choosing to play action D over C is clearly a case of sabotage: not only are they intentionally reducing their score in cross-play, they are doing it at the cost of self-play performance! In fact, action D is *strictly dominated* by action C: it performs worse in all scenarios. Not only do agents artificially sabotage their performance in cross-play by playing action D, they do it at the cost of self-play performance. Existing work [Cui et al., 2023, Sarkar et al., 2024] fails to prevent sabotage in these types of scenarios because it does not depend on a different in observation distributions between cross-play and self-play.

Figure 14 shows a mixed-motive game with a sabotage option. AT and PAIRED sabotage by playing action E. AT-RPG converges on playing a uniform mixture across the two rational policies while PAIRED-RPG converges on one of the two equilibria. AD converges on one sabotage policy and one at equilibrium while AD-RPG converges on the two equilibrium.

Figure 15 shows a cooperative game. Suppose the victim in AT is Player X and the adversary is Player Y. In this case, AT oscillates between playing C and D to minimize the victim's reward. On

		Player Y		
		C	D	E
Player X	A	3, 2	0,0	-1, -1
	B	1, 1	2,3	-1, -1

Figure 14: A mixed-motive game with a sabotage option.

		Player Y		
		C	D	E
Player X	A	0.9	0	1
Tayer A	B	0	0.9	1

Figure 15: A cooperative game.

the other hand, since such an adversary is irrational, the adversary in AT-RPG will just play action E. Likewise, AD finds artificially diverse solutions by playing (A,C) and (B,D). Both sets of policies in AD-RPG just play action E, the only rational action.

		Player Y		
		C	D	
Player X	A	0,0	-1, 1	
Tiayer 21	B	1, -1	-10, -10	

Figure 16: A mixed-motive game of 'chicken'.

Figure 16 shows the mixed-motive game of 'chicken'. In this case, AT and AT-RPG solutions align and always play action D to minimize the victim's reward, forcing them to play the conservative action of A.

			Player Y	
		C	D	E
	A	0,0	-1, 1	1, -1
Player X	B	1, -1	0,0	-1, 1
	C	-1, 1	1, -1	0,0

Figure 17: A zero-sum game of 'rock-paper-scissors'.

Figure 17 shows the zero-sum game of 'rock-paper-scissors'. In this case, AT and AT-RPG solutions have very similar behavior in which the adversary and victim oscillate between picking rock, paper, or scissors during training (similar to the oscillating behavior in 12). We found that increasing the lookahead (e.g. greater than 8) in AT-RPG led to this behavior stabilizing and converging on playing the strategy that randomizes across the three actions (in the same way lookahead stabilizes the oscillations in 12).

G.2 STORM




Figure 18: CoMeDi learns to sabotage in a modified version of STORM that allows easy sabotage.




Figure 19: Training curves for AP applied to various victims in the unobserved STORM environment. As expected, AP immediately learns to sabotage, revealing nothing useful about the robustness of each victim.




Figure 20: Training curves for AP-RPG applied to various victims in the unobserved STORM environment. AP-RPG avoids the problem of sabotage but inconsistently finds weaknesses in victim policies.




Figure 21: Training curves for PAIRED-RPG attack applied to various victims in the unobserved STORM environment. PAIRED-RPG attack consistently finds weaknesses in victim policies while avoiding the problem of sabotage. These results also highlight that PAIRED-RPG and AT-RPG can produce more adversarially robust policies.

NeurIPS Paper Checklist

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

Answer: [Yes]

Justification: Contributions can be found in the intro and the experiments subsections clearly outline supporting claims for each of the contributions.

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [Yes]

Justification: Discussed in Appendix B.

Guidelines:

- The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate "Limitations" section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory assumptions and proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [NA]

Justification: No theory contribution.

Guidelines:

- The answer NA means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and crossreferenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental result reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: Psuedocode and full descriptions of the method (including hyperparamters in Appendix E) and environments are provided as well as access to the code to replicate experiments.

Guidelines:

- The answer NA means that the paper does not include experiments.
- If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
 - (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
- (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
- (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
- (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: [Yes]

Justification: See Supplementary for Code with README instructions.

Guidelines:

- The answer NA means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (https://nips.cc/public/guides/CodeSubmissionPolicy) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so "No" is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (https://nips.cc/public/guides/CodeSubmissionPolicy) for more details.
- The authors should provide instructions on data access and preparation, including how
 to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental setting/details

Question: Does the paper specify all the training and test details (e.g., data splits, hyper-parameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

Answer: [Yes]

Justification: Environment details are given in Section 5.1 and hyperparameters/details in Appendix E.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment statistical significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [Yes]

Justification: Error bars are reported and labeled where relevant.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).

- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error
 of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments compute resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: Given in Appendix E.4.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code of ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics https://neurips.cc/public/EthicsGuidelines?

Answer: [Yes]
Justification:
Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a
 deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [NA]

Justification: This work provides a new foundational method for applying adversarial optimization to general-sum settings. No immediate societal impact follows.

Guidelines:

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.

- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

Answer: [NA]
Justification: NA
Guidelines:

- The answer NA means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with
 necessary safeguards to allow for controlled use of the model, for example by requiring
 that users adhere to usage guidelines or restrictions to access the model or implementing
 safety filters.
- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do
 not require this, but we encourage authors to take this into account and make a best
 faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [Yes]
Justification: NA
Guidelines:

- The answer NA means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.

- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. New assets

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [Yes]

Justification: See supplementary for code.

Guidelines:

- The answer NA means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. Crowdsourcing and research with human subjects

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [NA]
Justification: NA

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional review board (IRB) approvals or equivalent for research with human subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: [NA]
Justification: NA
Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

16. Declaration of LLM usage

Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the core methods in this research? Note that if the LLM is used only for writing, editing, or formatting purposes and does not impact the core methodology, scientific rigorousness, or originality of the research, declaration is not required.

Answer: [NA]
Justification:
Guidelines: NA

- The answer NA means that the core method development in this research does not involve LLMs as any important, original, or non-standard components.
- Please refer to our LLM policy (https://neurips.cc/Conferences/2025/LLM) for what should or should not be described.