

# SPIN-Bench: How Well Do LLMs Plan Strategically and Reason Socially?

Jianzhu Yao<sup>1\*</sup>, Kevin Wang<sup>2\*</sup>, Ryan Hsieh<sup>2</sup>, Haisu Zhou<sup>2</sup>, Tianqing Zou<sup>2</sup>,  
Zerui Cheng<sup>1</sup>, Zhangyang Wang<sup>2</sup>, Pramod Viswanath<sup>1</sup>

<sup>1</sup>Princeton University

<sup>2</sup>The University of Texas at Austin

{jy0246, pramodv}@princeton.edu, {kevinwang.1839, atlaswang}@utexas.edu

## Abstract

Reasoning and strategic behavior in *social interactions* is a hallmark of intelligence. This form of reasoning is significantly more sophisticated than isolated planning or reasoning tasks in static settings (e.g., math problem solving). In this paper, we present *Strategic Planning, Interaction, and Negotiation (SPIN-Bench)*<sup>1</sup>, a new multi-domain evaluation designed to measure the intelligence of *strategic planning* and *social reasoning*. While many existing benchmarks focus on narrow planning or single-agent reasoning, SPIN-Bench combines planning domain definition language (PDDL) tasks, competitive board games, cooperative card games, and multi-agent negotiation scenarios in one unified framework. The framework includes both a benchmark as well as an arena to simulate and evaluate the variety of social settings to test reasoning and strategic behavior of AI agents. We formulate the benchmark SPIN-Bench by systematically varying action spaces, state complexity, and the number of interacting agents to simulate a variety of social settings where success depends on not only methodical and step-wise decision making, but also *conceptual inference* of other (adversarial or cooperative) participants. Our experiments reveal that while contemporary LLMs handle *basic fact retrieval* and *short-range planning* reasonably well, they encounter significant performance bottlenecks in tasks requiring *deep multi-hop reasoning* over large state spaces and *socially adept* coordination under uncertainty. We envision SPIN-Bench as a catalyst for future research on robust multi-agent planning, social reasoning, and human-AI teaming.

## 1 Introduction

Large Language Models (LLMs) have recently demonstrated remarkable proficiency in generating coherent text, contextual understanding, and a variety of agentic tasks (Schick et al., 2023; DataBassGit, 2023). This progress has opened numerous avenues for deploying LLM-based agents in real-world applications such as digital assistance, complex decision-making support, and collaborative human-AI systems (Liu et al., 2023; Mialon et al., 2024). Yet, many tasks in these domains demand more than simple question-answering or short-range inference: they hinge on *strategic planning*, where large action/state spaces and multi-step goal formulations require sophisticated *long-horizon* thinking (Sawada et al., 2024; Duan et al., 2024b).

Beyond step-wise decision-making, modern AI systems increasingly need *social intelligence*: the ability to negotiate, cooperate, and reason about other agents’ hidden goals and beliefs (Hou et al., 2024; Cross et al., 2024). Environments such as *Diplomacy* (Meta Fundamental AI Research Diplomacy Team (FAIR) et al., 2022), *Avalon* (Light et al., 2023), *Werewolf* (Xu et al., 2023), and various negotiation-based games (Liang et al., 2023; Abdelnabi

---

\*Equal contribution

<sup>1</sup>Project page: <https://spinbench.github.io/>. Code: <https://github.com/spinbench/spinbench>




Figure 1: Overview of the *Strategic Planning, Interaction, and Negotiation (SPIN-Bench)* framework, highlighting its two core components: (1) the **Game Agent**, which encompasses the LLMs and their adaptive prompting, and (2) the **Environment and Evaluation** subsystem, which manage game logic, track interactions, and quantify performance.

et al., 2023; Hua et al., 2024) require not just logical strategies but also alliance formation, perspective-taking, and the capacity to handle incomplete or uncertain information.

Taken together, these abilities can be seen as both **methodical, step-wise planning** (executing sequences of actions in a possibly large search space) and **conceptual inference** (reasoning about hidden states, other players’ intentions, and partial observability). Successful multi-agent collaboration or competition arises when an AI system integrates both these aspects, adapting its plan based on the changing behavior of other agents.

However, few existing benchmarks provide a comprehensive, unified setting to rigorously test how LLMs balance these two intertwined requirements—strategic long-horizon planning and multi-agent social reasoning. To address these gaps, we introduce *Strategic Planning, Interaction, and Negotiation (SPIN-Bench)*, a new evaluation framework specifically designed to capture both:

1. *Strategic planning* across single-agent formal tasks (PDDL) and highly interactive board games with large action and state spaces.
2. *Social intelligence* in multi-agent scenarios requiring negotiation, cooperation, or competition, as exemplified by *Hanabi* and *Diplomacy*.

Crucially, SPIN-Bench integrates a rich array of tasks that systematically scale up the complexity of the environment, thus exposing where and how LLMs’ planning or social reasoning falls short. We evaluate a broad spectrum of popular open-source and state-of-the-art closed-source models, revealing significant performance bottlenecks as tasks become more intricate and agent interactions intensify.

Our key findings are two fold. First, although models such as o1 exhibit competitive performance in certain long-horizon planning scenarios, they still falter in *deep multi-hop reasoning* once the action and state spaces expand substantially. Second, despite their advanced language generation capabilities, most current LLMs underperform in cooperative and negotiation tasks, suggesting a deficiency in *social intelligence* under complex strategic conditions. Intriguingly, we observe that large-scale social interaction can *negatively affect* the chain-of-thought coherence in otherwise strong planning models like o1—an interplay that has not been scrutinized in simpler benchmarks.

In summary, our work makes the following contributions:

1. **A Unified Evaluation:** We introduce a single framework that spans formal planning (PDDL), board and card games, and negotiation-based scenarios, bridging previously siloed areas of research.
2. **Systematic Strategic Reasoning Analysis:** We expose fundamental limitations in how LLMs handle increasing action/state complexity, thus identifying future directions for improving long-horizon planning.
3. **Social Intelligence Assessment:** By testing multi-agent negotiation, cooperation, and alliance-building, we highlight critical gaps between LLM performance and human baselines in strategic social contexts.

Altogether, SPIN-Bench underscores current insufficiencies of LLMs in *long-horizon, multi-agent* tasks. We hope that our benchmark will motivate deeper research into *strategic planning* and *social reasoning*, paving the way for more capable human-AI partnerships and progress toward broader AI goals.

## 2 Related work

**Evaluation of LLM in Planning** LLMs show promise in methodical, step-wise planning but still face notable limitations. Early work revealed fundamental reasoning failures in PDDL-based tasks (Hao et al., 2023; Valmeekam et al., 2023; 2024a; Wang et al., 2024). Recent improvements in test-time scaling have enabled models to achieve over 95% accuracy on discrete PDDL benchmarks (Valmeekam et al., 2024b; Wang et al., 2024). However, these evaluations do not capture the deeper challenges of long-horizon planning. As outlined in Ghallab et al. (2004), planning involves understanding, reasoning, and execution; we further investigate at which stage each component begins to falter.

**LLMs for gaming and social intelligence** Games offer an appealing testbed for LLMs because they often demand multi-step reasoning, strategic planning, and multi-agent interaction. Recent work on single-game evaluations has explored domains such as Minecraft (Gong et al., 2024), Avalon (Light et al., 2023), and Werewolf (Xu et al., 2023), but these narrow settings limit generalizability. Broader benchmarks incorporate multiple game types (Paglieri et al., 2024; Ruoss et al., 2024; Zhang et al., 2024; Duan et al., 2024b;a; Costarelli et al., 2024), and multi-agent frameworks emphasizing coordination or competition (Huang et al., 2024; Cross et al., 2024; Agashe et al., 2024), yet critical dimensions—like *open-ended negotiation*, evolving cooperation versus conflict, and richer social dynamics—remain underexplored. Existing work builds a social AI data infrastructure (Li et al., 2024), and raises several core technical challenges to advance social intelligence (Mathur et al., 2024), while other lines of research delve deeper into social intelligence in game-based contexts, investigating theory of mind (Cross et al., 2024; Hou et al., 2024; Sclar et al.), game-theoretic decision-making (Chen et al., 2023; Akata et al., 2023; Abdelnabi et al., 2023), and dialogue-driven challenges (Qiao et al., 2023; Chen et al., 2024; Duan et al., 2024b; Abdulhai et al., 2023; Zhou et al., 2024), but often within constrained strategies or limited forms of social dynamics. In contrast, our SPIN-Bench unifies strategic planning and social intelligence in a single testbed - combining formal PDDL analysis, multi-agent cooperation and competition, open-ended dialogues, and direct comparisons against optimal solvers and human baselines-to uncover richer insights into the interplay between *step-wise action selection* and *conceptual inference* in extended-horizon gaming environments.

## 3 SPIN-Bench: evaluating game-planning competency in LLMs

We now present SPIN-Bench, a comprehensive benchmark designed to evaluate how well LLMs integrate *methodical, step-wise planning* with *conceptual social reasoning* across a diverse range of tasks. As depicted in Figure 1, SPIN-Bench encompasses four major components—*PDDL Tasks*, *Competitive Games*, *Cooperative Games*, and *Strategic Games*—each reflecting increasingly intricate environments and forms of multi-agent interaction. In this

section, we first formalize the *problem settings* underlying these tasks (Section 3.1), then introduce the specific game environments (Section 3.2) and describe our *benchmark construction* and *evaluation metrics* (Sections 3.3–3.4).

### 3.1 Problem definition: three settings for action sequence generation

SPIN-Bench organizes automated action selection into three progressively complex frameworks — classical (single-agent, deterministic) planning, multi-agent (cooperative or competitive) games, and strategic games featuring dynamic alliances and negotiation. Each setting incrementally increases demands on an LLM’s planning and social reasoning abilities. Formal definitions, task formulations, and illustrative examples for all three settings appear in Appendix B.1. By exploring these three categories in tandem, SPIN-Bench systematically illuminates how LLMs grow from simpler single-agent planners into more complex negotiators and alliance builders, testing both *mechanical planning* skills and *social inference* in dynamic, multi-turn environments.

### 3.2 Game taxonomy and environments

Figure 1 overviews how these *three settings* map onto specific SPIN-Bench tasks. In total, we integrate **PDDL-based planning**, **competitive board games**, **cooperative card games**, and **negotiation-focused strategic games**:

**PDDL.** Within SPIN-Bench, classical planning tasks offer a controlled environment to rigorously test core reasoning skills. We employ three subcategories: (i) *factual retrieval* in domains like elevator, grid, and floortile with progressively expanding state spaces; (ii) *spatial reasoning* in a modified floortile scenario that challenges models to track agent location from relative instructions; (iii) *full classical planning* tasks spread across 21 domains (1,280 tasks), each involving sequential decisions, resource management, and constraint handling. Appendix B.2 provides domain-specific details. By starting with simpler tasks and escalating to complex multi-step planning, SPIN-Bench pinpoints whether an LLM’s failures arise from inadequate state tracking, partial-order reasoning, or chain-of-thought breakdowns.

**Competitive games.** To evaluate adversarial reasoning, we include three widely studied turn-based board games of escalating complexity: Tic-tac-toe, Connect Four, and Chess. Each underscores a key facet of competitive strategy: from short-range lookahead and forcing moves to deeper multi-step tactics. Game introduction is shown in Appendix B.3. These games also enable direct comparisons against established AI solvers (Minimax (von Neumann, 1928) or Stockfish (The Stockfish developers, 2025)) and against human-level baselines, providing a clear gauge of how far LLMs are from optimal or near-optimal play.

**Cooperative game (Hanabi).** For multi-agent collaboration under imperfect information, SPIN-Bench leverages the cooperative card game Hanabi. Here, each player observes others’ cards but not their own, and must communicate implicitly to play cards in the correct order. This format demands not just straightforward planning but also trust-building, reasoning about other agents’ beliefs and intentions, and coordinated actions — essential for more advanced cooperative planning. Previous work (Bard et al., 2020) demonstrated that Hanabi requires advanced theory of mind reasoning, making it well-suited for evaluating social intelligence in collaborative settings. More details about how to play Hanabi are shown in Appendix B.4.

**Strategic game (Diplomacy).** Finally, SPIN-Bench incorporates Diplomacy (Meta Fundamental AI Research Diplomacy Team (FAIR) et al., 2022), a complex multi-player board game in which negotiation, dynamic alliances, and strategic betrayal are integral. Players exchange messages to coordinate or mislead, while simultaneously issuing movement orders to capture territories. Game introduction and tutorial are shown in Appendix B.5. Because negotiation is central, LLMs are tested on both *long-horizon planning* and *social intelligence*—managing alliances, inferring hidden intentions, and adapting their strategies

in response to evolving alliances. This setting is especially suited for evaluating how chain-of-thought reasoning coexists with dynamic social interaction under partial cooperation and partial competition. It captures a broader spectrum of *realistic multi-agent behavior* that blends both cooperation and competition within the same session.

### 3.3 Benchmark construction

**Classical planning data generation.** SPIN-Bench-Classical is built by adapting established PDDL competition benchmarks (Seipp et al., 2022) and designing additional domains to target specific LLM capabilities (factual retrieval, spatial updates, etc.). Problem instances are generated via a systematic randomization pipeline and validated with Fast Downward (Helmert, 2006) or SMTPlan (Cashmore et al., 2016). The VAL system (Planning, 2019) ensures solution feasibility. This tiered approach captures how LLMs transition from simpler factual tasks to multi-step planning under growing constraints.

**LLM game agent interface.** We implement a unified interface that supplies each model with the current state, relevant history, and a list of legal actions, alongside game-specific Chain-of-Thought (Wei et al., 2022) prompts. In *Diplomacy*, we integrate the Diplomacy game engine (Paquette et al., 2020) and include both public and private messages. Models may retry illegal moves up to ten times before incurring an automatic loss. Full details on engine integration, prompt templates and domain rules, appear in Appendix B, E.

### 3.4 Evaluation metrics

**Rule-based metrics.** For classical planning tasks, we measure both *accuracy* and *N-Step Look Ahead* (see Appendix B.2 for the formula). In *competitive games*, we compare LLM moves against solver-generated top- $k$  actions and track head-to-head outcomes against the solver. We also maintain a leaderboard of *internal Elo* ratings (do not directly reflect performance among humans). This helps us gauge the “skill gap” among different LLMs and compare them against human baselines. For *Hanabi*, we use the final score to assess cooperative efficiency. Meanwhile, *Diplomacy* performance is evaluated through factual consistency, order-level success rates, and final game outcomes (see Appendix B.5 for details).

**LLM-assisted negotiation metrics.** In negotiation-heavy settings like *Diplomacy*, we use six fine-grained, *LLM-assisted* metrics: (1) alignment of messages with stated negotiation strategies, (2) proposal acceptance rate, (3) mutual vs. one-sided benefit of proposed deals, (4) peace vs. conflict inclination, (5) evidence of perspective-taking, and (6) conditional negotiation. We then prompt Claude 3.7 Sonnet to annotate chat logs along these dimensions, enabling a deeper look into each LLM’s social intelligence, strategic coherence, and ability to balance persuasion with deception. Metric details appear in Appendix B.5.2. We also conduct human annotation experiments to verify the accuracy of LLM annotations in Appendix C.3.3.

## 4 Experiments on SPIN-Bench

In this section, we provide a comprehensive evaluation of how well Large Language Models (LLMs) handle the range of SPIN-Bench tasks introduced in Section 3. Specifically, we investigate whether current LLMs:

1. Manage *core planning competencies*, such as spatial reasoning, factual retrieval, and constraint following.
2. Cope with *rising action complexity* and larger multi-agent interactions, comparing their performance to both optimal solvers and human baselines.
3. Demonstrate *social intelligence* in negotiation and cooperative settings.

In what follows, we first outline the overall experimental setup (Section 4.1). Next, we detail results on core planning skills (Section 4.2), examine the impact of action complexity



and agent scaling (Section 4.3) and evaluate social intelligence and negotiation behaviors (Section 4.4). The reproducibility statement of all our evaluations is in Appendix A. Our trajectory viewer present game trajectories and examples in all benchmark settings.

#### 4.1 Model and configurations

We evaluate a suite of popular LLMs that encompasses both closed-source commercial and open-source systems. The **closed-source models** include GPT-4o (Hurst et al., 2024), GPT-4o mini (OpenAI, 2024a), o1 (Jaech et al., 2024), o1-preview (OpenAI, 2024c), o1-mini (OpenAI, 2024b), o3-mini (OpenAI, 2025), o4-mini (OpenAI, 2025), GPT-4-turbo, GPT-3.5-turbo, Claude 3.5 Sonnet (Anthropic, 2024a), and Claude 3.5 Haiku (Anthropic, 2024b). Our **open-source models** include DeepSeek-R1 (Guo et al., 2025), Llama4 Maverick (MetaAI, 2025), Llama3-70b, Llama3.1-70b, Llama3.2-3b, Llama3.3-70b (MetaAI, 2024a; AI, 2024; MetaAI, 2024b;c), Qwen2.5-72b (Team, 2024), and Mistral-7b (Jiang et al., 2023). Since Diplomacy exhibits the largest branching factor in our benchmark, we first conducted a basic skill evaluation to identify which models should advance to the full Diplomacy task. Detailed results for the basic skill evaluation are provided in Appendix C.3.1. We excluded Diplomacy from the benchmark average score in Table 1 as few models play it well.

Model	Classical Planning		Competitive Games					Collaborative: Hanabi				Avg. Score $\uparrow$
	Plan Acc $\uparrow$	N-Step $\uparrow$	TTT <sub>DR</sub> $\uparrow$	C4 <sub>DR</sub> $\uparrow$	CH <sub>DR</sub> $\uparrow$	C4 <sub>T3</sub> $\uparrow$	CH <sub>T3</sub> $\uparrow$	2P $\uparrow$	3P $\uparrow$	4P $\uparrow$	5P $\uparrow$	
o1	<b>58.59</b>	<b>16.09</b>	70.0	0.0	0.0	83.1	45.9	<b>16.4</b>	14.8	<b>14.8</b>	<b>14.2</b>	<b>49.8</b>
o4-mini	46.79	11.52	<b>80.0</b>	0.0	0.0	81.1	50.5	12.8	11.0	12.6	13.2	45.6
o1-mini	13.20	1.95	50.0	0.0	0.0	<b>87.0</b>	36.5	6.8	7.4	11.4	10.2	33.0
o3-mini	51.25	13.04	20.0	0.0	0.0	74.2	<b>52.8</b>	8.8	7.6	8.8	8.0	33.1
GPT-4o	8.75	0.60	0.0	0.0	0.0	84.1	32.2	6.6	4.8	4.8	4.6	20.8
GPT-4-turbo	5.62	0.13	60.0	0.0	0.0	83.8	38.7	5.2	5.6	5.0	6.0	27.5
Claude 3.5 Sonnet	20.55	4.44	60.0	0.0	0.0	78.9	49.5	8.2	9.4	7.4	8.4	34.3
Claude 3.5 Haiku	4.22	0.30	50.0	0.0	0.0	69.6	35.9	2.4	4.0	2.8	2.8	20.8
DeepSeek R1	44.30	10.71	10.0	0.0	0.0	78.9	47.8	6.0	<b>16.0</b>	11.3	13.0	36.6
Llama4 Maverick	13.05	1.69	0.0	0.0	0.0	75.4	51.3	3.0	4.2	4.4	5.6	20.8
Llama-3.3-70b	5.78	0.32	0.0	0.0	0.0	79.5	25.4	2.4	0.8	0.6	1.4	13.1

Table 1: **Results for Classical Planning, Competitive Games, and Collaborative Game (Hanabi).** TTT, C4, CH: Tic Tac Toe, Connect Four and Chess. DR shows LLMs’ draw rate (%) against solvers (for chess, we use stockfish-20). T3 shows the top-3 moves percentages among all games against the solver. Hanabi reports average score for player counts 2–5. Avg Score is calculated as the average of Plan Acc and all game metrics, with Hanabi scores normalized to percentages (divided by full score 25).

#### 4.2 Core planning competencies: factual retrieval, spatial reasoning and constraint following

We first examine *why* LLMs might falter on long-horizon planning by isolating two crucial facets: (i) factual retrieval and (ii) spatial reasoning. In addition, we perform an error analysis that highlights common failure modes.

**Factual retrieval.** In Diplomacy, we design and categorize several factual queries into *one-hop* (e.g., “Which locations does Russia control?”) vs. *multi-hop* (e.g., “Which territories can France attack, and how many units of support are needed at least?”) to further check models’ factual retrieval in a highly strategic environment. As summarized in Figure 2, nearly all LLMs do well on basic location or adjacency checks but degrade by a large margin on “Attackable” and “Attack Analysis,” which demand deeper, multi-hop inference. Again, o1 and o1-preview lead but still exhibit significant drops com-




Figure 2: Heatmap displaying the F1 scores across evaluation categories in Diplomacy.

pared to simpler tasks. We also examined the factual retrieval performance of models within the classical planning task in Appendix C.1. Our evaluation indicates that recent reasoning models can achieve accuracy exceeding 90%, while other models exhibit significant performance degradation as problem complexity increases.

**Spatial reasoning.** To investigate whether LLMs’ planning deficits stem from weaker spatial understanding, we designed tasks based on PDDL format that require each model to track positions across sequences of relative movements. In these tasks, the LLM is given an initial spatial coordinate (e.g., (2,2)) along with a series of movements (up, down, left, right), and is tasked with computing the final coordinate. We evaluated all models on 90 scenes, each with a varying number of steps, to assess their spatial reasoning capabilities. Figure 3(c) plots the accuracy of each model against the length of the movement trajectory. Notably, o1-mini and GPT-4o exhibit declining performance as the number of steps increases, whereas o1 sustains *perfect* accuracy (100%) up to 29 steps.

**Error analysis.** In **classical planning**, we categorized the errors into three distinct types: (1) *Breaking Constraints (BC)* includes execution failures, type mismatches, and structural issues, high BC reflecting difficulty in executing the reasoning; (2) *Goal Not Satisfied (GS)* refers to plans that satisfy all constraints yet fail to achieve the goal state; and (3) *Others* encompasses parsing errors, format inconsistencies, and miscellaneous validation issues. The results reveal a striking contrast: while Claude 3.5 Sonnet achieves a relatively low BC error (28.59%), it suffers from an exceptionally high GS error (44.77%). In contrast, DeepSeek R1—employing reinforcement learning-based training—drastically cuts the GS error to just 3.65%. This highlight that RL-based training LLM is particularly effective at reasoning, but failed in execution. The detailed quantitative breakdown is provided in Table 2.

In **competitive board games**, illegal-move rates scale sharply with complexity: minimal in Tic-Tac-Toe, moderate in Connect Four, and highest in Chess (Appendix C.2), underscoring that rule compliance becomes a critical bottleneck as branching factors grow. In **Diplomacy**, o1 achieves the highest basic order success rate—20–30% above other models—but all models’ performance deteriorates on multi-step and multi-agent actions (e.g., support moves), revealing new failure modes rooted in deeper strategic and alliance reasoning (Table 3).

Model	BC (%)↓	GS (%)↓	Other (%)↓
o1	<b>17.97</b>	17.89	<b>5.55</b>
o1-mini	68.91	5.94	11.95
GPT-4o	81.56	<b>3.59</b>	6.09
Claude 3.5 Sonnet	28.59	44.77	6.09
Claude 3.5 Haiku	72.03	15.23	1.76
DeepSeek R1	48.28	3.65	1.87

Table 2: Error breakdown by model for the total of 1,280 problems.

Model	4 Agents (w/o vs. w. Negotiation)						Negotiation Metrics: Social Intelligence					
	Move↑	Attack↑	SS↑	SO↑	SC↑	CR↑	AlignR↑	AcceptR↑	Mut:1S	P:C	Persp.↑	Cond.↑
o1	0.70/0.85	0.44/0.83	0.45/0.46	0.00/0.00	17/10	37/18	<b>1.000</b>	<b>0.673</b>	100.0	9.26	0.33	0.36
GPT-4o	0.55/0.62	0.33/0.37	0.30/0.29	<b>0.25/0.40</b>	15/17	<b>28/29</b>	0.994	0.373	36.6	3.16	0.33	0.04
GPT-4-turbo	0.47/0.66	0.14/0.36	0.23/0.30	0.00/0.43	7/8	14/19	0.995	0.437	166.0	2.76	0.45	0.03
DeepSeek-R1	0.64/0.65	0.47/0.47	0.35/0.43	0.00/0.67	16/16	22/27	0.982	0.416	5.6	0.95	0.21	<b>0.51</b>
o1-preview	<b>0.82/0.87</b>	<b>0.69/0.67</b>	<b>0.46/0.40</b>	0.00/0.17	15/11	<b>38/26</b>	0.994	0.479	27.3	2.04	0.44	0.15
Claude 3.5 Haiku	0.48/0.37	0.23/0.20	0.38/0.07	0.00/0.00	0/5	1/7	0.996	0.409	43.0	0.83	<b>0.47</b>	0.07

Table 3: **Diplomacy results for the 4-agent setting**, showing (without negotiation / with negotiation (x/y)) success rates for 4 types of orders, as well as the number of Supply Centers (SC) and Controlled Regions (CR) when game finished. More results for multi-agent settings are shown in Table 10. On the right side are negotiation metrics from left to right: Alignment Ratio, Acceptance Rate, Mutual:1Side, Peace:Conflict, Perspective, and Conditional Negotiation.




Figure 3: Relationship between accuracy and action space complexity. (a) Accuracy versus average number of legal actions for o1 model. (b) Accuracy versus grounded actions for o1 model. (c) Spatial reasoning accuracy across different models, where Claude refers to Claude 3.5 Sonnet.

### 4.3 Impact of action complexity and multi-agent scale on planning performance

#### 4.3.1 Complex or expansive action spaces

**PDDL domains.** We further examine the results of 10 domains in classical planning tasks by analyzing two key measures: the average number of legal actions available at each step and the total state–action space, defined as the complete set of possible state–action pairs given an initial state and action space. To evaluate their impact on model performance, we calculate the correlation between accuracy and these two metrics. As illustrated in Figure 3(a) and (b), accuracy demonstrates a stronger negative correlation with the total state–action space compared to the average number of legal actions. This implies that cognitively, the model “carries” the burden of large future branching factors, even if only a few choices are valid at each step.

**Competitive board games.** Across all three games, solver-level engines **never** lose, and LLMs fall short of optimal play (Table 1; full results in Appendix 8). In Tic-Tac-Toe, advanced models (e.g., o1, GPT-4-turbo, Claude 3.5 Sonnet) occasionally force a draw, but even here they underperform the perfect solver.

In Connect Four and Chess, every LLM lost 100% of matches against solver-level engines. Top k action percentage analysis in Appendix(Figure 7) shows that while LLMs sometimes pick optimal moves in Connect Four, their accuracy drops drastically in Chess, underscoring how deeper tactics and branching expansions are beyond current LLMs’ capacity. Internal Elo ratings(Table 4) rank o1-preview and o1-mini highest, demonstrating strongest strategic planning capabilities, further indicating the advantages of test time scaling in strategic games. Additionally, Claude 3.5 Sonnet and GPT-4o follows, indicating a superior ability to handle complex strategies compared to their counterparts, yet all remain far below solver or human-expert performance. These results highlight a significant gap in strategic reasoning and search depth, underscoring current LLM limitations in planning over large action spaces.

Model	TTT	C4	CH
Human	1415	1692	-
o1-preview	1263	1377	1395
o1-mini	1205	1083	1247
Claude 3.5 Sonnet	1138	942	1196
GPT-4o	1025	980	1255
Claude 3.5 Haiku	983	907	1041
Qwen2.5:72b	944	877	1150
Llama3.3	944	878	1146
Llama3.1:70b	936	829	1164
GPT-4o-mini	912	925	842
GPT-4-turbo	857	1007	1265
Llama3:70b	856	993	1155
Mistral:7b	855	800	243
Llama3.2:3b	836	821	421
GPT-3.5-turbo	829	890	480

Table 4: Internal Elo Ratings of LLMs (Initial Elo: 1000)

#### 4.3.2 Scaling number of agents

In **Hanabi**, we vary the number of players from 2 to 5 and track final scores. Table 1 indicates that o1 remains the top performer, but its average score still declines from 16.4 (2-player) to 14.2 (5-player). This dip suggests that coordinating beliefs and actions among more agents still strains strong LLMs’ capacity to maintain consistent strategies over multiple



incomplete information channels. However, models such as o1-mini and DeepSeek-R1 display erratic performance. Their high variance and relatively low average scores suggest insufficient strategic reasoning capabilities for effective Hanabi play. In **Diplomacy**, we vary the agent number from 2 to 5. Detailed results of more multi-agent settings are shown in Appendix C.3.2. As the agent count grows (beyond 2-3 test seats for LLMs), we observe decreasing order accuracy, fewer successful attacks, and minimal supply-center gains once multi-party negotiations and hidden alliances come into play. Ultimately, LLMs lose traction in highly interactive scenarios, underscoring how partial observability and shifting alliances further intensify the multi-agent complexity.

#### 4.4 Social intelligence and negotiation performance

While the preceding sections highlight LLMs’ challenges in purely *strategic* or *planning-centric* domains, complex multi-agent settings further demand **social intelligence**—the ability to navigate cooperative, adversarial, and negotiated alliances. In this part of our evaluation, we compare LLM performance to *human baselines* and introduce explicit *negotiation phases* to assess whether social interactions degrade or enhance model behavior.

##### 4.4.1 Cooperative scenarios vs. human baselines in Hanabi

We collected 54,977 human-played Hanabi games from BoardGameGeek, spanning 2- to 5-player settings. Figure 4 plots the human score distribution, highlighting quartiles (Q1–Q4) around a typical range of 15–25 points. While some LLMs do show patterns of declining performance with more agents (cf. Table 1), none approach even the first quartile of human scores. This underscores the *significant gap* in cooperative planning under hidden-information constraints—despite Hanabi’s narrower branching factor relative to some competitive games. The results suggest a pervasive deficiency in *social intelligence* when LLMs must coordinate multiple incomplete information channels and track teammates’ evolving knowledge states.




Figure 4: Hanabi score distribution by player count (54,977 games)

##### 4.4.2 Negotiation in Diplomacy

**Overall impact on strategic play.** Negotiation phases in Diplomacy, which theoretically enable players to form or dissolve alliances, often produce counterintuitive effects on strong planners like o1, o1-preview. As shown in Table 3 and Table 10, o1’s all kinds of order numbers drop when negotiation is introduced, whereas other models sometimes stay the same or even improve slightly. And final game scores *Supply Centers* and *Controlled Regions* for o1, o1-preview also dropped by a large margin when enabling the negotiation, compared to other models. This result suggests that *intense social interaction* can disrupt planning coherence in otherwise capable LLMs, pointing to a tension between *extended chain-of-thought reasoning* and the cognitive overhead of real-time alliance-building, deception, or persuasion. In DeepSeek-R1, enabling negotiation features did not result in a significant performance decline. We attribute this to the model’s inherent tendency to propose one-sided solutions and provoke conflict during interactions (see the next section).

**Negotiation message analysis.** We probe each model’s negotiation style in greater depth by prompting Claude 3.7 Sonnet to annotate 1,864 messages across six-agent Diplomacy settings using six LLM-assisted metrics (see Appendix B.5.2 for details of the metrics; see Appendix C.3.3 for our human validation experiment of LLM annotation.). The results (see Table 3) enable the following key observations:

1. *High Strategy Alignment:* All models display alignment ratios above 0.98, implying that their negotiation messages largely match stated objectives.

2. *Persuasiveness*: o1 exhibits the highest acceptance rate ( $\approx 0.67$ ), whereas GPT-4o is less effective ( $\approx 0.37$ ).
3. *Mutual vs. One-Sided Benefits*: Models mostly propose mutually beneficial deals; GPT-4-turbo in particular tends not to push overtly one-sided offers.
4. *Peace vs. Conflict Messaging*: DeepSeek-R1 and Claude 3.5 Haiku demonstrate a relatively low peace ratio (0.95 and 0.83), showing their tendency to provoke conflicts, whereas o1 strongly prefers peaceful approaches (9.26).
5. *Perspective-Taking and Conditional Plans*: Although moderate across the board, Claude 3.5 Haiku leads in referencing other agents' intentions ( $\approx 0.47$ ), while DeepSeek-R1 uses conditional tactics most frequently ( $\approx 0.51$ ).

Despite these varied negotiation styles, most LLMs—o1 included—lack *flexibility* and *adaptivity* akin to skilled human negotiators. Rather than shifting strategies in response to betrayals or emergent alliances, models often cling to simplistic patterns of communication, or in o1's case, become overwhelmed by large volumes of social exchange. These observations reinforce that contemporary LLMs exhibit only nascent social intelligence in scenarios where partial cooperation and deception can dramatically alter long-horizon outcomes.

## 5 Limitations.

A primary limitation of this work lies in the use of *pre-defined prompt templates*. While we conducted detailed ablation studies on prompt design effects in our most complex environment Diplomacy (Appendix E.3), the static nature of these templates may not fully elicit models' latent social reasoning capabilities. Additionally, despite SPIN-Bench's breadth across multiple game-theoretic environments, it cannot exhaustively capture the complete spectrum of real-world strategic and social interactions. Our analytical scope deliberately focuses on two core dimensions of social intelligence (Goleman, 2006): Theory of Mind, which corresponds to social awareness, and negotiation, which exemplifies social facility. This targeted approach, while enabling deep analysis of these critical components, necessarily excludes other fundamental aspects of social intelligence, including primal empathy, social attunement, persuasion dynamics, and self-presentation strategies. Consequently, the generalizability of our findings to broader social reasoning contexts remains bounded. Future work should explore adaptive prompt generation techniques that dynamically adjust to model capabilities, expand SPIN-Bench to encompass additional social intelligence facets, and investigate longitudinal multi-round interactions that better approximate the temporal dynamics of real-world social intelligence.

## 6 Conclusion

In this paper, we introduced SPIN-Bench, a comprehensive benchmark designed to assess *strategic planning* and *social intelligence* in Large Language Models (LLMs) across multiple game environments of escalating complexity. Our experiments encompassed formal PDDL-based planning, competitive board games, cooperative incomplete-information scenarios, and negotiation-intensive strategic settings. By systematically varying action and state-space size, interaction modalities, and the number of agents, SPIN-Bench exposes critical limitations in today's LLMs. Despite recent improvements—particularly in short-range planning and factual recall—our findings reveal that most LLMs struggle with *long-horizon* tasks involving large branching factors and intricate multi-agent coordination. We also observe that *negotiation* and *social interplay* often degrade an LLM's chain-of-thought coherence, suggesting a tension between pure strategic reasoning and the cognitive overhead of dynamic alliances and potential deception. Overall, our work highlights pressing gaps in both *deep, multi-hop reasoning* and *robust social interaction*, pointing toward the need for novel architectural innovations, integrated planning modules, and more advanced training methodologies. We hope SPIN-Bench will serve as a foundation and catalyst for continued progress in developing LLMs that are more *strategically competent*, *socially adept*.

## References

- Sahar Abdelnabi, Amr Gomaa, Sarath Sivaprasad, Lea Schönherr, and Mario Fritz. Llm-deliberation: Evaluating llms with interactive multi-agent negotiation games. 2023.
- Marwa Abdulhai, Isadora White, Charlie Snell, Charles Sun, Joey Hong, Yuexiang Zhai, Kelvin Xu, and Sergey Levine. Lmrl gym: Benchmarks for multi-turn reinforcement learning with language models. *arXiv preprint arXiv:2311.18232*, 2023.
- S Agashe, Y Fan, A Reyna, and XE Wang. Llm-coordination: evaluating and analyzing multi-agent coordination abilities in large language models. *arXiv preprint arXiv:2310.03903*, 2024.
- Meta AI. Meta llama 3.1, 2024. URL <https://ai.meta.com/blog/meta-llama-3-1/>. Accessed: 2024-01-30.
- Elif Akata, Lion Schulz, Julian Coda-Forno, Seong Joon Oh, Matthias Bethge, and Eric Schulz. Playing repeated games with large language models. *arXiv preprint arXiv:2305.16867*, 2023.
- Anthropic. Claude 3.5 sonnet, 2024a. URL <https://www.anthropic.com/news/claude-3-5-sonnet>. Accessed: 2024-01-30.
- Anthropic. Claude haiku, 2024b. URL <https://www.anthropic.com/claude/haiku>. Accessed: 2024-01-30.
- Nolan Bard, Jakob N Foerster, Sarath Chandar Anbil Parthipan, Neil Burch, Marc Lanctot, H Francis Song, Emilio Parisotto, Vincent Dumoulin, Subhodeep Moitra, Edward Hughes, et al. The hanabi challenge: A new frontier for ai research. *Artificial Intelligence*, 280, 2020.
- Michael Cashmore, Maria Fox, Derek Long, and Daniele Magazzeni. A compilation of the full pddl+ language into smt. In *Proceedings of the international conference on automated planning and scheduling*, volume 26, pp. 79–87, 2016.
- Jiangjie Chen, Siyu Yuan, Rong Ye, Bodhisattwa Prasad Majumder, and Kyle Richardson. Put your money where your mouth is: Evaluating strategic planning and execution of llm agents in an auction arena. *arXiv preprint arXiv:2310.05746*, 2023.
- Junzhe Chen, Xuming Hu, Shuodi Liu, Shiyu Huang, Wei-Wei Tu, Zhaofeng He, and Lijie Wen. Llmarena: Assessing capabilities of large language models in dynamic multi-agent environments. *arXiv preprint arXiv:2402.16499*, 2024.
- Anthony Costarelli, Mat Allen, Roman Hauksson, Grace Sodunke, Suhas Hariharan, Carlson Cheng, Wenjie Li, Joshua Clymer, and Arjun Yadav. Gamebench: Evaluating strategic reasoning abilities of llm agents. *arXiv preprint arXiv:2406.06613*, 2024.
- Logan Cross, Violet Xiang, Agam Bhatia, Daniel LK Yamins, and Nick Haber. Hypothetical minds: Scaffolding theory of mind for multi-agent tasks with large language models. *arXiv preprint arXiv:2407.07086*, 2024.
- DataBassGit. Auto-gpt: An autonomous gpt-4 experiment, 2023. URL <https://github.com/DataBassGit/Auto-GPT>. Accessed: 2025-01-30.
- Jinhao Duan, Shiqi Wang, James Diffenderfer, Lichao Sun, Tianlong Chen, Bhavya Kailkhura, and Kaidi Xu. Reta: Recursively thinking ahead to improve the strategic reasoning of large language models. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pp. 2232–2246, 2024a.
- Jinhao Duan, Renming Zhang, James Diffenderfer, Bhavya Kailkhura, Lichao Sun, Elias Stengel-Eskin, Mohit Bansal, Tianlong Chen, and Kaidi Xu. Gtbench: Uncovering the strategic reasoning limitations of llms via game-theoretic evaluations. *arXiv preprint arXiv:2402.12348*, 2024b.

- Malik Ghallab, Dana Nau, and Paolo Traverso. *Automated Planning: theory and practice*. Elsevier, 2004.
- Daniel Goleman. *Social intelligence: The new science of human relationships*. Bantam, 2006.
- Ran Gong, Qiuyuan Huang, Xiaojian Ma, Yusuke Noda, Zane Durante, Zilong Zheng, Demetri Terzopoulos, Li Fei-Fei, Jianfeng Gao, and Hoi Vo. Mindagent: Emergent gaming interaction. In *Findings of the Association for Computational Linguistics: NAACL 2024*, pp. 3154–3183, 2024.
- Daya Guo, Dejian Yang, Haowei Zhang, Junxiao Song, Ruoyu Zhang, Runxin Xu, Qihao Zhu, Shirong Ma, Peiyi Wang, Xiao Bi, et al. Deepseek-r1: Incentivizing reasoning capability in llms via reinforcement learning. *arXiv preprint arXiv:2501.12948*, 2025.
- Shibo Hao, Yi Gu, Haodi Ma, Joshua Jiahua Hong, Zhen Wang, Daisy Zhe Wang, and Zhiting Hu. Reasoning with language model is planning with world model. *arXiv preprint arXiv:2305.14992*, 2023.
- Malte Helmert. The fast downward planning system. *Journal of Artificial Intelligence Research*, 26:191–246, 2006.
- Guiyang Hou, Wenqi Zhang, Yongliang Shen, Zeqi Tan, Sihao Shen, and Weiming Lu. Entering real social world! benchmarking the theory of mind and socialization capabilities of llms from a first-person perspective. *arXiv preprint arXiv:2410.06195*, 2024.
- Wenyue Hua, Ollie Liu, Lingyao Li, Alfonso Amayuelas, Julie Chen, Lucas Jiang, Mingyu Jin, Lizhou Fan, Fei Sun, William Wang, et al. Game-theoretic llm: Agent workflow for negotiation games. *arXiv preprint arXiv:2411.05990*, 2024.
- Jen-tse Huang, Eric John Li, Man Ho Lam, Tian Liang, Wenxuan Wang, Youliang Yuan, Wenxiang Jiao, Xing Wang, Zhaopeng Tu, and Michael R Lyu. How far are we on the decision-making of llms? evaluating llms’ gaming ability in multi-agent environments. *arXiv preprint arXiv:2403.11807*, 2024.
- Aaron Hurst, Adam Lerer, Adam P Goucher, Adam Perelman, Aditya Ramesh, Aidan Clark, AJ Ostrow, Akila Welihinda, Alan Hayes, Alec Radford, et al. Gpt-4o system card. *arXiv preprint arXiv:2410.21276*, 2024.
- Aaron Jaech, Adam Kalai, Adam Lerer, Adam Richardson, Ahmed El-Kishky, Aiden Low, Alec Helyar, Aleksander Madry, Alex Beutel, Alex Carney, et al. Openai o1 system card. *arXiv preprint arXiv:2412.16720*, 2024.
- Albert Q Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, et al. Mistral 7b. *arXiv preprint arXiv:2310.06825*, 2023.
- Minzhi Li, Weiyan Shi, Caleb Ziems, and Diyi Yang. Social intelligence data infrastructure: Structuring the present and navigating the future. Association for Computational Linguistics, 2024.
- Tian Liang, Zhiwei He, Wenxiang Jiao, Xing Wang, Yan Wang, Rui Wang, Yujiu Yang, Shuming Shi, and Zhaopeng Tu. Encouraging divergent thinking in large language models through multi-agent debate. *arXiv preprint arXiv:2305.19118*, 2023.
- Jonathan Light, Min Cai, Sheng Shen, and Ziniu Hu. Avalonbench: Evaluating llms playing the game of avalon. In *NeurIPS 2023 Foundation Models for Decision Making Workshop*, 2023.
- Xiao Liu, Hao Yu, Hanchen Zhang, Yifan Xu, Xuanyu Lei, Hanyu Lai, Yu Gu, Hangliang Ding, Kaiwen Men, Kejuan Yang, et al. Agentbench: Evaluating llms as agents. *arXiv preprint arXiv:2308.03688*, 2023.
- Leena Mathur, Paul Pu Liang, and Louis-Philippe Morency. Advancing social intelligence in ai agents: Technical challenges and open questions. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pp. 20541–20560, 2024.

- Meta Fundamental AI Research Diplomacy Team (FAIR), Anton Bakhtin, Noam Brown, Emily Dinan, Gabriele Farina, Colin Flaherty, Daniel Fried, Andrew Goff, Jonathan Gray, Hengyuan Hu, et al. Human-level play in the game of diplomacy by combining language models with strategic reasoning. *Science*, 378(6624):1067–1074, 2022.
- MetaAI. Meta llama 3, 2024a. URL <https://ai.meta.com/blog/meta-llama-3/>. Accessed: 2024-01-30.
- MetaAI. Llama 3.2: Connect 2024 vision and edge mobile devices, 2024b. URL <https://ai.meta.com/blog/llama-3-2-connect-2024-vision-edge-mobile-devices/>. Accessed: 2024-01-30.
- MetaAI. Llama 3.3 70b instruct, 2024c. URL <https://huggingface.co/meta-llama/Llama-3.3-70B-Instruct>. Accessed: 2024-01-30.
- MetaAI. Llama 4: Multimodal intelligence. AI at Meta Blog, April 2025. URL <https://ai.meta.com/blog/llama-4-multimodal-intelligence/>. Accessed: 2025-08-07.
- Grégoire Mialon, Clémentine Fourrier, Thomas Wolf, Yann LeCun, and Thomas Scialom. GAIA: a benchmark for general AI assistants. In *The Twelfth International Conference on Learning Representations*, 2024. URL <https://openreview.net/forum?id=fibxvahvs3>.
- OpenAI. Gpt-4o mini: Advancing cost-efficient intelligence, 2024a. URL <https://openai.com/index/gpt-4o-mini-advancing-cost-efficient-intelligence/>. Accessed: 2024-01-30.
- OpenAI. Openai o1 mini: Advancing cost-efficient reasoning, 2024b. URL <https://openai.com/index/openai-o1-mini-advancing-cost-efficient-reasoning/>. Accessed: 2024-01-30.
- OpenAI. Introducing openai o1 preview, 2024c. URL <https://openai.com/index/introducing-openai-o1-preview/>. Accessed: 2024-01-30.
- OpenAI. Openai o3-mini: Pushing the frontier of cost-effective reasoning, January 2025. URL <https://openai.com/index/openai-o3-mini/>. Accessed: 23 February 2025.
- OpenAI. Introducing openai o3 and o4-mini. OpenAI Blog, April 2025. URL <https://openai.com/index/introducing-o3-and-o4-mini/>. Accessed: 2025-08-07.
- Davide Paglieri, Bartłomiej Cupiał, Samuel Coward, Ulyana Piterbarg, Maciej Wolczyk, Akbir Khan, Eduardo Pignatelli, Łukasz Kuciński, Lerrel Pinto, Rob Fergus, et al. Balrog: Benchmarking agentic llm and vlm reasoning on games. *arXiv preprint arXiv:2411.13543*, 2024.
- Philip Paquette et al. Diplomacy: Datc-compliant game engine with web interface. <https://github.com/diplomacy/diplomacy>, 2020. Accessed: 2025-01-31.
- KCL Planning. Val: Validation and checking for pddl models. GitHub repository, 2019. Available at <https://github.com/KCL-Planning/VAL>.
- Pascal Pons. Connect4, 2023. URL <https://github.com/PascalPons/connect4>. Accessed: 2025-01-29.
- Dan Qiao, Chenfei Wu, Yaobo Liang, Juntao Li, and Nan Duan. Gameeval: Evaluating llms on conversational games. *arXiv preprint arXiv:2308.10032*, 2023.
- Anian Ruoss, Fabio Pardo, Harris Chan, Bonnie Li, Volodymyr Mnih, and Tim Genewein. Lmact: A benchmark for in-context imitation learning with long multimodal demonstrations. *arXiv preprint arXiv:2412.01441*, 2024.
- Tomohiro Sawada, Daniel Paleka, Alexander Havrilla, Pranav Tadepalli, Paula Vidas, Alexander Perikles Kranias, John J Nay, Kshitij Gupta, and Aran Komatsuzaki. ARB: Advanced reasoning benchmark for large language models, 2024. URL <https://openreview.net/forum?id=gsZAtAdzkY>.



- Timo Schick, Jane Dwivedi-Yu, Roberto Dessi, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. Toolformer: Language models can teach themselves to use tools. *Advances in Neural Information Processing Systems*, 36: 68539–68551, 2023.
- Melanie Sclar, Jane Dwivedi-Yu, Maryam Fazel-Zarandi, Yulia Tsvetkov, Yonatan Bisk, Yejin Choi, and Asli Celikyilmaz. Explore theory of mind: program-guided adversarial data generation for theory of mind reasoning. In *The Thirteenth International Conference on Learning Representations*.
- Jendrik Seipp, Álvaro Torralba, and Jörg Hoffmann. PDDL generators. <https://doi.org/10.5281/zenodo.6382173>, 2022.
- Qwen Team. Qwen2.5: A party of foundation models, September 2024. URL <https://qwenlm.github.io/blog/qwen2.5/>.
- The Stockfish developers. Stockfish, 2025. URL <https://github.com/official-stockfish/Stockfish>. See authors <https://github.com/official-stockfish/Stockfish/blob/master/AUTHORS> file for full list of contributors.
- Karthik Valmeekam, Matthew Marquez, Sarath Sreedharan, and Subbarao Kambhampati. On the planning abilities of large language models-a critical investigation. *Advances in Neural Information Processing Systems*, 36:75993–76005, 2023.
- Karthik Valmeekam, Matthew Marquez, Alberto Olmo, Sarath Sreedharan, and Subbarao Kambhampati. Planbench: An extensible benchmark for evaluating large language models on planning and reasoning about change. *Advances in Neural Information Processing Systems*, 36, 2024a.
- Karthik Valmeekam, Kaya Stechly, and Subbarao Kambhampati. Llms still can’t plan; can lrms? a preliminary evaluation of openai’s o1 on planbench. *arXiv preprint arXiv:2409.13373*, 2024b.
- John von Neumann. Zur theorie der gesellschaftsspiele. *Mathematische Annalen*, 100(1): 295–320, 1928.
- Kevin Wang, Junbo Li, Neel P Bhatt, Yihan Xi, Qiang Liu, Ufuk Topcu, and Zhangyang Wang. On the planning abilities of openai’s o1 models: Feasibility, optimality, and generalizability. *arXiv preprint arXiv:2409.19924*, 2024.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837, 2022.
- Yuzhuang Xu, Shuo Wang, Peng Li, Fuwen Luo, Xiaolong Wang, Weidong Liu, and Yang Liu. Exploring large language models for communication games: An empirical study on werewolf. *arXiv preprint arXiv:2309.04658*, 2023.
- Yadong Zhang, Shaoguang Mao, Tao Ge, Xun Wang, Adrian de Wynter, Yan Xia, Wenshan Wu, Ting Song, Man Lan, and Furu Wei. Llm as a mastermind: A survey of strategic reasoning with large language models. *arXiv preprint arXiv:2404.01230*, 2024.
- Xuhui Zhou, Hao Zhu, Leena Mathur, Ruohong Zhang, Haofei Yu, Zhengyang Qi, Louis-Philippe Morency, Yonatan Bisk, Daniel Fried, Graham Neubig, et al. Sotopia: Interactive evaluation for social intelligence in language agents. The Twelfth International Conference on Learning Representations, 2024.

Within this supplementary material, we elaborate on the following points:

- Appendix A: Reproducibility statement
- Appendix B: Experiment settings for each game
- Appendix C: Supplementary experiments
- Appendix D: Prompt design and interaction flow

## A Reproducibility statement

We include a comprehensive setup and model specification in our code—scheduled for future release—to enable precise reproduction of our experimental results. But we also provide simple programs to run Tic Tac Toe, Connect Four, Chess, Hanabi and PDDL in our supplementary materials. Our package features scripts for running game engines, game solvers, the agent framework, and the entire benchmark arena. For commercial LLMs (e.g., Claude models), users can supply their own API keys. Additionally, to integrate new models into SPIN-Bench, we provide a generated PDDL dataset, solver scripts for three competitive games, multi-agent Diplomacy experiment settings, and all necessary interaction scripts.

**Compute.** We conducted all evaluations on an Ubuntu 22.04 Linux machine equipped with 64 cores, 1024 GB of RAM, and 8 NVIDIA RTX 6000 GPUs (each with 50GB VRAM). For LLMs accessible only via endpoints—such as OpenAI and Claude—we utilized their commercial endpoints, thereby eliminating the need for local GPU resources. Additionally, we performed a detailed analysis of token usage across the various benchmark tasks. All results will be released alongside our code.

## B Experiment settings

### B.1 Problem definition: three settings for action sequence generation




Figure 5: Sample visualization from our PDDL visualizer.

To aid rule understanding, we’ve included animations for PDDL and interactive games. Try them here:: <https://spinbench.github.io/tools/pddl/tra.html>

**1. Classical Planning (Single-Agent, Deterministic).** A classical planning problem is typically defined by the tuple  $\langle \mathcal{S}, s_{\text{init}}, \mathcal{S}_G, \mathcal{A}, f \rangle$ , where:

- $\mathcal{S}$  is the set of all possible states of the environment,
- $s_{\text{init}} \in \mathcal{S}$  is the known initial state,
- $\mathcal{S}_G \subseteq \mathcal{S}$  denotes the goal region or goal states,
- $\mathcal{A}$  is the set of actions the agent can take,
- $f : \mathcal{S} \times \mathcal{A} \rightarrow \mathcal{S}$  is a deterministic transition function.

A valid plan is a finite sequence of actions  $\pi = \langle a_1, a_2, \dots, a_n \rangle$  that transforms  $s_{\text{init}}$  into some goal state  $s_g \in \mathcal{S}_G$ . By design, this setting involves *one* decision-maker in a *fully observable, deterministic* environment, thereby providing the most controlled context for probing an LLM’s fundamental step-wise planning capabilities.

**2. Multi-Agent Games (Cooperative or Competitive).** Multi-agent games generalize single-agent planning to multiple decision-makers  $\{1, 2, \dots, n\}$ , each potentially with distinct or overlapping goals.

Formally, such a game can be written as

$$G = \langle \mathcal{S}, s_{\text{init}}, \{\mathcal{S}_{G_i}\}_{i=1}^n, \{\mathcal{A}_i\}_{i=1}^n, f \rangle,$$

where each agent  $i$  has its own goal set  $\mathcal{S}_{G_i}$  and action space  $\mathcal{A}_i$ . The transition function  $f$  depends on the *joint* action of all agents. Games can be:

- *Competitive*: if  $\mathcal{S}_{G_i} \cap \mathcal{S}_{G_j} = \emptyset$  for  $i \neq j$ , as in zero-sum formulations like Chess, requiring adversarial reasoning or minimax strategies.
- *Cooperative*: if all  $\mathcal{S}_{G_i}$  coincide, thus encouraging agents to engage in joint planning under a shared objective (e.g., ).

**3. Strategic Games (Mixed Cooperation, Competition, and Negotiation).** Strategic games extend multi-agent scenarios by introducing *dynamic alliances, partial cooperation, and negotiation*. Here, the environment state may include past communication logs or partially hidden objectives, allowing agents to form or break alliances, re-evaluate shared goals, and even negotiate mid-game. This richer structure captures a broader spectrum of *realistic multi-agent behavior* that blends both cooperation and competition within the same session—*Diplomacy* (Meta Fundamental AI Research Diplomacy Team (FAIR) et al., 2022) being a prominent example.

## B.2 Classification and description of PDDL domains

Unlike existing LLM-based planning benchmarks, which typically focus on discrete-state PDDL problems, SPIN-Bench extends coverage to include numerical PDDL tasks with optimization goals. In these numeric domains, the objective is no longer simply to reach a discrete state but to achieve a specified numeric threshold or maximize/minimize a particular quantity. For example, in the *markettrader* domain, the goal is to accrue at least \$100. LLMs perform worse on these numeric tasks than on standard discrete-state PDDL tasks, likely due to the combinatorial explosion and broader goal-state space inherent to numeric domains. A selection of the PDDL tasks is provided in the supplementary materials.

### • Spatial Domains

- *drone*: Focuses on controlling a drone across a map, planning flight paths and possibly collecting items or information.
- *floortile*: Involves moving an agent over a grid of tiles to mark or paint them, ensuring proper coverage or pattern completion.
- *grid*: Classic grid-navigation domain where an agent moves between cells to reach designated locations or achieve tasks.
- *depots* (also resource management): Combines transportation and hoist operations to move crates between trucks and warehouses, requiring both navigation and efficient resource allocation.
- *logistics*: Centers on delivering packages between locations using trucks and airplanes, emphasizing route planning and scheduling.
- *rovers* (also resource management): Involves planetary rovers navigating terrain, collecting samples, and managing limited resources like fuel or battery power.
- *sokoban*: Puzzle-based domain where an agent pushes crates in a warehouse grid, aiming to position them in specific target cells.

- *termes*: Models autonomous robots constructing structures in a grid by navigating, carrying blocks, and cooperating on building tasks.
- **Sequential Domains**
  - *assembly*: Entails sequentially combining parts to form a final product, highlighting the order of assembly steps.
  - *blocksworld*: Iconic stacking puzzle where blocks must be ordered and stacked under tight move constraints.
  - *briefcaseworld*: Tasks an agent with moving objects via a briefcase between locations, planning the order of loading/unloading.
  - *Multi\_Agent\_coordination*: Focuses on collaboration among multiple gripper agents, they need to cooperate to achieve the goal.
  - *cooperate\_sequential\_gripper* (also resource management): Multiple agents with limited grippers must coordinate object pickups, balancing the sequence of actions with shared resources.
  - *elevator* (also spatial): Handles transporting passengers or goods through building floors, requiring efficient elevator movements and scheduling.
  - *barman*: Bartender scenario where limited glasses and ingredients must be managed to prepare ordered drinks.
- **Resource Management Domains**
  - *counters*: Involves manipulating numerical counters under constraints to reach target values or states.
  - *markettrader*: A financial trading scenario requiring buying, selling, and resource (capital) management to achieve profit goals.
  - *satellite*: Space-based operations where satellites manage instruments, energy, and data storage to fulfill observation tasks.
  - *freecell*: Card puzzle variant with limited "free cells," each used as a temporary resource to reshuffle the card configuration.
  - *rovers* (also spatial): Rovers must navigate and handle tasks while managing finite consumables such as fuel or batteries.
  - *settlersnumeric*: Inspired by resource collection and expansion strategies, requiring numeric resource management to meet specified targets.
  - *sugar*: Involves transforming sugar among various states (solid, dissolved, etc.), requiring careful handling of processes and resource constraints.

### Metric: N Step Look Ahead

$$\text{N Step Look Ahead} = \frac{\sum_{i=1}^N (C_i \times S_i)}{N},$$

where  $N$  is the total number of tasks,  $C_i$  indicates correctness (0 or 1), and  $S_i$  is the required number of steps for task  $i$ . This weighted measure highlights performance gaps on more complex problems.

### B.3 Two-player competitive games

Game	Game Tree Complexity (as log to base 10)	Branching Factor (as log to base 10)	State Space Complexity (as log to base 10)
Tic Tac Toe	5	4	3
Connect Four	21	4	13
Chess	123	35	44

Table 5: Game complexity statistics. Source: Wikipedia

**Game Introduction** Tic Tac Toe is a classic and simple two-player game played on a 3x3 grid. Each player takes turns marking a space on the grid, with one player using "X" and the

other "O." The objective is to be the first to align three of your marks horizontally, vertically, or diagonally. Despite its straightforward rules, the game challenges players to think strategically, anticipate their opponent's moves, and block potential winning combinations. Tic Tac Toe is widely popular because it is easy to learn, quick to play, and requires minimal setup. So in our paper, we use Tic Tac Toe as the simplest setting testing LLMs' ability to understand basic rules and strategy.

Connect Four is a two-player strategy game played on a vertical grid with six rows and seven columns. Players take turns dropping colored discs into the grid, with the goal of being the first to align four of their discs horizontally, vertically, or diagonally. The game combines elements of planning and foresight, as players must both create winning opportunities and block their opponent's moves. Connect Four is known for its simple rules and engaging game-play. It is a little harder than Tic Tac Toe, so we include it to evaluate LLMs' capacity for intermediate-level strategic reasoning.

Chess is a timeless two-player strategy game played on an 8x8 checkered board. Each player controls an army of 16 pieces, including a king, queen, rooks, bishops, knights, and pawns, each with unique movements and abilities. The objective is to checkmate the opponent's king, putting it in a position where it cannot escape capture. Chess challenges players to think several moves ahead, employing tactics, strategy, and creativity. Revered as a game of intellect, it offers endless possibilities and rich complexities, making it an ideal test for LLMs' advanced planning and decision-making skills.

## Game Setting

We have two settings for the two player competitive games, one is LLM-vs-Solver, and the other is LLM-vs-LLM.

For the **LLM-vs-Solver** setting, we make LLMs play against the most powerful game engines. For Tic Tac Toe, we implemented a solver using the Minimax algorithm to determine optimal moves by recursively evaluating all possible game states. It first checks if the game has ended in a win or draw. If not, it explores all legal moves, simulating each outcome by alternating between maximizing 'X's score and minimizing 'O's score. The best move is randomly chosen from the moves with highest values. This approach guarantees perfect play, and the solver's winning rate can be used as a strong benchmark for evaluating LLMs. For Connect Four, we use the Connect 4 solver [Pons \(2023\)](#) implementation. For Chess, we use the well-known Stockfish engine, with different skill levels: 0, 5, 10, 15, 20 to compete with LLMs. Although chess engine Stockfish has external Elo ratings anchored to the [CCLR Blitz Elos](#), since all LLMs are losing every game with even the lowest level of Stockfish, we didn't report the external elo rating for chess.

For the **LLM-vs-LLM** setting, we investigate different LLMs' performance in a competitive game setting. For each game, we tested 14 models in total, and every two models forming a pair, while introducing 91 game pairs. For each pair, we conduct 10 repetitive games for Tic Tac Toe and Connect Four, and 4 repetitive games for Chess. Players switch their positions after half of the pair competition. To provide a baseline on how average or expert humans perform against LLMs, especially in simpler games like Tic Tac Toe and Connect Four, we also include human performance in the leaderboard, with multiple game rounds between different LLMs and human to update the Elo rating.

In the leaderboard, we report *internal Elo* ratings (relative Elo between members of the population) for Tic Tac Toe, Connect Four and Chess. Elo rating is a well-established method widely used in chess and other competitive games, updated incrementally based on match outcomes and opponents' ratings. This metric effectively captures the skill gap between different LLMs playing these games, providing a quantitative measure of their relative performance.

For the step-wise evaluation metrics, we use the scores given by the solver and Stockfish, among all the trajectories in **LLM-vs-Solver** setting. For Tic Tac Toe and Connect Four, use the solver to generate scores for each move of LLM at each state. For Chess, we use Stockfish level 20 as the rating machine for step-wise analysis, on each step in the game between



LLMs and Stockfish level 0. We use "centipawns" as a measurement of the advantage of a chess board. A centipawn is equal to 1/100 of a pawn. These values are essentials in computer chess to evaluate positions. For each pair of the game, we conduct 4 repetitive experiments.

#### B.4 Multi-player cooperative game - Hanabi

**Game Introduction** (Note: The following game introduction is excerpted from the [Hanabi Wikipedia Page](#))

Hanabi is a cooperative card game where players work together to create a series of fireworks by playing cards in ascending numerical order starting from 1. Each player holds their cards facing outward so that all players can see everyone else's cards but not their own. The objective is to play cards in sequence (1 through 5) for each color without making mistakes. There are 5 different colors and each color has cards numbered 1 to 5. The game begins with 8 available information tokens and 3 life/fuse tokens.

Play proceeds around the table; each turn, a player must take one of the following actions:

1. **Give Information:** The player points out the cards of either a given number or a given color in the hand of another player (examples: "This card is your only red card," "These two cards are your only 3s"). The information given must be complete and correct. Giving information consumes one information token.
2. **Discard a Card:** The player chooses a card from their hand and adds it to the discard pile, then draws a card to replace it. The discarded card is out of the game and can no longer be played. Discarding a card replenishes one information token.
3. **Play a Card:** The player chooses a card from their hand and attempts to add it to the cards already played. This is successful if the card is a 1 in a color that has not yet been played, or if it is the next number sequentially in a color that has been played. Otherwise a life/fuse token is consumed and the misplayed card is discarded. Successfully playing a 5 of any color replenishes one information token. Whether the play was successful or not, the player draws a replacement card.

The game ends immediately when either all life/fuse tokens are used up, resulting in a game loss, or all 5s have been played successfully, leading to a game win. Otherwise, play continues until the deck runs out, and for one full round after that. At the end of the game, the values of the highest cards in each color are summed, resulting in a total score out of a possible 25 points.

**Experiment Setting** In our Hanabi experiment, we tested 9 LLMs in total: o1, o1-mini, o3-mini, GPT-4o, GPT-4-turbo, Claude 3.5 Sonnet, Claude 3.5 Haiku, DeepSeek R1, Llama-3.3-70b. For each model, we have four settings: allowing the player number to range from 2 to 5. For example, model o1 with a player number of 3 means there are 3 separate o1 models playing the game. And we use the final score when the game ends as the score of each game setting.

#### B.5 Strategic game - Diplomacy

##### B.5.1 Game introduction

(Note: The following game introduction is excerpted from the [Diplomacy \(game\) Wikipedia Page](#))

Diplomacy is a 7-player turn based game, where players can use negotiation and strategy to control the most supply centers on the map. The players can move their units to different locations on the map, and can support other players' units to help them succeed. The game is played on a map of Europe, divided into territories and sea zones. The players can issue orders to their units to move, support, hold, or convoy. The game ends when one player controls 18 supply centers. 34 of the land provinces are supply centers. Possession of these

supply centers allows the powers who control them to raise and maintain armies and fleets. As they are also a central part of the game's victory conditions, they are the focus of much of the game's activity.

Each player is given three (save for Russia, which has four) home supply centers. These spaces are the starting point for their owning power's initial forces. The players can then build new units at these home supply centers as they capture further supply centers. New units can only be built on a power's home supply centers. If a power loses all of its home supply centers it may continue to play; however, it may not build new units until it has recaptured at least one of its home supply centers.

In Diplomacy, there are two types of units: Armies and Fleets. An army can travel in land spaces and coastal land spaces, and a fleet can travel in sea spaces and coastal land spaces. All units in Diplomacy move only one space at a time and only one unit may occupy any space at any time. The exception to this rule comes in the form of a successful convoy, where a convoyed army may travel multiple spaces depending on the length of the chain created by the convoying fleets. A convoyed army must embark from a coastal land province and land at a coastal land province.

Diplomacy proceeds by seasons, beginning in the year 1901, with each year divided into two main seasons: the "Spring" and "Fall" (Autumn) moves. Each season is further divided into negotiation and movement phases, followed by "retreat" or "disband" adjustments and an end-of-the-year Winter phase of new builds or removals following the Fall adjustments.

**Negotiation Phase** In the negotiation phase, players discuss tactics and strategy, form alliances, and share intelligence or spread disinformation. Negotiations may be made public or kept private. Players are not bound to anything they say or promise, and no agreements are enforceable. Communication and trust are highly important; players must forge alliances with others and observe their actions to evaluate their trustworthiness. At the same time, they must convince others of their own trustworthiness while making plans to turn against their allies when least expected. A well-timed betrayal can be just as profitable as an enduring, reliable alliance.

**Movement Phase** After the negotiation period, players write secret orders for each unit; these orders are revealed and executed simultaneously. A unit can move from its location to an adjacent space, support an adjacent unit to hold an area in the event of an attack, support another unit to attack a space into which it could move itself, or hold defensively. In addition, fleets may transport armies from one coast space to another when in a chain called a "convoy". Only one unit may occupy each region. If multiple units are ordered to move to the same region, only the unit with the most support moves there. If two or more units have the same highest support, a standoff occurs and no units ordered to that region move. A unit ordered to give support that is attacked has those orders canceled and is forced to hold, except in the case that support is being given to a unit invading the region from which the attack originated (in which case the unit that had been ordered to give support must retreat from, rather than hold, its position). Certain spaces on the board have two coasts and here a player must specify which one they want their fleet to occupy. A fleet can only move to coasts and oceans that border the coast that it is on. For example, a fleet occupying the southern coast of Bulgaria cannot move into Romania or the Black Sea, but a fleet on the east coast could.

**End-of-year** After each Fall move, newly acquired supply centers become owned by the occupying player, and each power's supply center total is recalculated; players with fewer supply centers than units on the board must disband units, while players with more supply centers than units on the board are entitled to build units in their open (unoccupied) Home centers (supply centers controlled at the start of the game). Players who have lost all of their Home centers may not build new units, while players controlling no supply centers are eliminated from the game. If a player controls 18 or more (being more than half) of the 34 supply centers at the end of a year, they are the winner. Players who remain may also agree to a draw – around half of all games will end in a draw.

### B.5.2 Evaluation metrics

**Basic Skill Evaluation** Diplomacy is a highly intricate strategy game, so to effectively assess the basic proficiency of LLMs in playing it, we designed this basic skill (BS) evaluation. In this experiment, a single LLM is assigned the role of France, while the remaining six major powers - England, Germany, Italy, Austria, Russia, and Turkey are controlled by neutral agents. These neutral powers adopt a passive stance, not doing movement or building, while only disbanding their units when necessary. We also disable the negotiation part in each movement phase, to check whether LLM has the ability to play Diplomacy. We use this “all-neutral” configuration purely in our first-round evaluation to isolate each model’s basic game proficiency. By setting all other powers “neutral” will make the game super simple and easy. If a player can understand the game rules and basic actions, they can win the game easily. Once we identify models that demonstrate reliable core mechanics under these simplified conditions, we advance them to a second evaluation stage involving full multiplayer scenarios where social reasoning, negotiation dynamics, and long-term planning become critical.

**Multi-agent Experiment Settings** To evaluate the performance of large language models (LLMs) in the Diplomacy game, we conducted multi-agent experiments with varying numbers of agents controlling the game’s powers. The Diplomacy version we used supports 1 to 7 players; however, our experiments focused on settings with 2 to 5 agents. In each setting, powers were distributed approximately equally among the agents, ensuring no neutral powers were present. For every configuration, two experiments were performed: one including the negotiation phase and another where the negotiation phase was skipped.

Details of the agent assignment in Table 10 are shown as follows:

Number of Agents	Agent	Powers Controlled
2	GPT-4o <i>Tested Agent</i>	Austria, England, France, Germany Italy, Russia, Turkey
3	GPT-4-turbo <i>Tested Agent</i> GPT-4o	Germany, Italy Russia, Turkey Austria, England, France
4	GPT-4-turbo Claude 3.5 Haiku GPT-4o <i>Tested Agent</i>	Austria, England France, Germany Italy, Turkey Russia
5	GPT-4o Claude 3.5 Haiku o1-preview GPT-4-turbo <i>Tested Agent</i>	Austria, England Italy, Turkey France Russia Germany

Table 6: Agent Assignments for Multi-Agent Experiment Settings

Table 6 details the distribution of powers among agents for each experimental setting. The *Tested Agent* varies across experiments and includes models such as GPT-4o, GPT-4-turbo and o1. This variability allows us to assess the performance and strategic capabilities of different LLMs within the same game environment.

This structured distribution ensures a balanced evaluation across different agent configurations, allowing us to comprehensively assess the strategic and negotiation capabilities of various LLMs. By varying the *Tested Agent* across different models, we can compare performance metrics and understand the strengths and limitations of each model.

**Evaluation Metrics** In Table 3 and Table 10, we have two result-oriented metrics and four action-wise metrics for each model in each setting.

The two result-oriented metrics are the number of supply centers and the number of controlled regions (influence locations) at the end of game for each player. These two

metrics provide a comprehensive assessment of the model’s strategic planning capability for Diplomacy.

### Action-wise Metrics

The action-wise metrics are computed in a complete game.

1. **Move Orders:** Move orders are the orders the agent issue to move its units to other locations. We have three metrics for the move orders issued by the agent: *Successful move count*, *Total move count*, and *Successful move rate*. This metric evaluates model’s ability to move its unit to other locations, demonstrating the model’s understanding of the basic knowledge to play Diplomacy.
2. **Attack Orders:** Attack orders are the orders the agent issue to move its units to other location occupied by other power’s units. We have three metrics for the attack orders issued by the agent: *Successful attack count*, *Total attack count*, and *Successful attack rate*. This metric evaluates model’s ability to attack other powers and take more supply centers, showing the model’s aggression and high-level planning capability.
3. **Support-Self Orders(SS):** Support-Self orders are the orders the agent issue to make its unit to support its **own** unit’s attacking other power’s unit. We have three metrics for the support-self orders issued by the agent: *Successful support-self count*, *Total support-self count*, and *Successful support-self rate*. This metric evaluates model’s multi-step reasoning ability and the planning-action consistency. It is the key to a successful attack order.
4. **Support-Others Orders(SO):** Support-Other orders are the orders the agent issue to make its unit to support **other’s** unit’s attacking another power’s unit. Supporting others means helping others, which is a highly strategic action in a such competitive game setting. We have three metrics for the support-others orders issued by the agent: *Successful support-others count*, *Total support-others count*, and *Successful support-others rate*. This metric evaluates model’s social intelligence, theory of mind, and its strategic reasoning on building breakable but profitable relationships with its opponents.

**Negotiation Metrics** As shown in Table 3, we designed six LLM-assisted metrics for each model. The metrics are only applied when the negotiation is enabled. The definition of each metric is as follows:

**(1) Reasoning and Negotiation Alignment:** During the negotiation, together with model’s messages, we prompted the model to generate a “Negotiation Strategy” showing its strategy for each negotiation round, outlining its goals or intended approach. We then examine each outgoing message (e.g., RUSSIA → GERMANY) to see if it *aligns* with that declared strategy. If so, we label it 1; otherwise 0. A high ratio of 1s to total messages indicates that the agent’s communicated proposals match its own declared plan. For example, if the agent states “I will avoid any moves against Germany” in its strategy, but later messages propose attacking Germany, we label that mismatch as 0.

**(2) Proposal Acceptance Rate:** We define a “proposal” as a direct request to the recipient, for example: “Let’s demilitarize Silesia,” “Support me into Munich,” or “Agree to a truce”. A proposal is “accepted” if the recipient’s subsequent message indicates compliance (e.g., the opponent confirms or does not contest it). We compute the ratio:

$$\text{Acceptance Rate} = \frac{\text{Number of Accepted Proposals}}{\text{Total Proposals}}$$

As an illustration, if RUSSIA says, “Please hold in Munich; do not move south,” and the opponent’s response shows the agreement and final order does indeed *Hold in Munich*, we mark that proposal as accepted. A high proposal acceptance rate indicates the model has a strong persuasive capability.

**(3) Mutual Benefit or Exploitative Proposal Nature:** We label each proposal as `mutual_benefit`: both sides clearly benefit from the proposal or `one_sided`: mostly the

proposer benefits. For example, *“Let’s swap Munich and Berlin so we both gain positions”* is often mutual benefit, whereas *“Support me into Belgium and I’ll ‘maybe’ repay you”* might be more one-sided if there’s no guarantee or advantage for the recipient. This metric demonstrates model’s strategic thinking and personality in the social interaction.

**(4) Peace or Conflict Messaging:** For each negotiation round, we mark an agent’s messages to a specific power as either:

- `promote_peace`: urging DMZs or non-aggression,
- `provoke_conflict`: pushing for an attack or hostility,
- `neutral`: no clear push for peace or conflict (e.g., purely factual statements).

For instance, *“I will help you attack Austria now”* is a conflict-provoking message, whereas *“Let’s sign a pact of non-aggression”* is a peace-promoting one. Then we compute the ratio of peace to conflict.

**(5) Perspective Taking or Empathy:** Here we label whether the message demonstrates an explicit acknowledgment of the other party’s viewpoint or needs. We mark 1 if the agent references or empathizes with the recipient’s perspective (e.g., *“I understand you’re concerned about Italy in the Mediterranean”*), or 0 if it does not. High values of perspective taking can show advanced “theory of mind” capabilities. It is an unambiguous, observable signal that the agent is actively modeling the other party’s mental state. Explicit perspective-taking often leads to more persuasive proposals in negotiation, which reflects a deeper level of social intelligence. In the metric, we compute the ratio of the perspective taking messages to the total number of messages.

**(6) Conditional Plans:** We check each negotiation round for if-then or conditional statements, like *“If you move to Tyrolia, I’ll support you into Vienna”*, or *“I’ll only demilitarize if you do as well”*. We label each round as 1 if there are such conditional statements, otherwise 0. This can show more sophisticated strategic depth, and advanced negotiation social skills of LLMs.

For the game configuration, we set up 6 models (o1, o1-preview, Claude 3.5 Haiku, GPT-4o, GPT-4-turbo and DeepSeek R1) playing 7 powers in total, and let them compete with each other for a maximum of 20 years. After the game ends, we collect and clean all the negotiation messages throughout the game and use LLM-as-a-judge to generate the annotation for above metrics.

For each negotiation phase in a complete game trajectory (20 years), we provide the annotation prompt to Claude 3.7 Sonnet model, gathering all the results from its analysis, and compute the statistics. An example of how to annotate one message and LLM’s annotation is shown in Appendix E.3.

## C Supplementary experiments

### C.1 PDDL

**Factual Retrieval in Classical Planning.** Here, we investigate whether LLMs can reliably retrieve key facts from a planning trajectory. For each task, we provide the model with the initial state ( $s_{ini}$ ), the goal state ( $S_G$ ), and trajectories that explicitly detail the actions along with their corresponding state transitions. We control the number of mutable properties; for example, in a task involving moving balls, the ball location is considered mutable, whereas ball color might also be a property—but if no action can alter this property, we do not count it as mutable. We then prompt the model to report the state at a specified step. Figure 6 illustrates how retrieval accuracy varies with trajectory length. Notably, o1 performs most consistently, confirming that it “reads” multi-step expansions more accurately than either GPT-4o or o1-mini.

### C.2 Two-player competitive games




**Factual Tracking Accuracy vs Number of Changing States**

Figure 6: Evaluation of LLM performance in retrieving specific states from full-information trajectories. Each dot indicates the average accuracy for an individual task setting, computed over trajectories with lengths ranging from 1 to 50.



**Comparison of Top Move Indices Across Models****Comparison of Top Move Indices Across Models**

Figure 7: Frequency distribution of top move indices for different models in Connect Four (top) and Chess (bottom). The x-axis represents the rank of top moves selected by the models, while the y-axis shows the frequency. Results are averaged across all analyzed games against solver (Connect Four) and Stockfish level 0 (Chess).

**Complete results of the top k moves distribution** Figure 7 presents the complete frequency distribution of top move selections for various models in Connect Four (top) and Chess (bottom). Through this figure, Claude 3.5 Sonnet, o1-preview and DeepSeek R1 are strong Chess players compared to other models, while still have a low top-1 move accuracy compared to basic level Stockfish engine. Llama3:70b model even has half of its actions outside the top 10 moves in Chess.

**Illegal Move Analysis** To evaluate the propensity of various models to generate illegal moves during gameplay, and its ability to follow game constraint, an analysis was conducted across three distinct games: Tic Tac Toe, Connect Four, and Chess. The evaluation employs two primary metrics:

- **Illegal Move Lost Rate (IML) (%)**: The ratio of games lost due to illegal moves to the total number of rounds played.
- **Illegal Moves per Total Turns (IMT) (%)**: The ratio of illegal moves to the total number of turns taken by the model.

A game is considered lost by a model if it consecutively generates ten illegal moves within a single turn. To ensure that the model is aware of what constitutes a legal move, we provide the complete list of available legal moves at each of the three game turns.

The following tables present the results of this analysis for each game:

Model	Tic Tac Toe	Connect Four		Chess	
	IMT (%)↓	IML (%)↓	IMT (%)↓	IML (%)↓	IMT (%)↓
Mistral	0.385	0.008	0.200	0.962	0.632
Llama3.2:3b	0.471	0.000	0.078	0.904	0.503
GPT-3.5-turbo	0.081	0.000	0.039	0.857	0.371
GPT-4o-mini	0.128	0.000	0.110	0.389	0.172
Qwen2.5:72b	0.049	0.000	0.018	0.069	0.265
Claude-3-5-haiku	0.223	0.000	0.114	0.053	0.017
GPT-4o	0.011	0.000	0.003	0.053	0.027
Llama3.1:70b	0.091	0.000	0.041	0.015	0.081
Llama3:70b-instruct	0.406	0.000	0.264	0.000	0.045
GPT-4-turbo	0.088	0.000	0.024	0.000	0.024
Llama3.3	0.002	0.000	0.001	0.000	0.016
o1-mini	0.020	0.000	0.000	0.000	0.001
Claude-3-5-sonnet	0.002	0.000	0.000	0.000	0.001
o1-preview	0.023	0.000	0.000	0.000	0.000

Table 7: Illegal Move Metrics Across Tic Tac Toe, Connect Four, and Chess

Table 7 provides a comprehensive overview of the illegal move metrics observed across the three games. The analysis reveals distinct patterns in the performance of various models with respect to their tendency to generate illegal moves, measured by three key metrics. Notably, the IML column is omitted for Tic Tac Toe, as all models exhibit a 0% rate in this metric.

Both Tic Tac Toe and Connect Four demonstrate relatively lower probabilities of IMT and IML, likely due to their simplicity and limited move options. Nearly no models lose the game due to 10 times of consecutive illegal moves. However, certain models display higher IMT values for Tic Tac Toe compared to Connect Four. We hypothesize that this discrepancy arises from the dimensionality of the action space: Tic Tac Toe employs a two-dimensional action space, whereas Connect Four operates in a one-dimensional space. This suggests that LLMs struggle more as the dimensionality of the action space increases.

For Chess, which features a two-dimensional action space coupled with significantly more complex game constraints, a larger number of models tend to lose due to illegal moves, and IMT values are generally higher. This underscores the observation that as the action space expands and gameplay constraints become more intricate, models are increasingly prone to

generating illegal moves. Furthermore, a high IMT combined with a low IML indicates that a model is adept at self-correcting after an illegal move, thereby avoiding loss.

Overall, Mixtral, GPT-3.5-turbo and Llama3.2:3b demonstrate weak constraint following abilities, while o1-preview and o1-mini behave perfectly in Connect Four and Chess, outperforming all the other models.

The analysis underscores a clear correlation between the complexity of the game and the prevalence of illegal moves among different models. Simpler games like Tic Tac Toe present minimal challenges, resulting in perfect compliance with game rules across all models in terms of losing games. However, the additional metric IMT reveals varying degrees of rule adherence during gameplay, highlighting nuances in model behavior beyond just game outcomes.

As the complexity of the game increases, evidenced by Connect Four and Chess, models exhibit a higher tendency to generate illegal moves, both in terms of losing games and during move generation. This suggests that more sophisticated strategic planning and rule comprehension are required to excel in complex games.

Future research should focus on refining model training processes to better handle rule-based constraints and strategic complexities, particularly in highly intricate games like Chess. Incorporating feedback mechanisms that penalize illegal moves during training could further enhance models’ adherence to game rules. Additionally, exploring hybrid models that combine planning and execution phases may yield improvements in rule compliance and strategic depth.

LLM	Tic Tac Toe (%)↑	Connect Four (%)↑	Chess (%)↑
o1-preview	<b>90.0</b>	0.0	0.0
o1	70.0	0.0	0.0
GPT-4-turbo	60.0	0.0	0.0
Claude 3.5 Sonnet	60.0	0.0	0.0
o1-mini	50.0	0.0	0.0
Claude 3.5 Haiku	50.0	0.0	0.0
Llama3:70b	20.0	0.0	0.0
GPT-4o-mini	20.0	0.0	0.0
Llama3.1:70b	20.0	0.0	0.0
o3-mini	20.0	0.0	0.0
Qwen2.5:72b	10.0	0.0	0.0
Llama3.2:3b	10.0	0.0	0.0
GPT-3.5-turbo	10.0	0.0	0.0
DeepSeek-R1	10.0	0.0	0.0
Llama3.3:70b	0.0	0.0	0.0
GPT-4o	0.0	0.0	0.0

Table 8: The Complete Result of draw rates of LLMs playing against solvers in Tic Tac Toe, Connect Four, and Chess. Solvers win or draw all the time, without losing any single match.

### C.3 Diplomacy

#### C.3.1 Basic skill evaluation

Table 9 demonstrates the results in basic skill Evaluation, corresponding to the **BS** column in Table 3. Surprisingly, only o1-preview, o1 and GPT-4o can finish the game in the minimal Diplomacy setting. Other models can’t even complete the game with extremely loose constraints, with DeepSeek-R1 obtaining 16 supply centers, GPT-4-turbo obtaining 14 supply centers falling behind. Some strong models like o1-mini even can’t attack other powers’ units to take more supply centers. Such evidence shows Diplomacy acts as a strong strategic planning environment for current large language models. Thus, we choose o1, GPT-4o, and GPT-4-turbo as the independent variables in multi-agent experiments, and choose o1-preview, Claude 3.5 Haiku as other powers’ agent as described in Table 6.

Agent	Years to Win	Supply Centers
o1-preview	7	20
human	8	20
o1	10	18
GPT-4o	16	19
DeepSeek-R1	-	16
GPT-4-turbo	-	14
o3-mini	-	13
Claude 3.5 haiku	-	11
Claude 3.5 sonnet	-	9
o1-mini	-	8
GPT-4o-mini	-	6

Table 9: Performance of LLMs and human in the single-player setting of Diplomacy. “-” means that game was forcibly terminated after 20 years in the game, indicating that model can not win the game in that time.

### C.3.2 Multi-agent experiment

Table 10 shows the full results for multi-agent Diplomacy experiments.

	Move		Attack		Support-Self		Support-Others		SC	CR
	S	T	S	T	S	T	S	T		
2 agents: X playing with GPT-4o										
o1	90/72	105/84	12/12	20/16	21/21	46/43	0/0	0/1	27/15	54/31
GPT-4o	204/128	371/231	25/24	70/57	48/84	209/397	0/0	3/9	22/18	50/36
GPT-4-turbo	135/118	239/233	13/9	32/41	35/29	152/133	1/1	4/3	16/15	32/30
3 agents: X playing with GPT-4-turbo and GPT-4o										
o1	51/43	69/51	13/5	23/5	19/18	42/37	0/1	0/1	20/10	37/21
GPT-4o	137/137	249/246	10/18	57/63	44/56	191/244	1/1	5/8	15/18	30/31
GPT-4-turbo	57/65	165/117	5/10	28/24	26/40	95/154	0/0	1/2	6/13	13/21
4 agents: X playing with GPT-4o, Claude 3.5 Haiku, GPT-4-turbo										
o1	112/64	161/75	28/10	64/12	40/18	88/39	0/0	0/1	17/10	37/18
GPT-4o	108/102	195/165	25/24	75/65	36/57	120/205	1/2	4/5	15/17	28/29
GPT-4-turbo	53/51	113/77	4/9	28/25	23/26	102/87	0/3	4/7	7/8	14/19
5 agents: X playing with GPT-4o, Claude 3.5 Haiku, GPT-4-turbo, o1-preview										
o1	87/48	116/57	21/9	34/12	27/22	62/47	0/1	0/1	15/4	36/8
GPT-4o	17/6	47/10	5/1	27/4	4/1	14/7	0/0	0/1	1/6	3/8
GPT-4-turbo	26/18	61/28	9/5	35/12	15/8	77/31	2/0	5/3	0/1	3/3

Table 10: Performance indicators for three models (o1, GPT-4o, GPT-4-turbo) across various agent settings in Diplomacy (2/3/4/5 agents), presented as without negotiation / with negotiation (x/y). Each row shows: (*Move Order*) success number / total number, (*Attack Order*) success number / total number, (*Support-Self Order*) success number / total number, (*Support-Others Order*) success number / total number, then the number of supply centers(SC), and controlled regions(CR) at the end of game. Success rates are omitted to save space.

### C.3.3 Human Validation of LLM Annotations

To validate the reliability of our LLM-assisted metrics, we conducted a rigorous human evaluation experiment. We randomly sampled 5% of all negotiation messages from our Diplomacy dataset and employed a message-level annotation approach designed to simplify the annotation process. Three trained human annotators, all members of our research team, independently labeled each sampled message across six binary classification metrics (defined in Appendix B.5.2). To ensure consistency between human and LLM annotations, annotators were provided with the same contextual information utilized by the LLM, including negotiation message content, identities of sender and recipient, current game

state (map locations of supply centers, units, and controlled regions), all powers’ issued orders from the preceding negotiation phase, and the message sender’s private negotiation strategy.

## D Discussion/limitation

### D.1 Limited complixty on "social Intelligence"

Social intelligence encompasses a broad set of abilities, spanning both social awareness social facility. Within this framework, SPIN-Bench is intentionally scoped to address one key aspect from each of Goleman’s broad categories: Theory of Mind, which aligns with ‘social awareness’, and negotiation, which falls under ‘social facility’.

### D.2 Theory of Mind: Explicit vs. Implicit Perspective-Taking

Theory of Mind capabilities represent a critical aspect of social intelligence. In our study, we mainly examined explicit ToM. For each metric, we used a simple majority vote among annotators to derive the ground-truth human labels. Inter-annotator agreement, measured as the percentage of cases where all three annotators assigned identical binary labels, was 87%, indicating robust consistency for this classification task. Subsequently, we compared these majority-vote human labels to annotations generated by Claude 3.7 Sonnet. The agreement between Claude’s annotations and human annotators ranged from 91.67% to 100% across different metrics, demonstrating strong concordance. Table 11 provides a detailed breakdown of these agreement rates. This high level of alignment between human and LLM annotations affirms the reliability and effectiveness of our LLM-based annotation methodology for evaluating negotiation behaviors in Diplomacy.

Negotiation Metric	Agreement Rate (%)
Reasoning and Negotiation Alignment	98.51
Mutual Benefit or Exploitative Proposal Nature	97.01
Peace or Conflict Messaging	100.00
Perspective Taking or Empathy	91.04
Conditional Plans	97.01
Proposal Acceptance Rate	95.31

Table 11: Agreement rates between human and LLM annotations across negotiation metrics



## E Prompt design and interaction flow

### E.1 PDDL

```

Solve this planning problem:

Domain PDDL:
```
(define (domain blocksworld-4ops)
  (:requirements :strips)
  (:predicates (clear ?x)
               (on-table ?x)
               (arm-empty)
               (holding ?x)
               (on ?x ?y))

  (:action pickup
    :parameters (?ob)
    :precondition (and (clear ?ob) (on-table ?ob) (arm-empty))
    :effect (and (holding ?ob) (not (clear ?ob)) (not (on-table ?ob))
                 (not (arm-empty))))

  (:action putdown
    :parameters (?ob)
    :precondition (holding ?ob)
    :effect (and (clear ?ob) (arm-empty) (on-table ?ob)
                 (not (holding ?ob))))

  (:action stack
    :parameters (?ob ?underob)
    :precondition (and (clear ?underob) (holding ?ob))
    :effect (and (arm-empty) (clear ?ob) (on ?ob ?underob)
                 (not (clear ?underob)) (not (holding ?ob))))

  (:action unstack
    :parameters (?ob ?underob)
    :precondition (and (on ?ob ?underob) (clear ?ob) (arm-empty))
    :effect (and (holding ?ob) (clear ?underob)
                 (not (on ?ob ?underob)) (not (clear ?ob)) (not (arm-
empty))))))

```

Task PDDL:
```
(define (problem BW-rand-12)
  (:domain blocksworld-4ops)
  (:objects b1 b2 b3 b4 b5 b6 b7 b8 b9 b10 b11 b12 )
  (:init
    (arm-empty)
    (on b1 b8)
    (on b2 b1)
    (on-table b3)
    (on-table b4)
    (on b5 b12)
    (on b6 b9)
    (on-table b7)
    (on b8 b10)
    (on b9 b7)
    (on b10 b3)
    (on b11 b4)
    (on b12 b11)
    (clear b2)
    (clear b5)

```

```
(clear b6)
)
(:goal
(and
(on b1 b10)
(on b2 b5)
(on b3 b8)
(on b5 b6)
(on b6 b9)
(on b9 b12)
(on b10 b7)
(on b11 b4)
(on b12 b1))
)
)
...
```

Please solve this PDDL planning problem using the following systematic approach:

1. Initial State Analysis:
  - List all objects and their initial states
  - Identify available actions and their preconditions
2. Goal State Analysis:
  - List all goal conditions
  - Identify the gap between initial and goal states
3. Plan Generation:
  - Build the plan step by step
  - For each action, explain:
    - \* Why this action is chosen
    - \* What preconditions are satisfied
    - \* What effects it produces
4. Plan Verification:
  - Simulate the plan execution from initial state
  - Verify each action's preconditions are met
  - Confirm the goal state is achieved
5. Solution Output:
 

After completing the analysis, provide the final solution in this exact format:

Reasoning:

[Your step-by-step reasoning following the above structure]

```
$$
{
  "plan": "(action1)\n(action2)\n(action3)..."
}
$$
```

Requirements:

- Each action in the plan must be valid PDDL syntax
- Actions must be separated by '\n'
- The JSON must contain only the 'plan' key
- The solution must be enclosed in \$\$ markers
- Verify that each action in the final plan is executable given the previous state

## E.2 Cooperative game: Hanabi

We provide an example of the prompt for LLM playing Hanabi as follows: (in a 3 agents setting)

Below is the current detailed state information. There are 3 players in the game.

Game State:

There are 3 life tokens and 8 info tokens remaining.

The fireworks progress: R stack is at 0, Y stack is at 0, G stack is at 0, W stack is at 0, B stack is at 0.

Your hand contains the following cards:

Card 1:

- Hidden info: 'XX'. This represents what you cannot see about this card. It means you have no direct knowledge about the card's identity from your perspective.
- Known info: 'XX'. No hints about this card's color or rank have been given yet.
- Possible identities: 'RYGWB12345'. This list represents the set of all cards that could possibly be in this position, given the hints received and the remaining cards in the deck.

Card 2:

- Hidden info: 'XX'. This represents what you cannot see about this card. It means you have no direct knowledge about the card's identity from your perspective.
- Known info: 'XX'. No hints about this card's color or rank have been given yet.
- Possible identities: 'RYGWB12345'. This list represents the set of all cards that could possibly be in this position, given the hints received and the remaining cards in the deck.

Card 3:

- Hidden info: 'XX'. This represents what you cannot see about this card. It means you have no direct knowledge about the card's identity from your perspective.
- Known info: 'XX'. No hints about this card's color or rank have been given yet.
- Possible identities: 'RYGWB12345'. This list represents the set of all cards that could possibly be in this position, given the hints received and the remaining cards in the deck.

Card 4:

- Hidden info: 'XX'. This represents what you cannot see about this card. It means you have no direct knowledge about the card's identity from your perspective.
- Known info: 'XX'. No hints about this card's color or rank have been given yet.
- Possible identities: 'RYGWB12345'. This list represents the set of all cards that could possibly be in this position, given the hints received and the remaining cards in the deck.

Card 5:

- Hidden info: 'XX'. This represents what you cannot see about this card. It means you have no direct knowledge about the card's identity from your perspective.
- Known info: 'XX'. No hints about this card's color or rank have been given yet.
- Possible identities: 'RYGWB12345'. This list represents the set of all cards that could possibly be in this position, given the hints received and the remaining cards in the deck.

From your perspective, you can see the other players' hands clearly.  
Here's what you observe:

Player +1's hand:

- A card: You can see the card: 'B3', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'W4', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'B1', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'Y5', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'R4', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.

Player +2's hand:

- A card: You can see the card: 'G2', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'R2', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'Y4', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'G5', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.
- A card: You can see the card: 'Y3', This player has no specific hints about the card's identity, This player knows the card could be one of the following: RYGWB12345.

There are 35 cards remaining in the deck. The discard pile is currently empty.

Please think step by step based on the current state

# Think step by step

## Evaluate Playable Cards in Hand

Look at each card in your hand.

Cross-reference with the current game state to see if any card can be immediately played to complete or extend a firework stack.

Consider hints you have received about each card (color/rank information) to determine if it might be safe to play.

If a card can be played without risk, prioritize playing it to score a point.

## Consider Teammates' Hands and Hint Opportunities

Analyze the visible cards in your teammates' hands.

Identify if any of their cards can now be played based on the current firework stacks or previous hints.

If you notice a teammate holds a card that can be played but they may not realize it, think about what hints you could give them.

Use hints to communicate critical information, such as color or rank, to help them make the right play.

Choose the hint that maximizes the chance for a correct play while considering the limited hint tokens.

```

## Assess Discard Options to Gain Info Tokens

Look for cards in your hand that are least likely to be playable or
helpful in the near future.
Consider the remaining deck composition and cards already played/
discarded to predict the value of each card.
Discard a card that you believe to be least useful to gain an Info
token, especially if no immediate playable or hint options are
available.
Ensure that discarding this card won't permanently remove a critical
card needed to complete any firework stack.

Now it's your turn. You can choose from the following legal actions:

The legal actions are provided in a mapping of action identifiers to
their descriptions:
{5: '(Play 0)', 6: '(Play 1)', 7: '(Play 2)', 8: '(Play 3)', 9: '(Play
4)', 10: '(Reveal player +1 color R)', 11: '(Reveal player +1 color
Y)', 13: '(Reveal player +1 color W)', 14: '(Reveal player +1 color
B)', 15: '(Reveal player +2 color R)', 16: '(Reveal player +2 color
Y)', 17: '(Reveal player +2 color G)', 20: '(Reveal player +1 rank
1)', 22: '(Reveal player +1 rank 3)', 23: '(Reveal player +1 rank 4)',
24: '(Reveal player +1 rank 5)', 26: '(Reveal player +2 rank 2)',
27: '(Reveal player +2 rank 3)', 28: '(Reveal player +2 rank 4)',
29: '(Reveal player +2 rank 5)'}

(Reveal player +N color C): Give a hint about color C to the player who
is N positions ahead of you.
(Reveal player +N rank R): Give a hint about rank R to the player who
is N positions ahead.
(Play X): Play the card in position X from your hand.
(Discard X): Discard the card in position X from your hand.

Based on the annotated state and the list of legal actions, decide on
the most appropriate move to make. Consider factors like current
tokens, firework progress, and information available in hands. Then,
output one of the legal action descriptions as your chosen action.

Your output should be in this format:
{"reason": string, "action": int} And the action should be one of the
legal actions provided above.
You can only use json valid characters. When you write json, all the
elements (including all the keys and values) should be enclosed in
double quotes!!!

To win, you need to play the cards in the correct sequence and maximize
the total score of the fireworks. Good luck!

```

To evaluate the performance of LLM agents in playing Hanabi in a multi-player setting, we designed a comprehensive prompt that guides the model through the game's decision-making process. The prompt begins by providing detailed description of the current game state, including life tokens, information tokens, fireworks progress, current player's cards (with hidden information, known information, and possible identities), and the visible hands of other players. The natural language prompt ensures that the LLM has all necessary data to make decisions.

Then, the prompt employs a step-by-step reasoning framework to emulate the strategy thought process required in Hanabi: evaluating playable cards, considering teammates' hands and hint opportunities, and assessing discard options to gain more information tokens. We explicitly encourages the LLM agent to engage in logical and strategic thinking, mirroring the deliberative processes human players use during gameplay.



At last, we provide all the possible legal actions available to the player, normally including playing, revealing colors or ranks, and discarding specific cards. The required output format for the model is a JSON object containing a reason for the chosen action and the corresponding action index.

An example of model's response:

```
{
  "reason": "Card 5 in your hand is known to be B2, which is exactly
    the next playable card for the blue stack (currently at B1).
    Playing it will advance the blue firework without risk.",
  "action": "9"
}
```

### E.3 Strategic game: Diplomacy

#### Prompt Design: State Description

The following is the state description prompt, which includes all the public information from the Diplomacy board that players need to be aware of.

```
The current state of the game is as follows:
Note: No notes are provided for this state.
Phase Name: The current game phase is 'W1901A'.
Units: Stores the location of the units currently controlled by each
player on the map:
AUSTRIA: A VIE, F TRI, A GAL
ENGLAND: F ENG, A WAL, F BEL
FRANCE: A SPA, A PIC, F POR
GERMANY: A BER, F DEN, A TYR
ITALY: A VEN, F ION, A PIE
RUSSIA: A UKR, F RUM, A FIN, F SWE
TURKEY: F BLA, A CON, A GRE
Retreats: If a unit is defeated but not destroyed and it needs to
retreat to a neighboring empty province. The units that need to
retreat are as follows:
AUSTRIA: No retreats needed.
ENGLAND: No retreats needed.
FRANCE: No retreats needed.
GERMANY: No retreats needed.
ITALY: No retreats needed.
RUSSIA: No retreats needed.
TURKEY: No retreats needed.
Supply Centers: The supply centers controlled by each player are:
AUSTRIA: BUD, TRI, VIE
ENGLAND: EDI, LON, LVP, BEL
FRANCE: BRE, MAR, PAR, POR, SPA
GERMANY: BER, KIE, MUN, DEN
ITALY: NAP, ROM, VEN
RUSSIA: MOS, SEV, STP, WAR, RUM, SWE
TURKEY: ANK, CON, SMY, GRE
Home Centers: Each player's initial or home supply centers are:
AUSTRIA: BUD, TRI, VIE
ENGLAND: EDI, LON, LVP
FRANCE: BRE, MAR, PAR
GERMANY: BER, KIE, MUN
ITALY: NAP, ROM, VEN
RUSSIA: MOS, SEV, STP, WAR
TURKEY: ANK, CON, SMY
Influence: The regions influenced or controlled by each player are:
AUSTRIA: BUD, VIE, TRI, GAL
ENGLAND: EDI, LON, LVP, NTH, ENG, WAL, BEL
FRANCE: BRE, MAR, PAR, MAO, SPA, PIC, POR
GERMANY: KIE, BER, MUN, DEN, TYR
```

```
ITALY: NAP, ROM, VEN, ION, TUS, PIE
RUSSIA: WAR, MOS, SEV, UKR, STP, RUM, BOT, FIN, SWE
TURKEY: ANK, SMY, BUL, BLA, CON, GRE
Civil Disorder: Status of players under civil disorder (1 for yes, 0
for no):
AUSTRIA: No civil disorder
ENGLAND: No civil disorder
FRANCE: No civil disorder
GERMANY: No civil disorder
ITALY: No civil disorder
RUSSIA: No civil disorder
TURKEY: No civil disorder
Builds: Each player's allowable builds or disbands are:
AUSTRIA: 0 builds allowed. Homes available for builds: No specific
build locations
ENGLAND: 1 builds allowed. Homes available for builds: EDI, LON, LVP
FRANCE: 2 builds allowed. Homes available for builds: BRE, MAR, PAR
GERMANY: 1 builds allowed. Homes available for builds: KIE, MUN
ITALY: 0 builds allowed. Homes available for builds: No specific
build locations
RUSSIA: 2 builds allowed. Homes available for builds: MOS, SEV, STP,
WAR
TURKEY: 1 builds allowed. Homes available for builds: ANK, SMY
There are no neutral powers in this game.
```

There is several important information in the state description: current game phase, every player's units, retreat information, supply centers, home centers, influence, builds, and neutral power information. All the information is critical for agents to make decisions in each phase.

### Prompt Design: Negotiation Phase

In the negotiation phase, the agent is provided with the current game state, and the following negotiation prompt:

```
It is now round 2 of the negotiation phase.
There are 3 total negotiation rounds.
After these, you must decide your actions.

You are playing as ['RUSSIA', 'TURKEY']. The other powers are: AUSTRIA,
ENGLAND, FRANCE, GERMANY, ITALY.

The last round's messages are:
FRANCE to all players: Attention all powers, I suggest a mutual
ceasefire this turn to stabilize our regions and focus on strategic
planning.
GERMANY to RUSSIA: Discuss possible strategies against Austria; would
appreciate insight on your intentions towards the Balkans.
ITALY to TURKEY: Exploring potential cooperation in the Balkans. What
are your views on Austria this year?

Now you must analyze the negotiation phase step by step, then provide
your final messages in a JSON object.

## Think step by step

1. **Recap & Trust Analysis:**
  1.1. Recap each message from the last round, identifying who said
  what.
  1.2. Assess their intentions and whether they might be truthful or
  deceptive.
  1.3. Discuss how much you trust each power's statements based on
  their track record or alignment with your interests.
```

2. **\*\*Current State and Strategic Analysis:\*\***
  - 2.1. Summarize your current strategic position (units, supply centers, alliances, conflicts).
  - 2.2. Summarize your opponents' positions (who seems strong, who seems weak, who might be desperate).
  - 2.3. Identify any immediate threats or opportunities for alliances, betrayals, or beneficial deals.
3. **\*\*Goal Setting:\*\***
  - 3.1. Reiterate your ultimate objective (gain more supply centers, dominate the map).
  - 3.2. Decide how to approach each power: ally, remain neutral, or plan to attack soon.
4. **\*\*Negotiation Strategy:\*\***
  - 4.1. Determine which powers you want to communicate with this round and why.
  - 4.2. Decide whether to propose alliances, coordinate attacks, request/demand support, or spread disinformation.
  - 4.3. Consider carefully any promises you might make (remember they are not binding).
5. **\*\*Message Drafting:\*\***
  - 5.1. Outline the content of each message to each recipient.
  - 5.2. Make sure your messages are concrete: specify regions, proposed moves, or conditions for cooperation.
  - 5.3. Keep in mind the possibility of someone sharing your messages (lack of enforceability).
6. **\*\*Review & Finalize:\*\***
  - 6.1. Verify if your negotiation plan is consistent with your overall strategy.
  - 6.2. Finalize the messages you will send out.

After you finish your step-by-step reasoning, provide the result as a JSON object with the following format:

```
{
  "phase": "negotiation_phase1",
  "trust_analysis": [
    {
      "power": "ENGLAND",
      "trust_level": "low/medium/high",
      "analysis": "explanation of why"
    },
    ...
  ],
  "negotiation_strategy": "In-depth explanation of how you're
    approaching each power (alliance, deception, etc.)",
  "messages": {
    "FRANCE": {
      "recipients": ["GERMANY", "GLOBAL"],
      "messages": [
        "Hello Germany, I'd like your support in Burgundy.",
        "Greetings everyone, I propose a mutual ceasefire this turn."
      ]
    },
    "TURKEY": {
      "recipients": ["RUSSIA"],
      "messages": [
        "I propose we coordinate against Austria in the Black Sea."
      ]
    },
    ...
  }
}
```

```

    }
  }

  ### Explanation of Fields:

  - **phase:** Always set this to "negotiation_phase1" for this round of
    negotiation phase.
  - **trust_analysis:**
    - A list of dictionaries analyzing how much you trust each other
      power.
    - For each entry, note the power, your trust level, and a brief
      explanation of why.

  - **negotiation_strategy:**
    - Describe your overarching plan for dealing with the other powers,
      including proposals, alliances, or sabotage.

  - **messages:** A dictionary where each key is one of the powers that
    you control. You don't need to send a message to neutral countries
    or yourself.
    - For each key (e.g. "FRANCE"), the value is another dictionary:
      - "recipients":
        - A list of strings representing who you are sending messages
          to.
        - Valid recipients: AUSTRIA, ENGLAND, FRANCE, GERMANY, ITALY
        - You can also include "GLOBAL" to broadcast a message to all
          powers simultaneously.
      - "messages": a list of strings, each corresponding to a message
        directed to the recipients in the same order.
        - If you list two recipients, the first message is intended for
          the first recipient, the second message for the second
          recipient, and so on.

  Use only standard double quotes in your JSON. Do not include Python-
  style triple-quoted strings or comments inside the JSON output.

  There are no neutral powers in this game.

  Happy negotiating - analyze carefully and craft your messages with
  purpose!

```

To facilitate LLMs in handling the negotiation phase of Diplomacy, we meticulously designed a negotiation prompt that guides the model through a structured reasoning process. This design ensures that the LLM systematically analyzes the game state, assesses the intentions of other powers, and formulates strategic messages. The negotiation prompt is divided into six key stages: *Recap & Trust Analysis*, *Current State and Strategic Analysis*, *Goal Setting*, *Negotiation Strategy*, *Message Drafting*, and *Review & Finalize*. This framework ensures that the LLM thoroughly analyzes previous communications, assesses the trustworthiness of other powers, evaluates the current strategic landscape, sets clear objectives, formulates a coherent negotiation strategy, drafts precise messages, and verifies the alignment of its actions with overall goals.

The final output from the LLM is structured in a standardized JSON format. It includes all the messages intended for transmission, specifies the corresponding agent power to send each message, and incorporates the meta information outlined in the prompt. The model is also asked to generate its negotiation strategy in its output. That strategy is for evaluating the negotiation consistency of the model.

An example of model's response:

```

{
  "phase": "negotiation_phase1",
  "trust_analysis": [
    {

```

```

    "power": "AUSTRIA",
    "trust_level": "low",
    "analysis": "They border our regions in the Balkans and could
        quickly become hostile if we weaken our defenses, so we remain
        cautious."
},
{
    "power": "ENGLAND",
    "trust_level": "medium",
    "analysis": "They are likely preoccupied with Western Europe and
        Scandinavia, but could pose a threat if they expand eastward."
},
{
    "power": "FRANCE",
    "trust_level": "medium",
    "analysis": "They propose a ceasefire, which may indicate a focus
        on their western or southern fronts. We suspect they are
        genuine for now but remain watchful."
},
{
    "power": "GERMANY",
    "trust_level": "medium",
    "analysis": "They express interest in a peaceful arrangement with
        Russia, which might be sincere, though we must be alert if
        their western front stabilizes."
},
{
    "power": "ITALY",
    "trust_level": "low",
    "analysis": "Italian fleets in the Mediterranean can quickly
        disrupt Turkey's plans; unclear whether they want conflict or
        just safe expansion."
}
],
"negotiation_strategy": "We wish to maintain and strengthen the
    Russia-Turkey axis. Russia may accept Germany's overture for peace
    in the north if it frees us to focus south. Turkey will keep an
    eye on Austria while seeking to avoid a direct clash with Italy
    for now. We are open to France's ceasefire proposal but will
    remain vigilant in case they shift focus to the east.",
"messages": {
    "RUSSIA": {
        "recipients": ["GERMANY", "FRANCE"],
        "messages": [
            "Greetings Germany. I welcome discussions of a peaceful
                arrangement. Let's consider a demilitarized zone around the
                Baltic to ensure mutual non-aggression, while we each focus
                on other potential threats.",
            "France, thank you for offering a ceasefire. I have no
                immediate conflict with you, so I'm open to refraining from
                aggressive moves toward the west as long as we remain
                mutually respectful of each other's territories."
        ]
    },
    "TURKEY": {
        "recipients": ["RUSSIA", "ITALY"],
        "messages": [
            "Russia, I mentioned targeting Germany, but we should be
                flexible. If Germany grants you security in the north,
                focusing on Austria might be more profitable for both of us.
                Let's coordinate to see which path yields the greatest gain
                .",
            "Hello Italy. I'd like to keep the Eastern Med stable. If you
                refrain from moving fleets aggressively into the Aegean or

```



```

        Eastern waters, I'll avoid sending forces westward. Let's
        keep lines of communication open."
    ]
}
}
}

```

### Prompt Design: Movement Phase

In the movement phase, the agent is provided with the current game state, and the following movement prompt:

```

Now it's your turn to issue orders, and you are playing as ['RUSSIA', '
TURKEY'].
The current state of the game is as follows:
[GAME STATE]

The adjacent regions of your orderable regions are as follows:
<adjacent_regions>
[ADJACENT INFORMATION]
</adjacent_regions>

First please think step by step given my instructions, do some self
verification and revise on your orders:

## Think step by step

0. You should recap all the information in the previous negotiation
phase, remember the agreements, promises, and threats made by each
power. Analyze the outcomes of the negotiation phase and how they
influence your next actions on the board.
1. Please analyze the current state of the game and your position.
Which regions are you controlling? How many supply centers do you
have? Where are your units? Please make detailed state analysis
about you and other powers.
2. The goal of the game is to take control as many supply centers as
possible. Analyze your current state, and plan how to take more
supply centers later. For example, among the regions which are not
your location, which location do you want to attack? You should
think if you will have enough support to win each attack. You should
also check all your adjcent regions and make sure you can move to
them, based on <adjacent_regions> information.
3. For each of your units, analyze the possible orders. I will give you
all the possible orders enclosed in <possible_orders> for each of
your unit. Please consider and tell me your reasoning for each the
following points:
3.1. Whether you should move into other regions to expand or take
more supply centers?
3.2. Whether you should move into other power's unit to attack?
3.3. If you don't have enough unit to attack some region, do you
want to move your other unit to the adjacent region to prepare
for the attack in the next round?
3.4. When you choose your attack target, don't set it as your
controlled region. Iterate over your planned attack targets, and
tell me whether that target is among your controlled region. If
you find a target as your attack target, please make sure that
target is other power's location, not your own location. Moving
into your unit is not considered an attack!
3.5. A unit may not move into a province held by another unit
unless it has support, and the attacking unit must have more
support than the defending unit if the attack is to be
successful. If you want to attack other power's unit, do you
have other units support this move?

```

- 3.6. A unit can only move to its adjacent region. Please iterate over your unit's adjacent regions, and make sure that your move target is among its adjacent regions.
  - 3.7. The support unit can only support the adjacent region, and the attack target should also be its adjacent region. Please iterate over your unit's adjacent regions, and make sure that your support target is among its adjacent regions. If the unit can't support attacking the target because it's too far, you should choose another supporter or move it closer and plan to attack later.
  - 3.8. If you want to support unit X attacking some region, you should make sure X is actually attacking the target region. If not, it is invalid.
  4. Make the order decision based on your analysis. Check your decision about whether you set a wrong attack target, move into your controlled region is not an attack!!!
  5. For each intended order, please revise and verify your move target and the reason against the definitions, game rules, and your goal. For example,
    - 5.1. Moving your unit into your own region is not considered an attack. You should move into other power's unit location.
    - 5.2. You should take control more and more supply centers
    - 5.3. Ensure that your attacks are supported sufficiently to overcome any defenses.
    - 5.4. Iterate over your planned attack targets, and tell me whether that target is among your controlled region. If so, you should start from the beginning and think again.
    - 5.5. Iterate over your planned attack targets, and compute how many other power's units are in that target location. Next, determine how many of your own units and how much support you need to succeed in the attack. You cannot attack with fewer supports than the defending unit. Verify that the total of your supports plus one is greater than the defending unit's strength. If this condition is not met, return to the beginning and think again.
- If your orders can't pass the verification, please start from the beginning and think again by the above steps.

Once you are confident, please finalize your plan, and give me a JSON object in the following format:

```
{
  "phase": "current_phase",
  "step_by_step_reasoning": "Your step by step reasoning here",
  "reason": "Your strategic reasoning here",
  "my_location": ["PAR", ...],
  "my_unit": ["BER", ...],
  "adjacent": [{"PAR": ["BUR", "GAS"]}, ...],
  "other_power_location": ["MUN", ...],
  "move_to_our_region_mask": [0, 1, ...],
  "attackable": ["MUN", ...],
  "attack_analysis": [{"MUN": 2}, ...],
  "support_given": [{"supporter": "BUR", "supported": "PAR", "target": "PIC"}, ...],
  "attack_mask": {
    "FRANCE": [1, 0, ...],
    ...
  }
  "orders": {
    "FRANCE": ["F BRE - MID", "A PAR - BUR", ...],
    ...
  }
}
```

### Instructions for the JSON object:

1. **\*\*Reason:\*\***
  - Provide your strategic reasoning summary in the "reason" field.
2. **\*\*Additional Fields:\*\***
  - **\*\*step\_by\_step\_reasoning:\*\***
    - Provide your above step by step reasoning details in the "step\_by\_step\_reasoning" field.
  - **\*\*my\_location:\*\***
    - A list of strings.
    - Each element corresponds to a location where you have the influence or control (Please refer to the game state).
    - Example: ["MUN", ...]
  - **\*\*my\_unit:\*\***
    - A list of strings.
    - Each element corresponds to a location where you have a unit.
    - Example: ["BER", ...]
  - **\*\*adjacent:\*\***
    - A list of dictionary.
    - Each element is a dictionary with your location as the key and a list of all the adjacent locations as the value. Please refer to <adjacent\_regions>
    - Example: [{"MUN": ["TYR", "BOH"]}, ...]
  - **\*\*other\_power\_location:\*\***
    - A list of strings.
    - Each element corresponds to a location that is other power's location.
    - Example: ["MUN", ...]
  - **\*\*move\_to\_our\_region\_mask:\*\***
    - A list of integers (0 or 1).
    - Each element corresponds to an order in the "orders" list.
    - 1 indicates that the order involves moving to your influenced or controlled region. (Please refer to the game state)
    - 0 indicates that the order does not involve moving to your influenced or controlled region.
    - Example: [0, 1, 0]
  - **\*\*attackable:\*\***
    - A list of locations.
    - Each location is a region that is other power's location and you can move into to attack in this turn.
    - You should NOTICE, you usually made mistakes here! The locations in my\_location and my\_unit should not be included in this list. You can only choose from adjacent locations.
    - Example: ["MUN", ...]
  - **\*\*attack\_analysis:\*\***
    - A list of dictionaries.
    - Each dictionary contains key: the location string you want to attack in this round. value: the number of units anyone needs to win the attack. A unit may not move into a province held by another unit unless it has support. As units may be supported either in attacking a province or in holding a province, the attacking unit must have more support than the defending unit if the attack is to be successful. If the attack is not successful, the attacking unit does not move anywhere. I already gave you other powers' unit locations above. Only an estimate is needed

```

        here. Because you don't know whether other powers will support
        or not.
    - Example: [{"MUN": 2}, {"RUH": 1} ...]

    - **support_given:**
      - A list of dictionaries.
      - Each dictionary contains the supported unit's location and the
        location of the unit being supported. And the target location.
        (based on the order you want to issue)
      - Example: [{"supporter": "BOH", "supported": "MUN", "target": "
        TYR"}, ...]

    - **attack_mask:**
      - A dictionary of lists of integers (0 or 1). The same length as
        the "orders" list.
      - Each element corresponds to an order in the "orders" list. If
        the target is in my_location, it is not considered an attack.
        Attack is moving into other power's unit location.
      - 1 indicates that the order is an attack.
      - 0 indicates that the order is not an attack.
      - Example: {"FRANCE": [1, 0, ...], ...}

3. **Orders:**
    - The "orders" field should be a dictionary where the key is the
      power name and the value is a list of strings chosen from the
      possible orders.
    - For each location, you can only issue one order.
    - The number of orders should match the number of locations you can
      issue orders for.
    - Each string represents an order for a unit.
    - If possible_orders is empty for a power, just leave the "orders"
      field empty for that power.

4. **JSON Formatting Guidelines:**
    - Use standard straight double quotes (").
    - Do not include special characters like
      , etc.
    - Do not add comments inside the JSON output.

### **Possible Orders:**

All the possible orders that you can issue are as follows (key is the
location, value is the list of possible orders at that location):

<possible_orders>
[POSSIBLE ORDERS]
</possible_orders>

### **Your Objective:**

Your ultimate goal is absolute domination, seize every supply center
and crush your opposition to win! Build and expand relentlessly,
taking control of regions by launching bold, decisive attacks,
control as many supply center as you can. Strike hard, strike fast,
and let nothing stand in your way. Victory belongs to the bold, go
conquer it!

Now please think step by step in your response, and provide the JSON
object with your strategic reasoning and orders.

```

### Field Explanation:

1. **Adjacent Information:** While the agent can inherently determine which locations are proximate to its own units, we provide all adjacent locations for ease of access.

Adjacent information is crucial as it enables the agent to decide potential movement destinations or identify units to support during maneuvers. Combined with the opponents' unit information from the game state, the agent can anticipate possible collaborations or conflicts. This data is structured as a list, where each element is a dictionary formatted as {'MOS': ['LVN', 'SEV', 'STP', 'UKR', 'WAR']}. Here, the key represents the location, and the values are the adjacent locations to that key.

2. **Possible Orders:** Diplomacy features an extensive action space with numerous legal orders available in each phase. To reduce the complexity for the agent in adhering to constraints, we supply all legal orders for each of the agent's units. These orders are presented as a list, with each element being a dictionary in the following format: {"TURKEY": [{"SMY": ['F SMY - SYR', 'F SMY S A CON', ...]}, ...]}. In this structure, the key denotes the power being controlled by that agent, and the value is a list of orderable units along with their corresponding possible orders.

### Component Explanation:

The prompt comprises three primary components: the current state description, the chain of thought prompt, and the factual knowledge checker.

1. **State Description:** Detailed information is provided in the sections above.
2. **Chain of Thought Prompt:** Diplomacy is a complex strategic game that requires multi-step reasoning and strategic planning. Through our experiments, we determined the necessity of crafting explicit and detailed prompts to facilitate the LLM's thought process. Consequently, we meticulously designed chain of thought templates tailored for both the negotiation and movement phases of the game.
3. **Factual Knowledge Checker:** To evaluate the agent's factual understanding, we prompt the model to generate factual information based on the provided state description. This includes details such as controlled units, influence locations, adjacent locations, other powers' positions, attackable locations, attack analyses, and support statistics. Each field is thoroughly explained within the prompt. Although the state description already includes controlled units, locations, and adjacent locations, the factual knowledge checker serves to verify the agent's accurate comprehension of the game state.

The final output from the LLM is structured in a standardized JSON format, which includes fields described in the factual knowledge checker and the final issued orders.

We conducted an ablation study to assess the necessity of the Chain of Thought (CoT) prompt and the Factual Knowledge Checker (FC) in our Diplomacy game setup. Using the GPT-4o model playing as France, with the other powers set as neutral (negotiation disabled), we established a baseline where both CoT and FC were included in the prompt during the movement phase. Two comparison experiments were performed: (1) removing CoT, while keeping the FC in the prompt (2) removing both CoT and FC. The game was run for a maximum of 20 years with a token threshold of 10,000,000. The winning condition was controlling more than 18 supply centers. After the simulations, we compared the number of supply centers acquired by the agent:

- **Baseline (CoT + FC):** GPT-4o won in 16 years by taking over 19 supply centers.
- **Without CoT (only FC):** The agent did not win, securing 17 supply centers in 20 years.
- **Without CoT and FC:** The agent also failed to win, capturing only 15 supply centers in 20 years.

These results demonstrate that both the Chain of Thought and the Factual Knowledge Checker are essential for the model's effective strategic decision-making and overall performance in player the game Diplomacy.

An example of the agent's response:

```
{
```

```

"phase": "S1903M",
"step_by_step_reasoning": "1) Considering the Juggernaut alliance,
    Russia and Turkey aim to press Austria. 2) Russia plans to seize
    key Austrian territories around Galicia and Budapest. 3) Turkey
    advances into the Balkans (Serbia, Bulgaria) to expand and
    pressure Austria. 4) In the north, Russia holds or shifts position
    minimally to respect the English DMZ. 5) This coordinated push
    preserves the Russo-Turkish pact.",
"reason": "We focus on Austria as our primary target, using
    concentrated force around Galicia and Budapest (Russia) and
    occupying Serbia/Bulgaria (Turkey). Our northern units hold or
    reposition without provoking England or Germany, continuing the
    agreed DMZ.",
"my_location": [
    "WAR",
    "MOS",
    ...
],
"my_unit": [
    "MOS",
    ...
],
"adjacent": [
    {
        "MOS": ["LVN", "SEV", "STP", "UKR", "WAR"]
    },
    ...
],
"other_power_location": [
    "VIE",
    "TRI",
    ...
],
"move_to_our_region_mask": {
    "RUSSIA": [0, 0, 0, 0, 0, 0, 0],
    "TURKEY": [0, 1, 0, 0]
},
"attackable": ["BUD", "GAL"],
"attack_analysis": [
    {
        "BUD": 1
    },
    {
        "GAL": 2
    }
],
"support_given": [
    {
        "supporter": "UKR",
        "supported": "WAR",
        "target": "GAL"
    }
],
"attack_mask": {
    "RUSSIA": [0, 0, 1, 0, 1, 0, 0],
    "TURKEY": [0, 0, 0, 0]
},
"orders": {
    "RUSSIA": [
        "A MOS H",
        "A NWY - FIN",
        "F RUM - BUD",
        "F SWE H",
        "A WAR - GAL",
        "F STP/NC H",

```



```

    "A UKR S A WAR - GAL"
  ],
  "TURKEY": [
    "F BLA H",
    "A CON - BUL",
    "A GRE - SER",
    "F SMY - AEG"
  ]
}
}

```

### Prompt Design: Retreat Phase and Winter Adjustment

In the retreat phase and the winter adjustment phase, the agent is provided with the current game state, and the following prompt:

#### Retreat Phase:

```

Now it's the retreat phase, and you are playing ['AUSTRIA', 'ENGLAND',
'FRANCE']. It is now your turn to play.

The current state of the game is as follows:
[GAME STATE]
This is the retreat phase. You must retreat your units that have been
dislodged. If you do not retreat a unit, it will be disbanded.

Please respond with a JSON object like:
{
  "reason": "Your strategic reasoning here",
  "orders": {
    "FRANCE": ["A MAR R SPA", ...],
    ...
  }
}

Where "orders" is a dictionary where the key is the power name and the
value is a list of each location's decision. For each location, you
can only issue one order. The length of the list of each power
should match the number of locations for which you can issue orders.

The string should be able to be parsed to json str. So don't use
special characters like \n, \t, etc. Generate the text with standard
straight double quotes. Do not add comments inside the output!
The possible orders you can issue are as follows:
{'AUSTRIA': {'TRI': ['A TRI R ALB', 'A TRI D']}, 'ENGLAND': {}, 'FRANCE': {}}

```

An example of the agent's response:

```

{
  "reason": "The Austrian army in Trieste has been dislodged and must
  retreat. The only available retreat option is to move the army to
  Albania, which keeps the unit on the board and in a position to
  continue influencing nearby regions.",
  "orders": {
    "AUSTRIA": ["A TRI R ALB"],
    "ENGLAND": [],
    "FRANCE": []
  }
}

```

#### Winter Adjustment:

Now it's winter adjustment phase, and you are playing ['RUSSIA', 'TURKEY']. It is now your turn to play.  
 The current state of the game is as follows:  
**[GAME STATE]**  
 This is the build/disband phase. You can build new units in your home centers, or disband units if you have too many. Remember, you need to control enough supply centers to win.

Please respond with a JSON object like:

```
{
  "reason": "Your strategic reasoning here",
  "orders": {
    "FRANCE": ["F BRE B", "A PAR B", ...],
    ...
  }
}
```

Where "orders" is a dictionary where the key is the power name and the value is a list of each location's decision. For each location, you can only issue one order. The length of the list of each power should match the number of locations for which you can issue orders.

The string should be able to be parsed to json str. So don't use special characters like \n, \t, etc. Generate the text with standard straight double quotes. Do not add comments inside the output!

The possible orders you can issue are as follows:  
 {'RUSSIA': {'MOS': ['WAIVE', 'A MOS B'], 'SEV': ['WAIVE', 'A SEV B', 'F SEV B']}, 'TURKEY': {}}

Remember, you need to reach the configured number of supply centers (build more and more supply centers) to win.

An example of the agent's response:

```
{
  "reason": "Russia has one free build and needs to strengthen the land front against potential threats in the west or south. Building an army in Moscow offers greater strategic flexibility than a fleet in Sevastopol. Turkey has no builds this phase.",
  "orders": {
    "RUSSIA": ["A MOS B"],
    "TURKEY": []
  }
}
```

## Prompt Design: LLM-assisted Negotiation Metrics

### Prompt for the LLM Annotator:

Prompts for strategy alignment, mutual vs. one-sided benefits, peace vs. conflict messaging, perspective-taking and conditional plans:

You are an expert in the game of Diplomacy. You are asked to evaluate the negotiation messages and the orders issued by the players in the game. This is the message you have to annotate. Please provide your evaluation of the message. You have to tell me 1. whether the message aligns with the negotiation strategy provided. 2. Are there any proposals in this message? If there is, are those proposals for mutual\_benefit or only for one\_sided? 3. Is this message promoting peace or provoking conflict? 4. Whether this message explicitly acknowledges or summarizes another power's viewpoint/needs? (

perspective taking) 5. Whether this message uses conditional thinking/planning (for example, it's using if-then format)?

In your response, please provide a json object with the following keys:

- "alignment": 0 or 1 // 0 for not aligned, 1 for aligned
- "proposals": [
  - {
    - "proposal\_text": "proposal\_text", // the content of the proposal
    - "label": "mutual\_benefit" or "one\_sided" // "mutual\_benefit" for mutual benefit, "one\_sided" for one-sided benefit
- "peace\_or\_conflict": "peace" or "conflict" // "peace" for promoting peace, "conflict" for provoking conflict
- "perspective\_taking": 0 or 1 // 0 for not acknowledging or summarizing another power's viewpoint/needs, 1 for acknowledging or summarizing another power's viewpoint/needs
- "conditional\_thinking": 0 or 1 // 0 for not using conditional thinking/planning, 1 for using conditional thinking/planning

Now please evaluate the following data:

```
{'negotiation_strategy': "I aim to secure my borders through alliances with Germany and possibly France while maintaining a neutral stance with Russia to minimize threats from the east. I plan to counter any Italian aggression and monitor Turkey's movements closely.", 'recipient': 'GERMANY', 'message': 'Hello Germany, I propose we coordinate our moves to ensure peace between our nations. Could you secure the northern front while I focus on the south?'}
```

#### Prompts for proposal acceptance:

You are an expert in the game of Diplomacy. You are asked to evaluate the negotiation messages and the orders issued by the players in the game.

The interaction between AUSTRIA and GERMANY in S1901M negotiation round 0:

```
['AUSTRIA to GERMANY: Hello Germany, I propose we coordinate our moves to ensure peace between our nations. Could you secure the northern front while I focus on the south?', 'GERMANY to AUSTRIA: Russia's F SEV and F STP threaten us both. If you support my A BER to SIL, I will help contain their expansion. Coordinate?']
```

The interaction between AUSTRIA and GERMANY in S1901M negotiation round 1:

```
["AUSTRIA to GERMANY: Germany, I accept your offer. Let's coordinate to ensure mutual protection against Russia. I'll support your move into SIL."]
```

The interaction between AUSTRIA and GERMANY in S1901M negotiation round 2:

```
[]
```

The orders issued by AUSTRIA after the negotiation:

```
['A BUD - GAL', 'F TRI H', 'A VIE - TYR']
```

The orders issued by GERMANY after the negotiation:

```
['F KIE - DEN', 'A BER S F KIE', 'A MUN - BUR']
```

Now please tell me for each proposal, whether it is accepted by the recipient or not. Please also provide the reason.

Your response should be in json format with the following key:

```
- "answer": [
  {
    "proposal_text": "proposal_text", // the content of the
    proposal
    "accepted": 0 or 1, // 0 for not accepted, 1 for accepted
    "reason": "reason" // the reason why the proposal is
    accepted or not
  },
] // the order of the proposals should be the same as the order of
the proposals in the previous response
```

Those are the proposals AUSTRIA is sending to GERMANY in S1901M  
negotiation round 0:

```
['I propose we coordinate our moves to ensure peace between our nations
. Could you secure the northern front while I focus on the south?']
Your answer must be of the same length as the number of proposals.
```

### Example Annotation by Claude 3.7 Sonnet:

```
{'alignment': 1, 'proposals': [{'proposal_text': 'I propose we
coordinate our moves to ensure peace between our nations. Could you
secure the northern front while I focus on the south?', 'label': '
mutual_benefit'}], 'peace_or_conflict': 'peace', 'perspective_taking
': 0, 'conditional_thinking': 0}
```

```
{'answer': [{'proposal_text': 'I propose we coordinate our moves to
ensure peace between our nations. Could you secure the northern
front while I focus on the south?', 'accepted': 0, 'reason': "While
Germany initially responds with a counterproposal about containing
Russia and requests Austria's support for A BER to SIL, the actual
orders show that Germany did not follow this plan. Germany ordered F
KIE - DEN, A BER S F KIE, and A MUN - BUR, which focuses on the
western and northern fronts rather than moving against Russia as
discussed. Austria agreed to support Germany's move into SIL, but
Germany never attempted this move. This indicates Germany did not
truly accept Austria's initial proposal about coordinating their
moves with Germany securing the north while Austria focuses on the
south."}]}
```