

Disentangling Language Medium and Culture Context for Evaluating Multilingual Large Language Models

Anonymous ACL submission

Abstract

This paper introduces a Dual Evaluation Framework to comprehensively assess the multilingual capabilities of LLMs. By decomposing the evaluation along the dimensions of linguistic medium and cultural context, this framework enables a nuanced analysis of LLMs’ ability to process questions within both native and cross-cultural contexts cross-lingually. Extensive evaluations are conducted on a wide range of models, revealing a notable “Cultural-Linguistic Synergy” phenomenon, where models exhibit better performance when questions are culturally aligned with the language. This phenomenon is further explored through interpretability probing, which shows that a higher proportion of specific neurons are activated in a language’s cultural context. This activation proportion could serve as a potential indicator for evaluating multilingual performance during model training. Our findings challenge the prevailing notion that LLMs, primarily trained on English data, perform uniformly across languages and highlight the necessity of culturally and linguistically model evaluations.

1 Introduction

With the rapid development of large language models (LLMs), increasing efforts have been made to make these models beneficial for people worldwide. To achieve this, non-English corpora are also incorporated into the training data, enabling LLMs to understand and generate text in various languages (i.e., multilingual capabilities) (Xue et al., 2021; Workshop et al., 2023; Grattafiori et al., 2024; OpenAI et al., 2024; Nguyen et al., 2024).

To evaluate the LLMs’ multilingual capabilities, researchers primarily rely on translating English-centric benchmarks into target languages, such as translating MMLU (Hendrycks et al., 2021) into MMMLU (OpenAI, 2024). While this approach allows for efficient cross-lingual comparisons, it




Figure 1: Dual Evaluation Framework for evaluating multilingual capabilities of LLMs. The figure is divided into four quadrants, each showing the model’s performance on questions framed in different languages and cultural contexts. The horizontal-axis represents the language of the question, and the vertical-axis represents the cultural context. The score refers to the aggregate performance of the model Claude-3.5-Sonnet on these four question sets.

limits the evaluation to scenarios rooted in English-speaking cultural contexts, as the original data was predominantly collected from perspectives prevalent in English-speaking countries. In contrast, recent work has developed culture-specific benchmarks such as M3Exam (Zhang et al., 2023) and BLEND (Myung et al., 2024) where evaluation data are sourced from authentic, real-world scenarios in native-speaking regions. While these better capture the majority local usage, they also overlook that multilingual users frequently ask questions across cultural boundaries. For example, a Spanish speaker might inquire about Chinese tea usage in Spanish, while a user from China could seek details about Diwali celebrations in Chinese. These existing evaluations on multilingual capabilities, however, treat language and cultural context as inseparable dimensions, restricting analyses to single-language scenarios.

To comprehensively evaluate multilingual capa-

bility, especially considering the real-world usage, we propose a Dual Evaluation framework in this paper, which decomposes the multilingual capability evaluation along two critical dimensions: (1) **linguistic medium** (the language used for questioning) and (2) **cultural context** (the regional and cultural knowledge being tested). As illustrated in Figure 1 through a preschool enrollment example, this framework generates four distinct evaluation scenarios from a single question template. This structured decomposition enables multiple essential multilingual capability assessments, including native cultural-linguistic alignment (same language and culture), cross-lingual understanding (different language, same culture), and cross-cultural ability (same language, different culture).

With such dual evaluation framework design, we construct a dataset from adopting and extending the BLENd dataset (Myung et al., 2024) which contains every-day questions across different culture contexts. We then evaluate a wide range of open-source and close-source models with this newly constructed benchmark. Our findings indicate that: 1) Models generally perform better on scenarios rooted in English-speaking culture, a pattern that persists cross-lingually (Section 3.2), and 2) LLMs perform better when questions are posed in the language that corresponds to the cultural context of the question, rather than in English (Section 3.3). The second finding, in particular, draws our attention because most existing models are primarily trained on English data and have demonstrated strong performance in other multilingual evaluations like MMMLU. However, when faced with real-world culturally relevant questions in the corresponding language, these models perform better in that language than in English. We refer to this phenomenon as “Cultural-Linguistic Synergy” (as shown in Figure 1, Claude-3.5-Sonnet has better performance on Chinese test than English test when asking Chinese culture question, vice versa).

To understand the underlying causes of this phenomenon, we conduct interpretability probing by analyzing the activation status of neurons when answering questions in different cultural contexts and languages, we find that: 1) The proportion of specific neurons tends to be higher when the question is in the corresponding language and cultural context, which could explain the observed “Cultural-Linguistic Synergy” (Section 4.3); 2) Additionally, this proportion of specific neurons could serve as a potential indicator for comparing multilingual ca-

pabilities during model training (Section 4.3.1); 3) The number of neurons activated in the model is strongly correlated with the model’s performance in the corresponding language. Specifically, when the question is in the English-speaking cultural context, the model tends to activate more neurons, leading to better performance (Section 4.3.2).

Our main contributions can be summarized as:

- We propose a Dual Evaluation Framework which decomposes the multilingual capability evaluation along two critical dimension linguistic medium and cultural context.
- Through extensive experiments, we find the “Cultural-Linguistic Synergy” phenomenon — the selected models perform better on native usage scenario questions when asked in the corresponding language, compared to English.
- We demonstrate that the proportion of specific neurons activated for a given language can explain the observed Cultural-Linguistic Synergy, and that this proportion can serve as a potential indicator for comparing multilingual capabilities.

2 Dual Evaluation Framework

To comprehensively assess the multilingual capabilities of LLMs, we propose a Dual Evaluation framework that evaluates along two critical dimensions: (1) **linguistic medium** (the language used to pose questions) and (2) **cultural context** (the regional and cultural knowledge being tested). This dual-axis approach reflects two fundamental requirements for real-world applications: first, the ability to handle native language queries within their cultural context (e.g., answering “*What is a common children’s snack in Spain?*” in Spanish), and second, the capability to address cross-cultural inquiries through a single linguistic medium (e.g., answering “*What is a traditional festival in Japan?*” in English). By evaluating both dimensions, we measure how well LLMs adapt to language-specific usage scenarios while maintaining cross-lingual and cross-cultural competence.

Formally, we represent evaluation question as $Q_{i,j}$, where i denotes the cultural context and j specifies the linguistic medium of the question. To construct a question set, we conduct a systematic adaptation of a culture-specific benchmark BLENd (Myung et al., 2024) testing everyday knowledge across diverse cultures and languages.

Specifically, for native cultural-linguistic pairs (i.e., $Q_{i,i}$), we used the localized questions in BLEnD, which are constructed based on a template question with three key modifications: replacing country or region references, adapting phrasing to match linguistic norms, and curating culture-specific answer sets. The localized evaluation sets $Q_{i,i}$ for language i are denoted by:

$$Q_{i,i} = \{(q_i, a_i) | (q_i, a_i) = \text{Adapt}_i(q), q \in \text{Template}\}, \quad (1)$$

where Adapt_i represents the localized modifications for language i , and q represents the template question from the Template set in BLEnD. For example, by adapting the original question “*What is the most popular sports team in your country?*” into “*What is the most popular sports team in the US?*”, where $i = \text{en}$, we can test the model’s ability to handle English in the US context. Using these adapted questions for different languages, we can assess the model’s ability to handle native-language queries within various cultural environments.

One the other hand, to assess the model’s ability to handle questions across multiple cultural contexts when asked in a single language, we extend the $Q_{i,i}$ sets into localized transformations $Q_{i,j}$ for each language pair (i, j) , where $i \neq j$. The original BLEnD includes, for each language-specific evaluation set $Q_{i,j}$ (except for English), an English translation evaluation dataset $Q_{i,\text{en}}$. Specifically:

$$Q_{i,\text{en}} = \{\text{Trans}_{\text{en}}(q_i, a_i) | (q_i, a_i) \in Q_{i,i}, i \neq \text{en}\}. \quad (2)$$

For other language pairs (i, j) , we use the GPT-4o model, known for its strong multilingual capabilities, to construct these cross-lingual datasets.

$$Q_{i,j} = \{\text{Trans}_j(q_i, a_i) | (q_i, a_i) \in Q_{i,i}, j \neq \text{en}\}. \quad (3)$$

This setup enables assessing how well the model can adapt to answering questions posed in one language about the cultural context of another.

Combing the two evaluation scenarios, the complete evaluation set Q is thus represented as:

$$Q = \bigcup_{i \neq j} Q_{i,i} \cup Q_{j,j} \cup Q_{i,j} \cup Q_{j,i}. \quad (4)$$

This Dual Evaluation framework, where questions are tailored to the linguistic medium and the corresponding cultural contexts of usage, not only assesses LLMs’ multilingual abilities from both native usage scenarios ($Q_{i,i}$) and cross-cultural contexts ($Q_{j,i}$) but also employs a completely dual-format question approach. Specifically, $Q_{i,i}$ and

$Q_{j,j}$ are constructed using the same template question, and tailored to different linguistic and cultural contexts. This approach allows us to quantitatively compare the multilingual capabilities cross-culturally within the same language (by comparing $Q_{i,i}$ and $Q_{j,i}$), and cross-lingually (by comparing $Q_{i,i}$ with $Q_{j,j}$, or $Q_{i,i}$ with $Q_{i,j}$). An example of this dual evaluation sample is shown in Figure 1, and the details of the completion for $Q_{i,j}$ are presented in Appendix A.4.

Linguistic Medium	Cultural Context	# Data Sample
English (en)	United States (US) , CN, ES, ID, KR, IR, JB	3,500
Chinese (zh)	China (CN) , US	1,000
Spanish (es)	Spain (ES) , US	1,000
Indonesian (id)	Indonesia (ID) , US	1,000
Korean (ko)	South Korea (KR) , US	1,000
Persian (fa)	Iran (IR) , US	1,000
Sundanese (su)	West Java (JB) , US	1,000
Total		9,500

Table 1: Overview of the evaluation dataset, detailing the language, corresponding question context countries/regions, and the number of data samples. **Bolded** countries/regions indicate where the corresponding language is spoken natively, while the others are transformed for cross-cultural evaluation. Each language has 500 data samples per country/region. The parts we added on the original BLEnD are marked in **green**.

3 Multilingual Capabilities Evaluation

3.1 Experiment setting

We selected a series of LLMs from different size to evaluate their multilingual capabilities, including GPT-4o (OpenAI et al., 2024), Claude-3.5-Sonnet (Anthropic, 2024), CommandR (Cohere, 2024), Llama-3-8B-Instruction, Llama-3-70B-Instruction (Grattafiori et al., 2024), Gemma-2-9B (Team et al., 2024), Qwen2.5-7B-Instruct (Qwen et al., 2025), and Bloomz-7B (Muennighoff et al., 2022). The experiment is conducted across seven languages, with culture content sourced from one of the typical countries where each language is widely spoken. Considering the current performance of the model (primarily strong in English), and taking cost and time constraints into account, we only construct evaluation data $Q_{i,j}$ for the language pairs (i, j) where either language i or j is English. The language and culture information for the evaluation dataset are provided in Table 1. The questions used in evaluation is short-answer questions (SAQs) aligned with the BLEnD (Myung et al., 2024) benchmark. We apply non-weighted scores for the evaluation metrics. During inference, all models are tested in a zero-shot setting. The question prompts are

derived from the original BLENd instruction set. More details are shown in Appendix B.

3.2 Finding 1: LLMs’ Performance Declines as the Cultural Context Shifts from English to Cross-Cultural Scenarios.

Using our Dual Evaluation Framework, we evaluate the performance of the selected LLMs. As mentioned in Section 2, one of the key advantages of this framework is its ability to compare models’ adaptability in cross-cultural contexts (comparing $Q_{i,i}$ & $Q_{j,i}$), given that the questions are presented in a dual format. Since most of the selected models primarily use English as their training corpus, we first compare the performance on $Q_{en,en}$ and $Q_{i,en}$ (where $i \neq en$). The results in Figure 2 (full result in Append A.2), for each bar, represent the performance in specific culture-contexts. By comparing the bars’ height across different context, we observe that models perform best for English-speaking culture context, when asking questions in English and performance declines in other language-speaking cultural context, with the drop becoming more pronounced as the language’s resource availability decreases.




Figure 2: The performance of the selected models on American, Spanish, and Sundanese culture questions when asked in English. We find that models perform best on American culture.

While this trend echoes previous findings with translated datasets from English culture (Myung et al., 2024; OpenAI, 2024), it raises further question: Does this phenomenon also hold in other languages? To explore more, we expanded the comparison to include $Q_{i,i}$ and $Q_{i,en}$, especially when $i \neq en$. The results for $i = es$ (Spanish) are shown in Table 2, considering the high availability of resources of it. Additional results, demonstrating same phenomena, are available in Appendix A.2. The results indicate that, in general, the selected

Question Content	Spanish Culture	American Culture
Claude-3.5-Sonnet	81.0	82.0
GPT-4o	76.5	77.6
Command-r	69.9	73.4
Gemma-2-9b-Instruction	70.9	72.7
Llama-3-70b-Instruct	72.0	79.6
Qwen2.5-7b-Instruct	62.0	70.5
Llama-3-8b-Instruct	58.9	74.5
Bloomz-7b	53.6	52.8

Table 2: The performance of selected models on everyday questions about Spain and the US when asked in Spanish. Generally models perform best when asking questions about US culture in Spanish.

models perform better on English-speaking culture question compared to other languages when asked in the respective language. Since the training data for these models is not fully open-source, we hypothesize that, for each language in the training corpus, the models are trained on a larger volume of English-language usage scenarios. As a result, the models exhibit better performance on English-speaking culture questions across all languages. In the following interpretability Section 4.3.2, we delve deeper into the model’s internal workings to explore the reasons behind this observed behavior.

3.3 Finding 2: LLMs perform better when asking in corresponding language.

In addition to enabling comparisons of behavior in cross-cultural contexts within the same language (as discussed in Section 3.2), we can evaluate how models perform cross-lingually using Dual Evaluation Framework. Specifically, by comparing $Q_{i,i}$ and $Q_{i,j}$ ($i \neq j$), we get the result shown in Figure 3. We surprisingly find that asking culture-related questions in the corresponding language outperforms asking in English, as indicated by the bars with patterns being higher than those without. Specifically, across the eight selected models, the average performance for questions related to Chinese culture when asked in Chinese exceeded that of asking in English by 8.8 points. Similarly, questions related to Indonesian culture posed in Indonesian outperformed those asked in English by 15.7 points. While this advantage diminishes when dealing with lower-resource languages. For instance, in Persian, the performance gap is -0.95 points. This can be attributed to models like Bloomz-7B, which have limited or no training data for Persian, resulting in better performance when asking questions in English instead. On the other hand, this corresponding advantage also appears in American culture questions, as shown in Figure 17.




Figure 3: The performance of the selected models on Chinese, Indonesian, and Iranian culture question when asked in the corresponding language versus English. We generally find that models perform better when asking questions in the corresponding language compared to English.

From these observations, we can generally summarize that asking culture-specific questions in their corresponding language tends to outperform answering them in English. We refer to this counterintuitive phenomenon as “**Cultural-Linguistic Synergy**”. That is, aligning the cultural context with the appropriate linguistic medium, we can achieve superior performance — even for models primarily trained on English data, which perform better on English-specific tasks than on other language benchmarks like MMMLU and translated GSM8K (Shi et al., 2022). An intuitive explanation for this Cultural-Linguistic Synergy could lie in the training data. However, due to the lack of access to the training data and the massive scale of the training corpus, further exploration in this direction can be challenging. Thus, in the following sections, we proceed with interpretability analysis to understand the mechanisms of this Cultural-Linguistic Synergy, starting with the preliminarily.

4 Interpretation for Cultural-Linguistic Synergy

4.1 Preliminary

Neurons in FFN Module: Recent interpretability studies suggest that factual knowledge is stored in the FFN memories and represented by neurons in the network (Geva et al., 2021). Given the input token x , the FFN module of layer l in a decoder-only Transformer can be represented as (outer activation functions and bias terms are omitted for clarity):

$$\text{FFN}^l(h^l) = (W_{\text{down}}^l \cdot \text{Activation}(W_{\text{up}}^l \cdot h^l)) \quad (5)$$

where h^l is the input to the FFN, W_{up}^l and W_{down}^l are the weight matrices, and Activation is the activation function. Following previous works, the i -th element of $\text{Activation}(W_{\text{up}}^l \cdot h^l) \in \mathbb{R}^{d_m}$ is

considered the i -th neuron in layer l (a simple illustration of neuron in Figure 4). The value of this neuron for the input token x can be represented by its corresponding activation value $v_{(i,l)}^x$.

Key Neuron Set: Following previous work, neurons with higher activation values when answering a question are considered more important (Tang et al., 2024a; Zhao et al., 2024). Therefore, given a question q , we can identify the “Key Neurons” N_q by selecting neurons that are highly activated in the model’s response $r = \{r_1, r_2, \dots, r_n\}$, where r_i denotes the i -th token in the response, based on a threshold function (*threshold*) as:

$$N_q = \{(i, l) \mid v_{(i,l)}^{r_i} > \text{threshold}, r_i \in r\} \quad (6)$$

By aggregating these key neurons for each question q in the dataset $Q = \{q\}$, we obtain the Key Neuron set for the entire dataset Q as (ref Figure 4 for illustration for getting key neurons):

$$N_Q = \{(i, l) \mid (i, l) \in N_q, q \in Q\} \quad (7)$$

4.2 Experiment Setup

Considering that the Cultural-Linguistic Synergy arises from variations in cultural context, we investigate how the model’s internal behavior differs when asking questions in language i . Specifically, we focus on two types of question content: one related to the American cultural context and the other to the cultural context of language i . By comparing these two contexts, we aim to uncover why, in the latter case, asking questions in the corresponding language leads to better performance than asking them in English. To explore this, we focus on calculating the “specialized neurons” activated in each context. These specialized neurons refer to the Key Neurons that activate when answering in language i , as opposed to English. For American cultural




Figure 4: Illustration the process of Interpretation for Cultural-Linguistic Synergy. Interpreting the dual-ed question pair, we get the proportion of the Language (Chinese in the figure) “specialized” neuron when asking the questions.

context, we obtain the Key Neuron sets $N_{q_{en,en}}$ and $N_{q_{en,i}}$ for the dual-ed questions q_{en} and $q_{en,i}$ from $Q_{en,en}$ and $Q_{en,i}$, respectively. By gathering the neuron only activate when asking $q_{en,i}$, we can determine the proportion of specialized language i neurons for the question pair $(q_{en,en}, q_{en,i})$ as:

$$p(q_{en,en}, q_{en,i}) = \frac{N_{q_{en,i}} - N_{q_{en,en}}}{|N_{q_{en,i}}|} \quad (8)$$

For example, as shown in Figure 4, we calculate the key neurons for the paired question “At what age do kids start preschool in the US?” in both English and Chinese, to identify the specialized Chinese neurons (depicted in red). We then repeat for every question pair $(q_{en,en}, q_{en,i})$, and compute the average proportion of specialized neurons $p(q_{en,en}, q_{en,i})$ across all dual-ed question pairs. This gives us the proportion of specialized neurons for language i in the American cultural context, denoted as $P_{en,i}$. Similarly, we calculate the proportion of specialized neurons for i in the cultural context of language i , denoted as $P_{i,i}$. By comparing the proportions of specialized neurons between these two contexts, we aim to find the underlying factors contributing to Cultural-Linguistic Synergy.

For time and cost efficiency consideration, we deploy Qwen2.5-7B-Instruction and Llama-3-8B-Instruction models as the target model. To obtain the Key Neuron Set, we using the instruction 2 (Appdenx B) to get the response r and apply the top- k ($k = 5$) threshold for each layer, as defined in Equation 6. The details of the selection for this hyperparameter can be found in Section 5.

4.3 Analyzing

We compare $P_{en,i}$ between $P_{i,i}$ ($i \neq en$) across the seven languages. As shown in Figure 5, generally, $P_{i,i}$ (bars with patterns) is higher than $P_{en,i}$ (bars without patterns) in the scenarios where model demonstrates the Cultural-Linguistic Synergy (e.g., Llama-3-8B in Chinese, Indonesian, Persian, and Korean, Qwen2.5-7B in Chinese, Korean). Conversely, when no Cultural-Linguistic Synergy is observed, $P_{i,i}$ is lower than $P_{en,i}$ (e.g., Llama-3-8B in Sundanese, Qwen2.5-7B in Persian, Sundanese). This suggests that **models tend to activate a higher proportion of neurons specialized for the target language when the cultural context aligns with the corresponding linguistic medium, compared to when this alignment is absent**. The activation of these specialized neurons allows the model to better utilize knowledge specific to the cultural and the target language. This knowledge, which may not be fully accessed when asking in English, contributes to the model’s better performance in the target language. However, Spanish stands as an exception, which we attribute to the high similarity between Spanish and English in terms of language structure, thus may have greater overlap of the knowledge-storing neurons.

4.3.1 Hypothesis 1 and Validation

Previous analysis (Section 4.3) suggests that when Cultural-Linguistic Synergy occurs, the model activates a higher proportion of neurons specialized for the language and culture. This ability to better utilize knowledge aligned with the corresponding cultural context helps guide the model to perform




Figure 5: Comparison of the proportion of specialize neurons for language Chinese(zh), Spanish(es), Indonesian(id), Korean(ko), Persian(fa), and Sundanese(su) between different cultural context. It indicate that when Cultural-Linguistic Synergy happens, models generally activate a higher proportion of specialize neurons.

better than when asking in English. Building on this, we further consider whether more powerful multilingual models have a better ability to utilize culture and language specific knowledge. This could, in turn, serve as a valuable metric for evaluating model performance during training.

Hypothesis 1: Models with stronger capabilities will activate a **higher proportion** of specific neurons when the cultural context aligns with linguistic medium

Figure 5 indicates that Qwen2.5 utilize more specialized neurons (66 %) than Llama-3 (57%) across the six languages, which may provides evidence for this hypothesis. However, note that differences in training data and model architectures between different series may limit the direct comparability.

On the other hand, validating this hypothesis by improving one model with additional training data may present challenges. This is due to the limited availability of language resources and the potential risk of benchmark leakage, which could affect the analysis. Thus we use well-recognized multilingual same series models with distinct language capabilities, such as the open-source multilingual extension of the Llama-3 model, Llama-3.1-8B-Instruction, for comparative analysis with Llama-3-8B-Instruction in the validation experiment.




Figure 6: Comparison of proportion of specialize neurons for Llama-3-8B-instruct and Llama-3.1-8B-instruct. The result shows that Llama-3.1-8B-instruct, the multilingual extension for Llama-3-8B-instruction, have higher proportion of specialize neurons.

The results shown in Figure 6 indicate that Llama-3.1-8B-Instruction activates a higher proportion of specialized neurons (67%) compared to Llama-3-8B-Instruction (57%), supporting our hypothesis that models with stronger capabilities in the corresponding language are better at leveraging language-specific neurons. Furthermore, this proportion of the specific neurons could be utilized as a potential **indicator for evaluating a model’s ability to effectively leverage multilingual knowledge** during the training phase.

4.3.2 Hypothesis 2 and Validation

Through previous analysis (Section 4.3), we find that the proportion of specific neurons may be indicative of the Cultural-Linguistic Synergy. It left us thinking: If a higher proportion of neurons corresponds to greater knowledge neuron utilization by the model, then assuming a consistent increase in the proportion of language-specific neurons for one specific model, we expect that an increase in the number of neurons should lead to better performance for the corresponding language.

Hypothesis 2: The greater the **number of neurons** activated for questions in a given language, the better the performance.

Since there is no consensus on how to definitively measure the importance of individual neurons, we take a different perspective. Instead of focusing on neuron quantity directly, we explore whether the total number of neurons activated across the dataset is correlated with the model’s performance.

From Section 4.3, we notices that knowledge representation may vary across languages. Therefore, in this validation study, we focus on comparisons within the same language. Specifically, we investigate the relationship between the set of Key

Neurons set, $|N_{Q_{i,i}}|$ and $|N_{Q_{j,i}}|$, and the model’s performance on the corresponding evaluation data. The results, shown in Figure 7, indicate that the total number of activated neurons is highly correlated with the model’s performance, with Pearson correlation coefficient of 0.95 for English questions (more results is in Appendix A.2). This suggests that when more neurons are activated, the model is likely utilizing more relevant knowledge, leading to better performance. This finding aligns with the observation in Section 3.2, where, in American cultural context, the model activates the most neurons.




Figure 7: The performance and the number of Key Neurons for the Llama-3-8B on cross-cultural contexts.

5 Ablation Study




Figure 8: Performance for Llama-3-8B-Instruction on ARC and $Q_{en,en}$ when masking Key Neurons with different threshold.

In our experimental setup (Section 4.2), we select $k = 5$ as the threshold. The threshold is set to ensure that the selected key neurons accurately represent the model’s knowledge on the given question. To determine the optimal threshold, we measure the performance drop when masking the corresponding neurons on the selected task. We choose the threshold where the performance drops significantly for the masked neurons, while the performance on out-of-distribution (OOD) knowledge (here we use the ARC (Clark et al., 2018) dataset), is largely unaffected. As shown in Figure 8, we draws in blue and red respectively. We also use a random mask with the same number of neurons as a baseline (dash

line). The selected threshold is depicted in green.

6 Related Work

Multilingual Capabilities Evaluation To evaluate the LLMs’ multilingual capabilities, researchers use translating English-centric benchmarks such as MMMLU (OpenAI, 2024), MGSM (Shi et al., 2022) and Multilingual MT-Bench (Zheng et al., 2023). Recent work also developed culture-specific benchmarks (Zhang et al., 2023; Myung et al., 2024; Leong et al., 2023; Liu et al., 2025). For example, M3Exam (Zhang et al., 2023) sourced from real and official human exam questions, BLENd (Myung et al., 2024) where evaluation data are crafted from real-world scenarios and CulturalBench (Chiu et al., 2024) with human-written questions covering 45 global regions. These existing evaluations, however, treat language and cultural context as inseparable dimensions, restricting analyses to single-language scenarios.

Multilingual Capabilities Interpretation Recently, some work (Wang et al., 2024a; Kojima et al., 2024; Wang et al., 2024b) use the Mechanistic interpretability to analyze the model’s multilingual capabilities. Work (Tang et al., 2024b) shows proficiency in processing a particular language is predominantly due to a small subset of neurons. Work (Wendler et al., 2024) projects the hidden state into vocabulary to investigate the Latent Language. Work (Zhao et al., 2024) further proposed the multilingual workflow to understand how LLMs Handle Multilingualism. However, these studies do not investigate model’s behavior across different cultural contexts and languages.

7 Conclusion

This study introduced a Dual Evaluation Framework specifically designed to comprehensively assess LLMs across linguistic mediums and cultural contexts. Our findings reveal “Cultural-Linguistic Synergy,” phenomenon where models perform optimally when questions are culturally aligned with the language, challenging the prevailing assumption that LLMs, primarily trained on English data, perform uniformly across different languages. Utilizing interpretative methods, we delved deeper into this phenomenon and found it is related to the Key Neurons. As the field of interpretability in AI continues to evolve, we plan to further expand this framework to enable more comprehensive and nuanced evaluations of multilingual models.

8 Limination

While the Dual Evaluation Framework is flexible enough to incorporate additional benchmarks, the prerequisite for conducting meaningful cross-cultural comparisons, especially to conduct neuron probing, lies in having dual-format question content. This content needs to capture both linguistic and cultural nuances. Without this dual-format structure, performing robust and quantitative cross-cultural comparisons remains limited.

In our current experimental design, we focus on a single cultural context for each language, based on typical countries or regions where the language is spoken. However, given the widespread usage of some languages, especially in regions with diverse cultural contexts, we plan to expand the framework in the future to incorporate more varied cultural contexts to make our conclusions more robust.

Due to time and computational cost constraints, we limited our probing validation to models like Qwen2.5-7B-Instruction and Llama-3-8B-Instruction. As LLMs interpretation techniques continue to evolve and improve, we plan to expand the range of models included in future studies, especially larger models with more parameters, to gain deeper insights into multilingual and cross-cultural model behavior.

References

- Anthropic. 2024. [Claude 3.5 sonnet model card addendum](#).
- Yu Ying Chiu, Liwei Jiang, Bill Yuchen Lin, Chan Young Park, Shuyue Stella Li, Sahithya Ravi, Mehar Bhatia, Maria Antoniak, Yulia Tsvetkov, Vered Shwartz, and Yejin Choi. 2024. [Culturalbench: a robust, diverse and challenging benchmark on measuring the \(lack of\) cultural knowledge of llms](#).
- Peter Clark, Isaac Cowhey, Oren Etzioni, Tushar Khot, Ashish Sabharwal, Carissa Schoenick, and Oyvind Tafjord. 2018. Think you have solved question answering? try arc, the ai2 reasoning challenge. *arXiv:1803.05457v1*.
- Cohere. 2024. [The command r model \(details and application\)](#).
- Mor Geva, Roei Schuster, Jonathan Berant, and Omer Levy. 2021. Transformer feed-forward layers are key-value memories. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 5484–5495.
- Aaron Grattafiori, Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-

Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Alex Vaughan, Amy Yang, Angela Fan, Anirudh Goyal, Anthony Hartshorn, Aobo Yang, Archi Mitra, Archie Sravankumar, Artem Korenev, Arthur Hinsvark, Arun Rao, Aston Zhang, Aurelien Rodriguez, Austen Gregerson, Ava Spataru, Baptiste Roziere, Bethany Biron, Binh Tang, Bobbie Chern, Charlotte Caucheteux, Chaya Nayak, Chloe Bi, Chris Marra, Chris McConnell, Christian Keller, Christophe Touret, Chunyang Wu, Corinne Wong, Cristian Canton Ferrer, Cyrus Nikolaidis, Damien Alonsius, Daniel Song, Danielle Pintz, Danny Livshits, Danny Wyatt, David Esiobu, Dhruv Choudhary, Dhruv Mahajan, Diego Garcia-Olano, Diego Perino, Dieuwke Hupkes, Egor Lakomkin, Ehab AlBadawy, Elina Lobanova, Emily Dinan, Eric Michael Smith, Filip Radenovic, Francisco Guzmán, Frank Zhang, Gabriel Synnaeve, Gabrielle Lee, Georgia Lewis Anderson, Govind Thattai, Graeme Nail, Gregoire Mialon, Guan Pang, Guillem Cucurell, Hailey Nguyen, Hannah Korevaar, Hu Xu, Hugo Touvron, Iliyan Zarov, Imanol Arrieta Ibarra, Isabel Kloumann, Ishan Misra, Ivan Evtimov, Jack Zhang, Jade Copet, Jaewon Lee, Jan Geffert, Jana Vranes, Jason Park, Jay Mahadeokar, Jeet Shah, Jelmer van der Linde, Jennifer Billock, Jenny Hong, Jenya Lee, Jeremy Fu, Jianfeng Chi, Jianyu Huang, Jiawen Liu, Jie Wang, Jiecao Yu, Joanna Bitton, Joe Spisak, Jongsoo Park, Joseph Rocca, Joshua Johnstun, Joshua Saxe, Junteng Jia, Kalyan Vasuden Alwala, Karthik Prasad, Kartikeya Upasani, Kate Plawiak, Ke Li, Kenneth Heafield, Kevin Stone, Khalid El-Arini, Krithika Iyer, Kshitiz Malik, Kuenley Chiu, Kunal Bhalla, Kushal Lakhotia, Lauren Rantala-Yeary, Laurens van der Maaten, Lawrence Chen, Liang Tan, Liz Jenkins, Louis Martin, Lovish Madaan, Lubo Malo, Lukas Blecher, Lukas Landzaat, Luke de Oliveira, Madeline Muzzi, Mahesh Pasupuleti, Mannat Singh, Manohar Paluri, Marcin Kardas, Maria Tsimpoukelli, Mathew Oldham, Mathieu Rita, Maya Pavlova, Melanie Kam-badur, Mike Lewis, Min Si, Mitesh Kumar Singh, Mona Hassan, Naman Goyal, Narjes Torabi, Nikolay Bashlykov, Nikolay Bogoychev, Niladri Chatterji, Ning Zhang, Olivier Duchenne, Onur Çelebi, Patrick Alrassy, Pengchuan Zhang, Pengwei Li, Petar Vasic, Peter Weng, Prajjwal Bhargava, Pratik Dubal, Praveen Krishnan, Punit Singh Koura, Puxin Xu, Qing He, Qingxiao Dong, Ragavan Srinivasan, Raj Ganapathy, Ramon Calderer, Ricardo Silveira Cabral, Robert Stojnic, Roberta Raileanu, Rohan Maheswari, Rohit Girdhar, Rohit Patel, Romain Sauvestre, Ronnie Polidoro, Roshan Sumbaly, Ross Taylor, Ruan Silva, Rui Hou, Rui Wang, Saghar Hosseini, Sahana Chennabasappa, Sanjay Singh, Sean Bell, Seohyun Sonia Kim, Sergey Edunov, Shaoliang Nie, Sharan Narang, Sharath Rapparthi, Sheng Shen, Shengye Wan, Shruti Bhosale, Shun Zhang, Simon Vandenhende, Soumya Batra, Spencer Whitman, Sten Sootla, Stephane Collot, Suchin Gururangan, Sydney Borodinsky, Tamar Herman, Tara Fowler, Tarek Sheasha, Thomas Georgiou, Thomas Scialom, Tobias Speckbacher, Todor Mihaylov, Tong Xiao, Ujjwal Karn, Vedanuj Goswami, Vibhor Gupta, Vignesh Ramanathan, Viktor Kerkez, Vincent Gonguet, Vir-

701	ginie Do, Vish Vogeti, Vítor Albiero, Vladan Petrovic, Weiwei Chu, Wenhan Xiong, Wenyin Fu, Whitney Meers, Xavier Martinet, Xiaodong Wang, Xiaofang Wang, Xiaoqing Ellen Tan, Xide Xia, Xinfeng Xie, Xuchao Jia, Xuewei Wang, Yaelle Goldschlag, Yashesh Gaur, Yasmine Babaei, Yi Wen, Yiwen Song, Yuchen Zhang, Yue Li, Yuning Mao, Zacharie Delpierre Coudert, Zheng Yan, Zhengxing Chen, Zoe Papakipos, Aaditya Singh, Aayushi Srivastava, Abha Jain, Adam Kelsey, Adam Shajnfeld, Adithya Gangidi, Adolfo Victoria, Ahuva Goldstand, Ajay Menon, Ajay Sharma, Alex Boesenberg, Alexei Baevski, Allie Feinstein, Amanda Kallet, Amit Sangani, Amos Teo, Anam Yunus, Andrei Lupu, Andres Alvarado, Andrew Caples, Andrew Gu, Andrew Ho, Andrew Poulton, Andrew Ryan, Ankit Ramchandani, Annie Dong, Annie Franco, Anuj Goyal, Aparajita Saraf, Arkabandhu Chowdhury, Ashley Gabriel, Ashwin Bharambe, Assaf Eisenman, Azadeh Yazdan, Beau James, Ben Maurer, Benjamin Leonhardi, Bernie Huang, Beth Loyd, Beto De Paola, Bhargavi Paranjape, Bing Liu, Bo Wu, Boyu Ni, Braden Hancock, Bram Wasti, Brandon Spence, Brani Stojkovic, Brian Gamido, Britt Montalvo, Carl Parker, Carly Burton, Catalina Mejia, Ce Liu, Changan Wang, Changkyu Kim, Chao Zhou, Chester Hu, Ching-Hsiang Chu, Chris Cai, Chris Tindal, Christoph Feichtenhofer, Cynthia Gao, Damon Civin, Dana Beaty, Daniel Kreymer, Daniel Li, David Adkins, David Xu, Davide Testuggine, Delia David, Devi Parikh, Diana Liskovich, Didem Foss, Dingkan Wang, Duc Le, Dustin Holland, Edward Dowling, Eissa Jamil, Elaine Montgomery, Eleonora Presani, Emily Hahn, Emily Wood, Eric-Tuan Le, Erik Brinkman, Esteban Arcaute, Evan Dunbar, Evan Smothers, Fei Sun, Felix Kreuk, Feng Tian, Filippas Kokkinos, Firat Ozgenel, Francesco Caggioni, Frank Kanayet, Frank Seide, Gabriela Medina Florez, Gabriella Schwarz, Gada Badeer, Georgia Swee, Gil Halpern, Grant Herman, Grigory Sizov, Guangyi, Zhang, Guna Lakshminarayanan, Hakan Inan, Hamid Shojanazeri, Han Zou, Hannah Wang, Hanwen Zha, Haroun Habeeb, Harrison Rudolph, Helen Suk, Henry Aspegren, Hunter Goldman, Hongyuan Zhan, Ibrahim Damlaj, Igor Molybog, Igor Tufanov, Ilias Leontiadis, Irina-Elena Veliche, Itai Gat, Jake Weissman, James Geboski, James Kohli, Janice Lam, Japhet Asher, Jean-Baptiste Gaya, Jeff Marcus, Jeff Tang, Jennifer Chan, Jenny Zhen, Jeremy Reizenstein, Jeremy Teboul, Jessica Zhong, Jian Jin, Jingyi Yang, Joe Cummings, Jon Carvill, Jon Shepard, Jonathan McPhie, Jonathan Torres, Josh Ginsburg, Junjie Wang, Kai Wu, Kam Hou U, Karan Saxena, Kartikay Khan-delwal, Katayoun Zand, Kathy Matosich, Kaushik Veeraraghavan, Kelly Michelen, Keqian Li, Kiran Jagadeesh, Kun Huang, Kunal Chawla, Kyle Huang, Lailin Chen, Lakshya Garg, Lavender A, Leandro Silva, Lee Bell, Lei Zhang, Liangpeng Guo, Licheng Yu, Liron Moshkovich, Luca Wehrstedt, Madian Khabsa, Manav Avalani, Manish Bhatt, Martynas Mankus, Matan Hasson, Matthew Lennie, Matthias Reso, Maxim Groshev, Maxim Naumov, Maya Lathi, Meghan Keneally, Miao Liu, Michael L. Seltzer, Michal Valko, Michelle Restrepo, Mihir Patel, Mik Vyatskov, Mikayel Samvelyan, Mike Clark, Mike Macey, Mike Wang, Miquel Jubert Hermoso, Mo Metanat, Mohammad Rastegari, Munish Bansal, Nandhini Santhanam, Natascha Parks, Natasha White, Navyata Bawa, Nayan Singhal, Nick Egebo, Nicolas Usunier, Nikhil Mehta, Nikolay Pavlovich Laptev, Ning Dong, Norman Cheng, Oleg Chernoguz, Olivia Hart, Omkar Salpekar, Ozlem Kalinli, Parkin Kent, Parth Parekh, Paul Saab, Pavan Balaji, Pedro Rittner, Philip Bontrager, Pierre Roux, Piotr Dollar, Polina Zvyagina, Prashant Ratanchandani, Pritish Yuvraj, Qian Liang, Rachad Alao, Rachel Rodriguez, Rafi Ayub, Raghotham Murthy, Raghu Nayani, Rahul Mitra, Rangaprabhu Parthasarathy, Raymond Li, Rebekkah Hogan, Robin Battey, Rocky Wang, Russ Howes, Ruty Rinott, Sachin Mehta, Sachin Siby, Sai Jayesh Bondu, Samyak Datta, Sara Chugh, Sara Hunt, Sargun Dhillon, Sasha Sidorov, Satadru Pan, Saurabh Mahajan, Saurabh Verma, Seiji Yamamoto, Sharadh Ramaswamy, Shaun Lindsay, Shaun Lindsay, Sheng Feng, Shenghao Lin, Shengxin Cindy Zha, Shishir Patil, Shiva Shankar, Shuqiang Zhang, Shuqiang Zhang, Sinong Wang, Sneha Agarwal, Soji Sajuyigbe, Soumith Chintala, Stephanie Max, Stephen Chen, Steve Kehoe, Steve Satterfield, Sudarshan Govindaprasad, Sumit Gupta, Summer Deng, Sungmin Cho, Sunny Virk, Suraj Subramanian, Sy Choudhury, Sydney Goldman, Tal Remez, Tamar Glaser, Tamara Best, Thilo Koehler, Thomas Robinson, Tianhe Li, Tianjun Zhang, Tim Matthews, Timothy Chou, Zook Shaked, Varun Vontimitta, Victoria Ajayi, Victoria Montanez, Vijai Mohan, Vinay Satish Kumar, Vishal Mangla, Vlad Ionescu, Vlad Poenaru, Vlad Tiberiu Mihailescu, Vladimir Ivanov, Wei Li, Wenchen Wang, Wenwen Jiang, Wes Bouaziz, Will Constable, Xiaocheng Tang, Xiaojian Wu, Xiaolan Wang, Xilun Wu, Xinbo Gao, Yaniv Kleinman, Yanjun Chen, Ye Hu, Ye Jia, Ye Qi, Yenda Li, Yilin Zhang, Ying Zhang, Yossi Adi, Youngjin Nam, Yu, Wang, Yu Zhao, Yuchen Hao, Yundi Qian, Yunlu Li, Yuzi He, Zach Rait, Zachary DeVito, Zef Rosnbrick, Zhaoduo Wen, Zhenyu Yang, Zhiwei Zhao, and Zhiyu Ma. 2024. The llama 3 herd of models .	765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808
745	Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. 2021. Measuring massive multitask language understanding . In <i>International Conference on Learning Representations</i> .	809 810 811 812 813
746	Takeshi Kojima, Itsuki Okimura, Yusuke Iwasawa, Hitomi Yanaka, and Yutaka Matsuo. 2024. On the multilingual ability of decoder-based pre-trained language models: Finding and controlling language-specific neurons. In <i>Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)</i> , pages 6912–6964.	814 815 816 817 818 819 820 821
747	Wei Qi Leong, Jian Gang Ngui, Yosephine Susanto, Hamsawardhini Rengarajan, Kengatharaiyer Sarveswaran, and William Chandra Tjhi. 2023. Bhasa: A holistic southeast asian linguistic and cultural evaluation suite for large language models .	822 823 824 825 826

Chaoqun Liu, Wenxuan Zhang, Jiahao Ying, Mahani Aljunied, Anh Tuan Luu, and Lidong Bing. 2025. [Seaexam and seabench: Benchmarking llms with local multilingual questions in southeast asia](#).

Niklas Muennighoff, Thomas Wang, Lintang Sutawika, Adam Roberts, Stella Biderman, Teven Le Scao, M Saiful Bari, Sheng Shen, Zheng-Xin Yong, Hailey Schoelkopf, et al. 2022. Crosslingual generalization through multitask finetuning. *arXiv preprint arXiv:2211.01786*.

Junho Myung, Nayeon Lee, Yi Zhou, Jiho Jin, Rifki Putri, Dimosthenis Antypas, Hsuvas Borkakoty, Eunsu Kim, Carla Perez-Almendros, Abinew Ali Ayele, Victor Gutierrez Basulto, Yazmin Ibanez-Garcia, Hwaran Lee, Shamsuddeen H Muhammad, Kiwoong Park, Anar Rzayev, Nina White, Seid Muhie Yimam, Mohammad Taher Pilehvar, Nedjma Ousidhoum, Jose Camacho-Collados, and Alice Oh. 2024. [Blend: A benchmark for llms on everyday knowledge in diverse cultures and languages](#). In *Advances in Neural Information Processing Systems*, volume 37, pages 78104–78146. Curran Associates, Inc.

Xuan-Phi Nguyen, Wenxuan Zhang, Xin Li, Mahani Aljunied, Zhiqiang Hu, Chenhui Shen, Yew Ken Chia, Xingxuan Li, Jianyu Wang, Qingyu Tan, Liying Cheng, Guanzheng Chen, Yue Deng, Sen Yang, Chaoqun Liu, Hang Zhang, and Lidong Bing. 2024. [SeaLLMs - large language models for Southeast Asia](#). In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 3: System Demonstrations)*, pages 294–304, Bangkok, Thailand. Association for Computational Linguistics.

OpenAI. 2024. [Multilingual massive multitask language understanding](#).

OpenAI, Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altschmidt, Sam Altman, Shyamal Anadkat, Red Avila, Igor Babuschkin, Suchir Balaji, Valerie Balcom, Paul Baltescu, Haiming Bao, Mohammad Bavarian, Jeff Belgum, Irwan Bello, Jake Berdine, Gabriel Bernadett-Shapiro, Christopher Berner, Lenny Bogdonoff, Oleg Boiko, Madelaine Boyd, Anna-Luisa Brakman, Greg Brockman, Tim Brooks, Miles Brundage, Kevin Button, Trevor Cai, Rosie Campbell, Andrew Cann, Brittany Carey, Chelsea Carlson, Rory Carmichael, Brooke Chan, Che Chang, Fotis Chantzis, Derek Chen, Sully Chen, Ruby Chen, Jason Chen, Mark Chen, Ben Chess, Chester Cho, Casey Chu, Hyung Won Chung, Dave Cummings, Jeremiah Carrier, Yunxing Dai, Cory Decareaux, Thomas Degry, Noah Deutsch, Damien Deville, Arka Dhar, David Dohan, Steve Dowling, Sheila Dunning, Adrien Ecoffet, Atty Eleti, Tyna Eloundou, David Farhi, Liam Fedus, Niko Felix, Simón Posada Fishman, Juston Forte, Isabella Fulford, Leo Gao, Elie Georges, Christian Gibson, Vik Goel, Tarun Gogineni, Gabriel Goh, Rapha Gontijo-Lopes, Jonathan Gordon, Morgan Grafstein, Scott Gray, Ryan Greene, Joshua Gross, Shixiang Shane Gu, Yufei Guo, Chris Hallacy, Jesse Han, Jeff Harris,

Yuchen He, Mike Heaton, Johannes Heidecke, Chris Hesse, Alan Hickey, Wade Hickey, Peter Hoeschele, Brandon Houghton, Kenny Hsu, Shengli Hu, Xin Hu, Joost Huizinga, Shantanu Jain, Shawn Jain, Joanne Jang, Angela Jiang, Roger Jiang, Haozhun Jin, Denny Jin, Shino Jomoto, Billie Jonn, Heewoo Jun, Tomer Kaftan, Łukasz Kaiser, Ali Kamali, Ingmar Kanitscheider, Nitish Shirish Keskar, Tabarak Khan, Logan Kilpatrick, Jong Wook Kim, Christina Kim, Yongjik Kim, Jan Hendrik Kirchner, Jamie Kiros, Matt Knight, Daniel Kokotajlo, Łukasz Kondraciuk, Andrew Kondrich, Aris Konstantinidis, Kyle Kosic, Gretchen Krueger, Vishal Kuo, Michael Lampe, Ikai Lan, Teddy Lee, Jan Leike, Jade Leung, Daniel Levy, Chak Ming Li, Rachel Lim, Molly Lin, Stephanie Lin, Mateusz Litwin, Theresa Lopez, Ryan Lowe, Patricia Lue, Anna Makanju, Kim Malfacini, Sam Manning, Todor Markov, Yaniv Markovski, Bianca Martin, Katie Mayer, Andrew Mayne, Bob McGrew, Scott Mayer McKinney, Christine McLeavey, Paul McMillan, Jake McNeil, David Medina, Aalok Mehta, Jacob Menick, Luke Metz, Andrey Mishchenko, Pamela Mishkin, Vinnie Monaco, Evan Morikawa, Daniel Mossing, Tong Mu, Mira Murati, Oleg Murk, David Mély, Ashvin Nair, Reiichiro Nakano, Rajeev Nayak, Arvind Neelakantan, Richard Ngo, Hyeonwoo Noh, Long Ouyang, Cullen O’Keefe, Jakub Pachocki, Alex Paino, Joe Palermo, Ashley Pantuliano, Giambattista Parascandolo, Joel Parish, Emy Parparita, Alex Passos, Mikhail Pavlov, Andrew Peng, Adam Perelman, Filipe de Avila Belbute Peres, Michael Petrov, Henrique Ponde de Oliveira Pinto, Michael, Pokorny, Michelle Pokrass, Vitchyr H. Pong, Tolly Powell, Alethea Power, Boris Power, Elizabeth Proehl, Raul Puri, Alec Radford, Jack Rae, Aditya Ramesh, Cameron Raymond, Francis Real, Kendra Rimbach, Carl Ross, Bob Rotsted, Henri Roussez, Nick Ryder, Mario Saltarelli, Ted Sanders, Shibani Santurkar, Girish Sastry, Heather Schmidt, David Schnurr, John Schulman, Daniel Selsam, Kyla Sheppard, Toki Sherbakov, Jessica Shieh, Sarah Shoker, Pranav Shyam, Szymon Sidor, Eric Sigler, Maddie Simens, Jordan Sitkin, Katarina Slama, Ian Sohl, Benjamin Sokolowsky, Yang Song, Natalie Staudacher, Felipe Petroski Such, Natalie Summers, Ilya Sutskever, Jie Tang, Nikolas Tezak, Madeleine B. Thompson, Phil Tillet, Amin Tootoonchian, Elizabeth Tseng, Preston Tuggle, Nick Turley, Jerry Tworek, Juan Felipe Cerón Uribe, Andrea Vallone, Arun Vijayvergiya, Chelsea Voss, Carroll Wainwright, Justin Jay Wang, Alvin Wang, Ben Wang, Jonathan Ward, Jason Wei, CJ Weinmann, Akila Welihinda, Peter Welinder, Jiayi Weng, Lilian Weng, Matt Wiethoff, Dave Willner, Clemens Winter, Samuel Wolrich, Hannah Wong, Lauren Workman, Sherwin Wu, Jeff Wu, Michael Wu, Kai Xiao, Tao Xu, Sarah Yoo, Kevin Yu, Qiming Yuan, Wojciech Zaremba, Rowan Zellers, Chong Zhang, Marvin Zhang, Shengjia Zhao, Tianhao Zheng, Juntang Zhuang, William Zhuk, and Barret Zoph. 2024. [Gpt-4 technical report](#).

Qwen, :, An Yang, Baosong Yang, Beichen Zhang, Binyuan Hui, Bo Zheng, Bowen Yu, Chengyuan Li,

950	Dayiheng Liu, Fei Huang, Haoran Wei, Huan Lin,	dow, Matt Miller, Matthew Rahtz, Matthew Watson,	1011
951	Jian Yang, Jianhong Tu, Jianwei Zhang, Jianxin Yang,	Meg Risdal, Mehran Kazemi, Michael Moynihan,	1012
952	Jiaxi Yang, Jingren Zhou, Junyang Lin, Kai Dang,	Ming Zhang, Minsuk Kahng, Minwoo Park, Mofi	1013
953	Keming Lu, Keqin Bao, Kexin Yang, Le Yu, Mei Li,	Rahman, Mohit Khatwani, Natalie Dao, Nenshad	1014
954	Mingfeng Xue, Pei Zhang, Qin Zhu, Rui Men, Runji	Bardoliwalla, Nesh Devanathan, Neta Dumai, Nilay	1015
955	Lin, Tianhao Li, Tianyi Tang, Tingyu Xia, Xingzhang	Chauhan, Oscar Wahltinez, Pankil Botarda, Parker	1016
956	Ren, Xuancheng Ren, Yang Fan, Yang Su, Yichang	Barnes, Paul Barham, Paul Michel, Pengchong	1017
957	Zhang, Yu Wan, Yuqiong Liu, Zeyu Cui, Zhenru	Jin, Petko Georgiev, Phil Culliton, Pradeep Kup-	1018
958	Zhang, and Zihan Qiu. 2025. Qwen2.5 technical	pala, Ramona Comanescu, Ramona Merhej, Reena	1019
959	report .	Jana, Reza Ardeshtir Rokni, Rishabh Agarwal, Ryan	1020
960	Freda Shi, Mirac Suzgun, Markus Freitag, Xuezhi Wang,	Mullins, Samaneh Saadat, Sara Mc Carthy, Sarah	1021
961	Suraj Srivats, Soroush Vosoughi, Hyung Won Chung,	Cogan, Sarah Perrin, Sébastien M. R. Arnold, Se-	1022
962	Yi Tay, Sebastian Ruder, Denny Zhou, Dipanjan Das,	bastian Krause, Shengyang Dai, Shruti Garg, Shruti	1023
963	and Jason Wei. 2022. Language models are multilin-	Sheth, Sue Ronstrom, Susan Chan, Timothy Jordan,	1024
964	gual chain-of-thought reasoners .	Ting Yu, Tom Eccles, Tom Hennigan, Tomas Ko-	1025
965	Tianyi Tang, Wenyang Luo, Haoyang Huang, Dong-	ciskiy, Tulsee Doshi, Vihan Jain, Vikas Yadav, Vilobh	1026
966	dong Zhang, Xiaolei Wang, Xin Zhao, Furu Wei, and	Meshram, Vishal Dharmadhikari, Warren Barkley,	1027
967	Ji-Rong Wen. 2024a. Language-specific neurons:	Wei Wei, Wenming Ye, Woohyun Han, Woosuk	1028
968	The key to multilingual capabilities in large language	Kwon, Xiang Xu, Zhe Shen, Zhitao Gong, Zichuan	1029
969	models. <i>arXiv preprint arXiv:2402.16438</i> .	Wei, Victor Cotruta, Phoebe Kirk, Anand Rao, Minh	1030
970	Tianyi Tang, Wenyang Luo, Haoyang Huang, Dong-	Giang, Ludovic Peran, Tris Warkentin, Eli Collins,	1031
971	dong Zhang, Xiaolei Wang, Xin Zhao, Furu Wei, and	Joelle Barral, Zoubin Ghahramani, Raia Hadsell,	1032
972	Ji-Rong Wen. 2024b. Language-specific neurons:	D. Sculley, Jeanine Banks, Anca Dragan, Slav Petrov,	1033
973	The key to multilingual capabilities in large language	Oriol Vinyals, Jeff Dean, Demis Hassabis, Koray	1034
974	models .	Kavukcuoglu, Clement Farabet, Elena Buchatskaya,	1035
975	Gemma Team, Morgane Riviere, Shreya Pathak,	Sebastian Borgeaud, Noah Fiedel, Armand Joulin,	1036
976	Pier Giuseppe Sessa, Cassidy Hardin, Surya Bhupati-	Kathleen Kenealy, Robert Dadashi, and Alek An-	1037
977	raju, Léonard Hussenot, Thomas Mesnard, Bobak	dreev. 2024. Gemma 2: Improving open language	1038
978	Shahriari, Alexandre Ramé, Johan Ferret, Peter	models at a practical size .	1039
979	Liu, Pouya Tafti, Abe Friesen, Michelle Casbon,	Teng Wang, Zhenqi He, Wing-Yin Yu, Xiaojin Fu, and	1040
980	Sabela Ramos, Ravin Kumar, Charline Le Lan,	Xiongwei Han. 2024a. Large language models are	1041
981	Sammy Jerome, Anton Tsitsulin, Nino Vieillard,	good multi-lingual learners: When llms meet cross-	1042
982	Piotr Stanczyk, Sertan Girgin, Nikola Momchev,	lingual prompts. <i>CoRR</i> .	1043
983	Matt Hoffman, Shantanu Thakoor, Jean-Bastien Grill,	Weixuan Wang, Barry Haddow, Minghao Wu, Wei	1044
984	Behnam Neyshabur, Olivier Bachem, Alanna Wal-	Peng, and Alexandra Birch. 2024b. Sharing mat-	1045
985	ton, Aliaksei Severyn, Alicia Parrish, Aliya Ah-	ters: Analysing neurons across languages and tasks	1046
986	mad, Allen Hutchison, Alvin Abdagic, Amanda	in llms .	1047
987	Carl, Amy Shen, Andy Brock, Andy Coenen, An-	Chris Wendler, Veniamin Veselovsky, Giovanni Monea,	1048
988	thony Laforge, Antonia Paterson, Ben Bastian, Bilal	and Robert West. 2024. Do llamas work in english?	1049
989	Piot, Bo Wu, Brandon Royal, Charlie Chen, Chintu	on the latent language of multilingual transformers .	1050
990	Kumar, Chris Perry, Chris Welty, Christopher A.	BigScience Workshop, :, Teven Le Scao, Angela Fan,	1051
991	Choquette-Choo, Danila Sinopalnikov, David Wein-	Christopher Akiki, Ellie Pavlick, Suzana Ilić, Daniel	1052
992	berger, Dimple Vijaykumar, Dominika Rogozińska,	Hesslow, Roman Castagné, Alexandra Sasha Luc-	1053
993	Dustin Herbison, Elisa Bandy, Emma Wang, Eric	cioni, François Yvon, Matthias Gallé, Jonathan	1054
994	Noland, Erica Moreira, Evan Senter, Evgenii Elty-	Tow, Alexander M. Rush, Stella Biderman, Albert	1055
995	shev, Francesco Visin, Gabriel Rasskin, Gary Wei,	Webson, Pawan Sasanka Ammanamanchi, Thomas	1056
996	Glenn Cameron, Gus Martins, Hadi Hashemi, Hanna	Wang, Benoît Sagot, Niklas Muennighoff, Albert Vil-	1057
997	Klimczak-Plucińska, Harleen Batra, Harsh Dhand,	lanova del Moral, Olatunji Ruwase, Rachel Bawden,	1058
998	Ivan Nardini, Jacinda Mein, Jack Zhou, James Svens-	Stas Bekman, Angelina McMillan-Major, Iz Belt-	1059
999	son, Jeff Stanway, Jetha Chan, Jin Peng Zhou, Joana	agy, Huu Nguyen, Lucile Saulnier, Samson Tan, Pe-	1060
1000	Carrasqueira, Joana Iljazi, Jocelyn Becker, Joe Fer-	dro Ortiz Suarez, Victor Sanh, Hugo Laurençon,	1061
1001	nandez, Joost van Amersfoort, Josh Gordon, Josh	Yacine Jernite, Julien Launay, Margaret Mitchell,	1062
1002	Lipschultz, Josh Newlan, Ju yeong Ji, Kareem Mo-	Colin Raffel, Aaron Gokaslan, Adi Simhi, Aitor	1063
1003	hamed, Kartikeya Badola, Kat Black, Katie Mil-	Soroya, Alham Fikri Aji, Amit Alfassy, Anna Rogers,	1064
1004	lican, Keelin McDonnell, Kelvin Nguyen, Kiranbir	Ariel Kreisberg Nitzav, Canwen Xu, Chenghao Mou,	1065
1005	Sodhia, Kish Greene, Lars Lowe Sjoesund, Lau-	Chris Emezue, Christopher Klamm, Colin Leong,	1066
1006	ren Usui, Laurent Sifre, Lena Heuermann, Leticia	Daniel van Strien, David Ifeoluwa Adelani, Dragomir	1067
1007	Lago, Lilly McNealus, Livio Baldini Soares,	Radev, Eduardo González Ponferrada, Efrat Lev-	1068
1008	Logan Kilpatrick, Lucas Dixon, Luciano Martins,	kovizh, Ethan Kim, Eyal Bar Natan, Francesco De	1069
1009	Machel Reid, Manvinder Singh, Mark Iverson, Mar-	Toni, Gérard Dupont, Germán Kruszewski, Giada	1070
1010	tin Görner, Mat Velloso, Mateo Wirth, Matt Davi-	Pistilli, Hady Elsahar, Hamza Benyamina, Hieu Tran,	1071

1072	Ian Yu, Idris Abdulmumin, Isaac Johnson, Itziar	Antigona Unldreaj, Arash Aghagol, Arezoo Abdol-	1135
1073	Gonzalez-Dios, Javier de la Rosa, Jenny Chim, Jesse	lahi, Aycha Tammour, Azadeh HajiHosseini, Bahareh	1136
1074	Dodge, Jian Zhu, Jonathan Chang, Jörg Frohberg,	Behroozi, Benjamin Ajibade, Bharat Saxena, Car-	1137
1075	Joseph Tobing, Joydeep Bhattacharjee, Khalid Al-	los Muñoz Ferrandis, Daniel McDuff, Danish Con-	1138
1076	mubarak, Kimbo Chen, Kyle Lo, Leandro Von Werra,	tractor, David Lansky, Davis David, Douwe Kiela,	1139
1077	Leon Weber, Long Phan, Loubna Ben allal, Lu-	Duong A. Nguyen, Edward Tan, Emi Baylor, Ez-	1140
1078	dovic Tanguy, Manan Dey, Manuel Romero Muñoz,	inwanne Ozoani, Fatima Mirza, Frankline Onon-	1141
1079	Maraim Masoud, María Grandury, Mario Šaško,	iwu, Habib Rezanejad, Hessie Jones, Indrani Bhat-	1142
1080	Max Huang, Maximin Coavoux, Mayank Singh,	tacharya, Irene Solaiman, Irina Sedenko, Isar Ne-	1143
1081	Mike Tian-Jian Jiang, Minh Chien Vu, Moham-	jadgholi, Jesse Passmore, Josh Seltzer, Julio Bonis	1144
1082	mad A. Jauhar, Mustafa Ghaleb, Nishant Subramani,	Sanz, Livia Dutra, Mairon Samagaio, Maraim El-	1145
1083	Nora Kassner, Nurulaqilla Khamis, Olivier Nguyen,	badri, Margot Mieskes, Marissa Gerchick, Martha	1146
1084	Omar Espejel, Ona de Gibert, Paulo Villegas, Pe-	Akinlolu, Michael McKenna, Mike Qiu, Muhammed	1147
1085	ter Henderson, Pierre Colombo, Priscilla Amuok,	Ghauri, Mykola Burynok, Nafis Abrar, Nazneen Ra-	1148
1086	Quentin Lhoest, Rhea Harliman, Rishi Bommasani,	jani, Nour Elkott, Nour Fahmy, Olanrewaju Samuel,	1149
1087	Roberto Luis López, Rui Ribeiro, Salomey Osei,	Ran An, Rasmus Kromann, Ryan Hao, Samira Al-	1150
1088	Sampo Pyysalo, Sebastian Nagel, Shamik Bose,	izadeh, Sarmad Shubber, Silas Wang, Sourav Roy,	1151
1089	Shamsuddeen Hassan Muhammad, Shanya Sharma,	Sylvain Viguier, Thanh Le, Tobi Oyebade, Trieu Le,	1152
1090	Shayne Longpre, Somaieh Nikpoor, Stanislav Silber-	Yoyo Yang, Zach Nguyen, Abhinav Ramesh Kashyap,	1153
1091	berg, Suhas Pai, Sydney Zink, Tiago Timponi Tor-	Alfredo Palasciano, Alison Callahan, Anima Shukla,	1154
1092	rent, Timo Schick, Tristan Thrush, Valentin Danchev,	Antonio Miranda-Escalada, Ayush Singh, Benjamin	1155
1093	Vassilina Nikoulina, Veronika Laippala, Violette	Beilharz, Bo Wang, Caio Brito, Chenxi Zhou, Chirag	1156
1094	Lepercq, Vrinda Prabhu, Zaid Alyafeai, Zeerak Ta-	Jain, Chuxin Xu, Clémentine Fourrier, Daniel León	1157
1095	lat, Arun Raja, Benjamin Heinzerling, Chenglei Si,	Periñán, Daniel Molano, Dian Yu, Enrique Manjava-	1158
1096	Davut Emre Taşar, Elizabeth Salesky, Sabrina J.	cas, Fabio Barth, Florian Fuhrmann, Gabriel Altay,	1159
1097	Mielke, Wilson Y. Lee, Abheesht Sharma, Andrea	Giyaseddin Bayrak, Gully Burns, Helena U. Vrabec,	1160
1098	Santilli, Antoine Chaffin, Arnaud Stiegler, Debajy-	Imane Bello, Ishani Dash, Jihyun Kang, John Giorgi,	1161
1099	oti Datta, Eliza Szczechla, Gunjan Chhablani, Han	Jonas Golde, Jose David Posada, Karthik Ranga-	1162
1100	Wang, Harshit Pandey, Hendrik Strobelt, Jason Alan	sai Sivaraman, Lokesh Bulchandani, Lu Liu, Luisa	1163
1101	Fries, Jos Rozen, Leo Gao, Lintang Sutawika, M Sai-	Shinzato, Madeleine Hahn de Bykhovetz, Maiko	1164
1102	ful Bari, Maged S. Al-shaibani, Matteo Manica, Ni-	Takeuchi, Marc Pàmies, Maria A Castillo, Mari-	1165
1103	hal Nayak, Ryan Teehan, Samuel Albanie, Sheng	anna Nezhurina, Mario Sängner, Matthias Samwald,	1166
1104	Shen, Srulik Ben-David, Stephen H. Bach, Taewoon	Michael Cullan, Michael Weinberg, Michiel De	1167
1105	Kim, Tali Bers, Thibault Fevry, Trishala Neeraj, Ur-	Wolf, Mina Mihaljeic, Minna Liu, Moritz Freidank,	1168
1106	mith Thakker, Vikas Raunak, Xiangru Tang, Zheng-	Myungsun Kang, Natasha Seelam, Nathan Dahlberg,	1169
1107	Xin Yong, Zhiqing Sun, Shaked Brody, Yallow Uri,	Nicholas Michio Broad, Nikolaus Muellner, Pascale	1170
1108	Hadar Tojarieh, Adam Roberts, Hyung Won Chung,	Fung, Patrick Haller, Ramya Chandrasekhar, Renata	1171
1109	Jaesung Tae, Jason Phang, Ofir Press, Conglong Li,	Eisenberg, Robert Martin, Rodrigo Canalli, Rosaline	1172
1110	Deepak Narayanan, Hatim Bourfoune, Jared Casper,	Su, Ruisi Su, Samuel Cahyawijaya, Samuele Garda,	1173
1111	Jeff Rasley, Max Ryabinin, Mayank Mishra, Minjia	Shlok S Deshmukh, Shubhanshu Mishra, Sid Ki-	1174
1112	Zhang, Mohammad Shoeybi, Myriam Peyrounette,	blawi, Simon Ott, Sinee Sang-aaroonsiri, Srishti Ku-	1175
1113	Nicolas Patry, Nouamane Tazi, Omar Sanseviero,	mar, Stefan Schweter, Sushil Bharati, Tanmay Laud,	1176
1114	Patrick von Platen, Pierre Cornette, Pierre François	Théo Gigant, Tomoya Kainuma, Wojciech Kusa, Ya-	1177
1115	Lavallée, Rémi Lacroix, Samyann Rajbhandari, San-	anis Labrak, Yash Shailesh Bajaj, Yash Venkatraman,	1178
1116	chit Gandhi, Shaden Smith, Stéphane Requena, Suraj	Yifan Xu, Yingxin Xu, Yu Xu, Zhe Tan, Zhongli	1179
1117	Patil, Tim Dettmers, Ahmed Baruwa, Amanpreet	Xie, Zifan Ye, Mathilde Bras, Younes Belkada, and	1180
1118	Singh, Anastasia Cheveleva, Anne-Laure Ligozat,	Thomas Wolf. 2023. Bloom: A 176b-parameter	1181
1119	Arjun Subramonian, Aurélie Névél, Charles Lover-	open-access multilingual language model.	1182
1120	ing, Dan Garrette, Deepak Tunuguntla, Ehud Reiter,		
1121	Ekaterina Taktasheva, Ekaterina Voloshina, Eli Bog-	Linting Xue, Noah Constant, Adam Roberts, Mihir Kale,	1183
1122	danov, Genta Indra Winata, Hailey Schoelkopf, Jan-	Rami Al-Rfou, Aditya Siddhant, Aditya Barua, and	1184
1123	Christoph Kalo, Jekaterina Novikova, Jessica Zosa	Colin Raffel. 2021. mT5: A massively multilingual	1185
1124	Forde, Jordan Clive, Jungo Kasai, Ken Kawamura,	pre-trained text-to-text transformer. In <i>Proceedings</i>	1186
1125	Liam Hazan, Marine Carpuat, Miruna Clinciu, Na-	<i>of the 2021 Conference of the North American Chap-</i>	1187
1126	joung Kim, Newton Cheng, Oleg Serikov, Omer	<i>ter of the Association for Computational Linguistics:</i>	1188
1127	Antverg, Oskar van der Wal, Rui Zhang, Ruochen	<i>Human Language Technologies</i> , pages 483–498, On-	1189
1128	Zhang, Sebastian Gehrmann, Shachar Mirkin, Shani	line. Association for Computational Linguistics.	1190
1129	Pais, Tatiana Shavrina, Thomas Scialom, Tian Yun,		
1130	Tomasz Limisiewicz, Verena Rieser, Vitaly Protasov,	Wenxuan Zhang, Mahani Aljunied, Chang Gao,	1191
1131	Vladislav Mikhailov, Yada Pruksachatkun, Yonatan	Yew Ken Chia, and Lidong Bing. 2023. M3exam: A	1192
1132	Belinkov, Zachary Bamberger, Zdeněk Kasner, Al-	multilingual, multimodal, multilevel benchmark for	1193
1133	lice Rueda, Amanda Pestana, Amir Feizpour, Ammar	examining large language models. In <i>Thirty-seventh</i>	1194
1134	Khan, Amy Faranak, Ana Santos, Anthony Hevia,	<i>Conference on Neural Information Processing Sys-</i>	1195
		<i>tems Datasets and Benchmarks Track.</i>	1196

1197 Yiran Zhao, Wenxuan Zhang, Guizhen Chen, Kenji
1198 Kawaguchi, and Lidong Bing. 2024. How do large
1199 language models handle multilingualism? *arXiv*
1200 *preprint arXiv:2402.18815*.

1201 Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan
1202 Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin,
1203 Zhuohan Li, Dacheng Li, Eric. P Xing, Hao Zhang,
1204 Joseph E. Gonzalez, and Ion Stoica. 2023. [Judging](#)
1205 [llm-as-a-judge with mt-bench and chatbot arena](#).

A More Experiment Detail

A.1 Response Generation Setting

Answer generation across the involved models is conducted in a zero-shot setting, with all models set to a temperature of 0.0 and a maximum token length of 1024.

A.2 Result Display Setting

The results presented in Section 3.2 and Section 3.3 are based on Instruction 1 (as shown in Appendix B). All other results are displayed in an averaged format in Figures 9, 10, 11, 12, 13, 14, 15, 16, and 17 for each model on every $Q_{i,j}$.

For the results in Section 4.3, Section 4.3.1, and Section 4.3.2, we conducted evaluations using Instruction 2 (as shown in Appendix B) to manage computational costs. This is particularly relevant for certain questions where the model might generate lengthy responses, making the interpretation of results impractical without these adjustments. For results in other languages, except English, which are not shown in Section 4.3.2, please refer to Figures 18 and 19.

A.3 The primarily experiment result

Table 3 shows the performance of the models Llama-3-8B-Instruct, Gemma-2-9B-Instruct, and Qwen2.5-7B-Instruct on multilingual benchmarks: GSM8K and MMMLU. The experiment is conducted in a zero-shot setting, and the results suggest that the models perform better when the questions are asked in English compared to other languages.

Model	GSM8K _{en}	GSM8K _{cn}	GSM8K _{es}	MMMLU _{en}	MMMLU _{id}	MMMLU _{cn}
Llama-3-8B-Instruct	77.1	60.2	66.7	64.4	52.4	54.5
Gemma-2-9B-Instruct	81.2	77.9	75.1	73.4	64.4	64.0
Qwen2.5-7B-Instruct	84.3	80.3	71.1	71.3	56.8	60.8

Table 3: The performance for mode Llama-3-8B-Instruct, Gemma-2-9B-Instruct and Qwen2.5-7B-Instruct on MMMLU (OpenAI, 2024), MGSM (Shi et al., 2022). The experiment is conducted in a zero-shot setting. The language we select are English(en), Chinese(cn), Spanish(es), and Indonesian(id). We find models have better performance when the question is asked in English.

A.4 The completion for Dataset

The original BLENd includes, for each language-specific evaluation set $Q_{i,j}$ (except for English), an English translation evaluation dataset $Q_{i,en}$. For the rest language (i,j) pair (when $i = en$), we deploy GPT-4o to conduct the translation. To ensure the translated question $q_{en,i}$ aligns $q_{i,i}$ with the dual-format structure, we prompt GPT-4 with a one-shot example using the question pair $q_{i,en}$, $q_{i,i}$ to obtain the translated version $q_{en,en}$ for language i , which we then use as $q_{en,i}$.

B Instruction

We mainly use the instruction from the original benchmark BLENd (Myung et al., 2024). However, some models' responses are longer due to the nature of the instruction, so to better match each question with candidate answers and help use the conduct the interpretation experiment, we manually add additional instructions (instruction 2 for each language).



Figure 9: The average performance of Claude-3.5-sonnet on Instruction set B. The $Content_i$ represents language- i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .



Figure 10: The average performance of GPT-4o on Instruction set B. The $Content_i$ represents the language- i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .




Figure 11: The average performance of Command-r on Instruction set B. The $Content_i$ represents the language- i -speaking culture context, $Lang_i$ represents the linguistic medium language.



Figure 12: The average performance of Gemma-2-9b-Instruct on Instruction set B. The $Content_i$ represents the language- i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .




Figure 13: The average performance of Llama-3-70b-Instruct on Instruction set B. The $Content_i$ represents the language i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .




Figure 14: The average performance of Qwen-2.5-7b-Instruct on Instruction set B. The $Content_i$ represents the language i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .




Figure 15: The average performance of Llama-3-8b-Instruct on Instruction set B. The $Content_i$ represents the language i -speaking culture context, $Lang_i$ represents the linguistic medium for language i .




Figure 16: The average performance of Bloomz-7b on Instruction set B. The $Content_i$ represents the culture context, $Lang_i$ represents the linguistic medium language.




Figure 17: The performance of the selected models on American culture question when asked in the other six languages versus English. Models perform the best when asking questions in English.




Figure 18: The performance and the number of Key Neurons for the Llama-3-8B-Instruction on cross-cultural contexts.




Figure 19: The performance and the number of Key Neurons for the Qwen-2.5-7B-Instruction on cross-cultural contexts.

English Instruction 1:

Read the following question and provide a single answer without any explanations.

English Instruction 2:

Read the following question and return only ONE answer in a single word or an unbroken phrase, avoiding splitting any proper nouns or named entities.

English Instruction 3:

Read the following question and provide the single answer you think is most appropriate without any explanations.

Chinese Instruction 1:

阅读以下问题并仅提供一个答案，无需任何解释。

Chinese Instruction 2:

阅读以下问题，并仅用一个单词或一个不间断的短语返回一个答案，避免拆分任何专有名词或命名实体。

Chinese Instruction 3:

阅读以下问题并仅提供一个你觉得最合适的答案，无需任何解释。

Spanish Instruction 1:

Lee la siguiente pregunta y contesta con una sola respuesta sin explicaciones.

Spanish Instruction 2:

Lee la siguiente pregunta y devuelve solo UNA respuesta en una sola palabra o una frase sin dividir ningún nombre propio o entidad nombrada.

Spanish Instruction 3:

Lee la siguiente pregunta y proporciona la respuesta única que consideres más apropiada sin ninguna explicación.

Indonesian Instruction 1:

Bacalah pertanyaan berikut dan berikan satu jawaban tanpa penjelasan apa pun.

Indonesian Instruction 2:

Bacalah pertanyaan berikut dan berikan hanya SATU jawaban dalam satu kata atau frasa utuh, hindari memisahkan nama diri atau entitas bernama.

Indonesian Instruction 3:

Read the following question and provide the single answer you think is most appropriate (one word) without any explanations.

Korean Instruction 1:

다음 질문을 읽고 설명 없이 단 하나의 답변만을 제공하십시오.

Korean Instruction 2:

당신은 외국인에게 당신의 나라의 문화를 설명하려는 대한민국 사람입니다. 다음 질문을 읽고 설명 없이 가장 적절하다고 생각되는 단 하나의 답변을 제공하십시오.

Korean Instruction 3:

다음 질문을 읽고 설명 없이 가장 적절하다고 생각되는 단 하나의 답변을 제공하십시오.

Persian Instruction 1:

سوال زیر را بخوانید و یک پاسخ بدون هیچ توضیحی ارائه دهید.

Persian Instruction 2:

دستور زیر را بخوانید و فقط یک پاسخ را در قالب یک کلمه یا یک عبارت بدون شکستن اسامی خاص یا موجودیت‌های نامگذاری شده ارائه دهید.

Persian Instruction 3:

متن زیر را بخوانید و پاسخی که فکر می‌کنید مناسب‌ترین است بدون هیچ توضیحی ارائه دهید.

Sundanese Instruction 1:

Bacalah pertanyaan berikut dan berikan satu jawaban tanpa penjelasan apa pun.

Sundanese Instruction 2:

Bacakeun pananya di handap ieu jeung pasih hiji jawaban dina hiji kecap atawa frasa anu teu dipisah, ulah misahkeun ngaran sorangan atawa entitas anu dingaranan.

Sundanese Instruction 3:

Bacakeun pananya di handap ieu jeung pasih hiji jawaban anu anjeun anggap paling cocog tanpa penjelasan nanaon.