TAPVid-360: Tracking Any Point in 360 from Narrow Field of View Video

Finlay G. C. Hudson

Department of Computer Science University of York York, United Kingdom finlay.gc.hudson@york.ac.uk

James A. D. Gardner

Department of Computer Science University of York York, United Kingdom james.gardner@york.ac.uk

William A. P. Smith

Department of Computer Science University of York York, United Kingdom william.smith@york.ac.uk

Abstract

Humans excel at constructing panoramic mental models of their surroundings, maintaining object permanence and inferring scene structure beyond visible regions. In contrast, current artificial vision systems struggle with persistent, panoramic understanding, often processing scenes egocentrically on a frame-by-frame basis. This limitation is pronounced in the Track Any Point (TAP) task, where existing methods fail to track 2D points outside the field of view. To address this, we introduce TAPVid-360, a novel task that requires predicting the 3D direction to queried scene points across a video sequence, even when far outside the narrow field of view of the observed video. This task fosters learning allocentric scene representations without needing dynamic 4D ground truth scene models for training. Instead, we exploit 360 videos as a source of supervision, resampling them into narrow field-of-view perspectives while computing ground truth directions by tracking points across the full panorama using a 2D pipeline. We introduce a new dataset and benchmark, TAPVid360-10k comprising 10k perspective videos with ground truth directional point tracking. Our baseline adapts CoTracker v3 to predict per-point rotations for direction updates, outperforming existing TAP and TAPVid 3D methods.

1 Introduction

Humans possess a remarkable ability to construct panoramic internal representations of space — moment-by-moment models that mentally complete the full sphere of surrounding information, even when only a fraction is currently visible. Coupled with object permanence, spatial mapping, and predictive scene completion, these cognitive mechanisms allow us to infer the full structure of a scene, updating our mental model dynamically as new information arrives. For example, we can sit down on a chair without looking behind us, this capability is based on maintaining a mental model that understands the chair remains despite being outside of direct view.

In contrast, current artificial vision systems struggle with this kind of persistent, panoramic scene understanding, as they often operate in an egocentric, frame-by-frame manner with limited memory for unseen regions. This is particularly significant in the context of the Track Any Point (TAP) task [1–6]. The goal of the TAP task is to track a set of 2D points through a video $V = (I_t)_{t=1}^T$ comprised of T



Figure 1: Overview: the TAPVid-360 task (right) is to track the direction of a set of query points in the camera coordinate system of each frame of a narrow field of view video. We generate training data and a benchmark evaluation for this task by curating a large, diverse dataset of 360 videos. We track groups of points using a 2D segmentation and TAP pipeline and convert to directions. We then render a virtual narrow field of view perspective video by resampling the 360 video where the tracked directions may be (significantly) outside the field of view of the video.

RGB frames $I_t \in \mathbb{R}^{3 \times H \times W}$. Concretely, given a set of N query points $(P_1^i)_{k=1}^N$, the goal is to predict the set of tracks for the points through all frames, $P_t^k = (i_t^k, j_t^k) \in \mathbb{R}^2, t=1,\ldots,T, k=1,\ldots,N$. Some methods additionally predict a binary visibility flag to indicate whether the point is occluded.

The original 2D formulation of the TAP task lacks panoramic scene understanding. Specifically, there is no notion of object permanence when an object leaves the field of view. Some methods are explicitly trained to track points slightly outside the field of view of the image but still within the image plane, meaning (i_t^k, j_t^k) may not lie in $\{1, \ldots, W\} \times \{1, \ldots, H\}$. Any method that cannot predict point tracks outside the field of view of the image can be trivially extended to do so by padding each frame of the video with a border region. However, this representation cannot handle points that move far outside the original field of view, particularly any point in the back hemisphere (i.e. $> 90^\circ$ from the view direction). Hence, most methods do not meaningfully track points once they are no longer visible and must resume tracking as a re-ID problem when they return.

A potential solution to this problem was the introduction of the TAPVid-3D [3] task. Here, the query points are still provided as 2D pixel coordinates but, in one possible formulation, the task is to predict a 3D trajectory $P_t^k = (u_t^k, v_t^k, w_t^k) \in \mathbb{R}^3$. Where the 3D points are either in a world coordinate frame that remains fixed or in the coordinate system of the camera at the corresponding frame. In principle, this alleviates the representation problem for out-of-view points since any 3D location can be represented – similarly to SLAM [7]. The downside of such a representation is the difficulty of acquiring training data. Complete 3D models for a possibly dynamic scene are required at every time instant. For this reason, the TAPVid-3D benchmark and most methods operate in a 2.5D representation where points are tracked in image space along with their depth, i.e. $P_t^k = (i_t^k, j_t^i, w_t^k) \in \mathbb{R}^3$, such that their 3D location in camera coordinates can be derived via projection using the camera intrinsics. This means that these methods still suffer the same problem as 2D TAP methods with regards to persistent tracking of points outside the field of view.

The recent availability of consumer-grade 360° cameras has led to an explosion of panoramic video data, providing an unprecedented opportunity to train models to develop allocentric scene representations – world-centric models of the environment that persist beyond momentary views. We exploit large-scale datasets of 360° videos, captured in diverse real-world conditions, as a rich source of supervisory signals for learning how spatial information unfolds beyond the boundaries of a given viewport. 360 video offers many unique advantages over traditional 2D perspective video. Namely, it offers a complete 360 view of the entire world around the camera. A lack of boundaries or borders to the view frustum means objects never leave frame. It provides a richer understanding of spatial layouts and scene dynamics.

In this context, we introduce the TAPVid-360 task. Here, given query points as pixel coordinates in the first frame, the goal is to track the 3D *direction* (in the camera coordinate frame) to the scene

point corresponding to the query point. Intuitively, we are asking the model to persistently predict in which direction a point is but (unlike TAPVid 3D) not its distance. This corresponds to a human being able to approximately point to where they believe a chair is behind them without knowing exactly how far away it is.

Concretely, given a narrow field of view, perspective video and query pixels for frame 1: $Q^k = (i^k, j^k), k = 1, \ldots, N$ (as for the TAPVid task), the goal is to predict directions in the form of unit vectors for each point across the sequence: $D^k_t = (x^k_t, y^k_t, z^k_t), t = 1, \ldots, T, k = 1, \ldots, N$ with $\|D^k_t\| = 1$, even when the point has left the field of view. We believe that this task provides a useful learning objective for many downstream tasks. For points that leave the field of view, the model is required to reason about egomotion and, for any camera motion other than pure rotation, the 3D location of the point. For dynamic points, it must additionally extrapolate the dynamic motion, possibly including an understanding of physical laws, for the unobserved period. Since directions must be predicted for every frame, it imposes object permanence as a hard constraint.

In this paper, our key contribution is to show how to construct a TAPVid-360 dataset without requiring 3D ground truth. Instead, we generate perspective, narrow field of view videos by resampling 360° videos while using a novel 2D point tracking pipeline on the complete 360° video to provide ground truth directions. We propose a baseline method to tackle this task by modifying and fine-tuning CoTracker v3 [5] to predict rotations for each query point/frame that update the predicted direction for that point from one frame to the next. We show that this outperforms existing TAPVid and TAPVid-3D methods when evaluated for the TAPVid-360 task.

2 Related Work

Track Any Point Establishing correspondences across video frames is a fundamental problem in computer vision. Traditional optical flow methods focus on computing dense correspondences between consecutive frames. Early techniques relied on variational approaches and hand-crafted features [8, 9], but the advent of deep learning brought significant advancements with architectures like FlowNet [10] and RAFT [11]. However, these methods often struggle with long sequences, occlusions, and significant appearance changes, limiting their effectiveness in complex real-world scenarios.

To address these shortcomings, recent research has shifted toward Tracking Any Point (TAP), first introduced in [12], which emphasises long-term tracking capable of handling occlusions and appearance variations. The majority of current TAP models track in 2D [1, 2, 4–6], though some recent works extend the tracking problem to 3D [13, 14, 3]. However, no existing 3D method continues to estimate tracks for points that have left the camera's view frustum. A major cause of this limitation is the scarcity of suitable ground truth training data. The majority of data comes from synthetic dataset [15, 16], driving scenarios [17, 18], or complex 3D capture domes [19], which do not offer sufficient scale or diversity for training models to handle such out-of-view trajectories.

360° Video for Scalable Supervision Addressing the challenge of data scarcity for 3D tracking necessitates novel data sources. The rise of consumer-grade 360° cameras has resulted in a vast source of data that remains largely untapped. While some recent works have begun to leverage this data, their focus has primarily been on generative tasks. For instance, [20] presented a dataset of one million 360° YouTube videos for training novel view synthesis models, and [21] utilised this dataset to finetune a video diffusion model for 360° outpainting from perspective inputs. In this work, we demonstrate that 360° video not only offers the unique capability to track objects continuously as they move within the full spherical field of view, but also enables the resampling of arbitrary perspective camera trajectories. This provides a diverse and readily scalable source of supervision for TAP models.

3 Dataset Generation

To train models in this task we require 360° video data, filtered for quality and dynamic content. From such a dataset we can extract paired perspective crops and ground-truth camera-relative direction tracks to objects within the scene. To that end, we first curate a high-quality dataset of 360° videos and then process these to provide pseudo-ground-truth tracks.

3.1 Data Curation

We start with the 360-1M dataset [20], a dataset of approximately 1 million YouTube links for 360° videos. However, many of the links provided point to non-360° videos or videos that are incorrectly formatted for our use case. We follow similar filtering methods to [21, 22] to filter the data before processing for point tracking. We store our 360° videos as 2D videos under equirectangular projection.

Coarse Filtering We keep only videos with greater than 15 likes, around 100k videos, as a baseline for quality. We download in the highest quality available using yt-dlp [23]. We then remove any videos that don't contain *side-data-list* in their metadata (metadata indicating to media players to play this content in 360° format). If the *side-data-list* has the value *top and bottom*, we crop and scale to a 2:1 aspect ratio the top half of the video. This filters for videos that




Figure 2: Distribution of categories in our filtered dataset. The largest majority comes from Travel and Events with 27.8%.

should not have been in the 360-1M dataset; however, many videos are incorrectly labelled or are 360° formatted videos containing perspective videos or images projected onto a sphere.

To remove these we therefore apply the following coarse-filtering process:

- **Perspective / Poster Detection** Videos are grayscaled and binarised using adaptive thresholding. The bounding box of the largest external contour, representing the main content, is determined. If this content area is significantly smaller than the frame and the surrounding regions are black borders the video is flagged as a poster and removed.
- Scene Dynamics Frames are sampled at random intervals, and pixel variance is calculated. Static videos with minimal inter-frame variation are removed.
- Formatting LPIPS [24] between the left and right halves is computed to filter 180° formatted videos and between the top and bottom halves to filter 360 videos with incorrect metadata. 180° videos are removed and the *top and bottom* are cropped and scaled to 2:1 aspect ratio as before.
- Seams Since equirectangular video should be continuous at the edges, discontinuities at the wrap-around seam (left and right edges) of the equirectangular video indicate a non-360° video. Thin vertical strips are extracted from the leftmost and rightmost edges of the frame, and normalised cross-correlation is computed between the crops. This yields a similarity score between -1 and 1. If the similarity score falls below a specified threshold, it indicates a mismatch between the edges, implying a visible seam.

These metrics are averaged over ten evenly spaced frames throughout the video.

Fine Filtering After coarse filtering, we split the videos into 10-second clips using FFmpeg [25]. These require further filtering as it is still possible for clips to contain minimal dynamic content, to have scene changes partway through and for watermarks to be placed over the video.

We therefore use the following fine-filtering process:

- Optical Flow Calculate the average magnitude of sparse optical flow vectors between every other frame and remove videos below a threshold.
- Scene Detection Clips are run through PySceneDetect [26] to identify scene changes either with harsh cuts or through fades. Clips that contain scene changes are removed.
- Watermarks A LAION Watermark detection network [27] is used to identify watermarking and remove clips above a confidence threshold.




Figure 3: Overview of our data generation pipeline (zoom for detail). We first use Lang-SAM [28] on the first frame of our pre-filtered 360° video to segment dynamic objects. SAM2 is then used to distribute these masks to the full video. We sample 2D perspective videos following each object mask and use CoTracker3 [5] to track the object through the perspective video. We then transform these tracks back onto the 360° video. Finally we sample novel camera trajectories and use these new 2D perspective videos and ground truth 3D directions as training data for our model.

This results in around 130k 10-second clips that are correctly formatted and contain good dynamic content or camera motions.

3.2 Ground Truth Directional Point Tracks from 360° Video

Given our set of filtered clips, we generate training and evaluation datasets comprising paired perspective videos and camera-relative, pseudo-ground-truth, unit-vector tracks for dynamic objects. An input 360° video in equirectangular format is denoted as $V_{eq} = (\mathcal{I}_t)_{t=1}^T$, representing a sequence of T frames where each frame $\mathcal{I}_t \in \mathbb{R}^{3 \times H_{eq} \times W_{eq}}$. We first subsample V_{eq} to a new sequence length, of T=32 frames, to increase the likelihood of capturing salient dynamics within the clip. Lang-SAM [28] is applied to the initial equirectangular frame \mathcal{I}_1 , Figure 3 (a), using a predefined set of object classes typically exhibiting dynamic behavior e.g. person, bicycle, dog, car. See supplementary for the full list. This yields an initial set of instance segmentation masks for frame \mathcal{I}_1 , $M_{init} = \{M_{i,j}\}_{j=1}^{N_{det}}$ for N_{det} detected instances. We retain masks whose confidence scores exceed a predefined threshold τ_{conf} and select the top-K scoring masks from this filtered subset. These K masks $\{M_{1,k}'\}_{k=1}^K$, serve as initialisations for SAM2 [29]. SAM2 is subsequently run on the complete T frame equirectangular video V_{eq} to propagate these masks, Figure 3 (b), thereby obtaining instance segmentation masks for each of the K objects across all frames. If SAM2 fails to maintain a consistent mask for an instance throughout the video's duration, that instance is excluded. This procedure results in a final set of equirectangular segmentation masks $SM_{eq} = \{S_{t,k} \mid t \in \{1, \dots, T\}, k \in \{1, \dots, K'\}\}$ where $K' \leq K$ is the number of successfully tracked instances and each $S_{t,k} \in \{0,1\}_{t=q}^{H_{eq} \times W_{eq}}$.

Perspective Projections and Point Tracks For each of the K' successfully tracked instances, we now generate corresponding perspective views and 2D point tracks, which will subsequently be used to derive pseudo-ground-truth unit vectors. For each instance $k \in \{1, \ldots, K'\}$, we generate a sequence of time-varying camera projection parameters, Figure 3 (c). Specifically, for each frame

 $t \in \{1, ..., T\}$ of the intended perspective clip, we sample an extrinsic rotation matrix $\mathbf{R}_{k,t} \in SO(3)$ and an intrinsic camera matrix $\mathbf{K}_{k,t} \in \mathbb{R}^{3\times 3}$ (which defines the FOV for that frame). These parameters define a time-dependent perspective camera transformation $\Pi_{k,t}(\cdot; \mathbf{R}_{k,t}, \mathbf{K}_{k,t})$.

Using this sequence of transformations, we render a perspective video $V_{persp,k} = (\mathcal{I}'_{t,k})_{t=1}^T$ from the equirectangular video V_{eq} , where each frame $\mathcal{I}'_{t,k} \in \mathbb{R}^{3 \times H_{persp} \times W_{persp}}$ is rendered using its corresponding $\mathbf{R}_{k,t}$ and $\mathbf{K}_{k,t}$. Similarly, we project the instance's equirectangular segmentation masks $\{S_{t,k}\}_{t=1}^T$ to obtain a sequence of perspective masks $SM_{persp,k} = (S'_{t,k})_{t=1}^T$, where $S'_{t,k} \in \{0,1\}^{H_{persp} \times W_{persp}}$. The sequence of projections $\Pi_{k,t}$ is chosen such that the instance k is centred within the perspective view, guided by its mask sequence.

For the initial frame $\mathcal{I}'_{1,k}$ of the k-th perspective video, we sample as set of N_q query pixels coordinates $\mathcal{P}_{1,k}\{(i_q,j_q)\}_{q=1}^{N_q}$ from within the corresponding projected segmentation mask $S'_{1,k}$, Figure 3 (d). These 2D points, associated with the first frame (time index t=1) are then formulated as a set of spatio-temporal queries $\mathcal{Q}_k = \{(1,u_j,v_j)\}_{j=1}^{N_q}$. This set of \mathcal{Q}_k is provided as input to CoTracker3 [5], Figure 3 (e), to obtain 2D point tracks $\mathbf{p}_{t,q} = \{(i_{t,q},j_{t,q})\}_{t=1,\dots,T;q=1,\dots,N_q}$ within the perspective video $V_{persp,k}$.

The set of tracks is further refined by filtering based on cumulative 2D displacement. For each track q, represented by the sequence of image-plane coordinates $\mathbf{p}_{t,q}=(i_{t,q},j_{t,q})$ for frames $t=1,\ldots,T$, we calculate its total path length. This cumulative length, L_q , is given by the sum of Euclidean distances between temporally consecutive points:

$$L_q = \sum_{t=1}^{T-1} \|\mathbf{p}_{t+1,q} - \mathbf{p}_{t,q}\|_2$$

Tracks are retained only if L_q exceeds a specified cumulative length threshold, L_{thresh} . This selection keeps tracks that exhibit dynamic object motions, effectively removing tracks from static, distant or minimally moving points.

We now transform the filtered 2D perspective tracks into direction vectors, Figure 3 (f). Given our 2D perspective point tracks $\mathcal{P}=(i_{t,q},j_{t,q})\in\mathbb{R}^2, t=1,....,T,q=1,....,N_q$, the corresponding unit vector in camera coordinates can be computed as follows:

For each tracked 2D point $\mathcal{P}=(i_{t,q},j_{t,q})$ from the q-th track at frame t in the k-th perspective video, we first represent it in homogenous coordinates as $\tilde{\mathcal{P}}=(i_{t,q},j_{t,q},1)$. This is transformed into a 3D direction vector in the camera's coordinate system as:

$$\hat{\mathbf{d}}_{cam,t,q} = \frac{\mathbf{v}_{cam,t,q}}{\|\mathbf{v}_{cam,t,q}\|_2}, \quad \mathbf{v}_{cam,t,q} = \mathbf{K}_{k,t}^{-1} \tilde{\mathcal{P}}_{t,q}. \tag{1}$$

Sampling New Perspective Crops Now that we have $\hat{\mathbf{d}}_{cam,t,q}$, our pseudo-ground-truth unit-vector representing the direction from the camera centre to the point $(i_{t,q},j_{t,q})$ in the camera's 3D coordinate system for that specific frame t and instance k, we can generate training examples by resampling new perspective camera trajectories from the equirectangular video. As before for each instance $k \in \{1,\ldots,K'\}$, we generate a sequence of time-varying camera projection parameters, Figure 3 (g). Specifically, for each frame $t \in \{1,\ldots,T\}$ of V_{eq} we sample a time-dependent perspective camera transformation $\hat{\Pi}_{k,t}(\cdot;\hat{\mathbf{R}}_{k,t},\hat{\mathbf{K}}_{k,t})$. However the sampling of this perspective transform is now chosen randomly from a set of predefined camera motions functions, static (original camera motion), $spin_{-}(x,y,z)$, spiral, simulated human, random and btf. See supplementary for detailed descriptions of these different sampling methods. The result is 5k training and 10k test samples. All containing dynamic camera motions with ground truth tracks for objects that can leave the view frustum.

3.3 Dataset Statistics

Table 1 presents a comparison of our TAPVid360-10k validation set with existing TAP datasets, spanning both 2D and 3D modalities. Notably, despite representing only the validation portion of our dataset, TAPVid360-10k exhibits strong coverage and diversity. Moreover, our data generation pipeline, presented in Section 3, is capable of producing significantly larger-scale datasets with

similar characteristics. In addition to these aggregate metrics, Table 2 highlights the distribution of annotated points that fall within versus outside the perspective camera's field of view, illustrating the dataset's breadth across different visibility conditions.

4 CoTracker360: A TAPVid-360 Baseline

As a baseline model, we modify the recent CoTracker3 [4] method to predict directions instead of point estimates. The original CoTracker3 predicts point displacements relative to the first frame. This is an easier representation for the model to reason about compared to directly regressing absolute point position at each frame. We follow the same approach except that we apply a *rotation* to the direction at the first frame. Accordingly, we replace the last layer of the CoTracker3 decoder with a linear layer with 9 outputs and linear activation. We reshape this to a 3×3 matrix and project to the closest rotation matrix using special orthogonal Procrustes orthonormalization [30].

To produce output, we convert the initial query point positions from pixel coordinates to directions using the intrinsic parameters of the camera. These unit vector directions are then rotated using the rotation matrices predicted for this point for each frame. We supervise the direction predictions using Huber loss (we experimented with angular error but found this to be less stable). We initialise with the pretrained CoTracker3 offline weights and finetune with a training dataset created using the data generation approach described in Section 3.2. We create 5k additional perspective video clips. These clips are distinct from those in the TAPVid360-10k dataset to avoid any overlap. We do not supervise the CoTracker3 confidence and visibility outputs during training. The model is trained for 120 epochs using the Adam optimizer with a learning rate of 1e-4. Training is performed on a single NVIDIA A40 GPU with a batch size of 8. Due to memory constraints, we are limited in the number of query points and frames used during training; we choose 32 query points across 32 frames. We refer to this trained model as CoTracker360.

5 Evaluation

To establish a baseline for TAPVid-360, in addition to our proposed CoTracker360, we evaluate several state-of-the-art tracking approaches, including both 2D and 3D methods. For 2D tracking, we consider TAPIR [2], BootsTAPIR [31], and CoTracker3 [4], while for 3D tracking, we utilise SpatialTracker [13]. To align these methods with the dataset, which represents motion as unit vector directions, we convert their pixel-space outputs accordingly using the known camera intrinsics. We run evaluation using 256 query points and 32 frame clips.

Metrics To evaluate our benchmark, we adapt a widely used metric within TAP frameworks [1, 3, 4], namely $<\delta_{\text{avg}}^x$, which measures the fraction of predicted points that lie within a given threshold of the ground truth. However, since our setting involves directional vectors rather than purely (x,y) coordinates, we replace the pixel-based distance with an angular threshold, expressed in terms of angle per pixel. Based on the field of view of our dataset, a movement of a single

Dataset	# Videos	# Clips	# Objects	Avg Trajectories Per Clip	Real/Sim	FPS	Data Type
TAPVid-RGB-Stacking	50	250	/	30	Sim	25	2D
RoboTAP	265	/	/	44	Real	/	2D
TAPVid-Kinetics	1,189	/	/	26.3	Real	25	2D
TAPVid-KUBRIC	38,325	/	/	flexible	Sim	25	2D
TAPVid-3D	2828	4569	/	50-1024	Real	10-30	3D
TAPVid360-10k	4772	4772	10000	256	Real	3.75-30	360

Table 1: Comparison of dataset metrics.

Dataset	# Points Within Frame	# Points Out of Frame
TAPVid360-10k	36.28M	45.64M

Table 2: Showing the number of points located within the visible frame versus those outside the frame boundaries.

Method	$<\delta^x_{ m avgall}\uparrow$	$<\delta^x_{ m avg}$ if \uparrow	$<\delta^x_{ m avgoof}\uparrow$	$AD_{\text{avgall}}^x \downarrow$	$AD_{\mathrm{avgif}}^{x}\downarrow$	$AD_{\mathrm{avgoof}}^x \downarrow$
TAPNext [6]	0.0082 ±0.0070	0.0191 ±0.0157	0.0004 ±0.0009	51.9752 ±18.0770	36.5923 ±18.8858	62.4601 ±19.8415
TAPIR [2]	0.0106 ± 0.0081	0.0251 ± 0.0191	0.0003 ± 0.0006	49.8086 ± 17.9032	33.8824 ± 20.9064	60.5154 ± 17.5166
BootsTAPIR [31]	0.0126 ± 0.0119	0.0293 ± 0.0262	0.0005 ± 0.0009	48.3582 ± 17.9551	33.3154 ± 20.5326	58.3841 ± 17.9581
TAPIP3D [32]	0.2476 ± 0.1564	0.4698 ± 0.2391	0.0850 ± 0.1227	36.4412 ± 25.8254	23.3191 ± 21.8679	45.7951 ± 31.5080
SpatialTracker [13]	0.2239 ± 0.1052	0.4893 ± 0.1946	0.0303 ± 0.0439	38.8780 ± 23.4462	22.1635 ± 21.4754	50.4350 ± 27.3025
CoTracker3 (offline) [4]	0.2435 ± 0.0891	0.5588 ± 0.1574	0.0158 ± 0.0224	37.4287 ± 21.3983	17.6352 ± 21.3299	50.9759 ± 24.0512
Ours (CoTracker360)	0.2334 ±0.1087	0.4008 ±0.1331	0.1108 ±0.1010	8.3380 ±7.3714	3.9806 ±4.3698	11.0600 ±9.6360

Table 3: Comparison of tracking performance metrics.

pixel corresponds to 0.2755° (degrees per pixel, denoted as px°). Hence, our thresholds are set to $[1\,px^{\circ},\,2\,px^{\circ},\,4\,px^{\circ},\,8\,px^{\circ},\,16\,px^{\circ}]$. The average value across all of these thresholded ranges is then computed to produce a single summary score. In addition to this, we also report the mean angular distance between each predicted point and its corresponding ground truth $(AD_{\rm avg}^x)$. Given the challenging nature of the dataset, it is common for the deviation between predictions and ground truth to exceed the largest threshold defined by $<\delta^x$. In such cases, the thresholded accuracy alone may not fully capture the performance. Therefore, we include the average angular distance as a complementary metric that reflects the overall deviation, regardless of threshold. We split each of these metrics into *in-frame* (IF) and *out-of-frame* (OOF) subsets to separately evaluate a model's point tracking performance on each condition. In addition, we report results for all points. A key contribution of our work is this explicit evaluation of a model's ability to track points that move out-of-frame. This is an aspect that is often overlooked by existing benchmarks, which primarily focus on in-frame accuracy. At the same time, we ensure that in-frame performance is preserved and does not degrade significantly when models are trained or evaluated under this extended setting.

Quantitative Results The results in Table 3 highlight a critical distinction between precision and reliability. While CoTracker3 and SpatialTracker show high precision on in-frame points ($<\delta_{\mathrm{avgif}}^x$), their performance is undermined by large error magnitudes on incorrect predictions, as reflected in their poor angular distance (AD) scores. Our method, CoTracker360, resolves this issue, and its superiority is most evident when tracking points out-of-frame. Our method achieves the best out-of-frame accuracy ($<\delta_{\mathrm{avgoof}}^x$) being 1.3x higher than the next-best baseline, TAPIP3D. Critically, it also reduces the corresponding angular distance error (AD_{avgoof}^x), a greater than 4-fold reduction over TAPIP3D. The notable performance of both CoTracker360 and TAPIP3D (which uses 3D context) highlights that explicitly accounting for out-of-frame context is essential. This state-of-the-art error reduction demonstrates that CoTracker360 avoids the catastrophic failures of other models and most robustly handles the primary challenge of long-range, out-of-frame tracking.

Qualitative Results In Figure 4 and 5 we show qualitative examples of the tracking results on sample videos from the TAPVid360-10k dataset. Frames are rendered as egocentric images within the equirectangular image frame. Query points are shown in frame 1 and the tracking results in subsequent frames. When the tracked object leaves the image frame, many comparison methods either lose the object entirely or remain stuck at the image border where the object left the image. CoTracker360 is able to continue making plausible estimates as to the direction of the points based on camera motion.

6 Conclusions

In this paper we have introduced the TAPVid-360 task and a scalable method to generate ground truth data. We have shown that a simple adaptation to an existing TAP model and finetuning on a small set of such data allows the model to track points well outside the field of view of the image and to continue to predict dynamic motion. The representation switch from image plane points to 3D directions abstracts the task away from the specific field of view of the image to a panoramic representation, akin to human allocentric representations, without requiring difficult-to-obtain ground 4D scenes models for supervision. We also argue that directional rather than absolute positional tracking is an easier task yet could still be used as pretraining for 3D related tasks.

Limitations There are some limitations to both the dataset and proposed baseline method. The dataset is created using a fixed field of view. This allows us to test whether the TAPVid-360 task is




Figure 4: Direction tracks for each method for two videos (zoom for detail). Each frame is visualised as an egocentric perspective image within the equirectangular representation (greyed out regions are outside the field of view). The query points are shown in the first frame, the original video frames in the top row and ground truth tracks in the second row of each block.




Figure 5: Further qualitative example of estimated direction tracks (see Figure 4 for details).

solvable in this restricted case but does not allow us to test sensitivity to field of view or dynamically changing field of view (i.e. zoom). Related to this, a limitation of the baseline method is that we can therefore use a fixed positional encoding per patch. To correctly allow the model to handle zoom, we would need to use a per-patch directional encoding based on the direction through the patch centre to encode field of field. The model would also benefit from representing uncertainty - i.e. a directional distribution. This would allow the model to be increasingly uncertain as points leave the field of view.

Broader impacts Solving the TAPVid-360 task enables several significant downstream applications.

In robotics, maintaining a persistent, panoramic understanding of its surroundings would enable more robust active vision, allowing a robot to accurately reacquire objects that leave its field-of-view (FoV) by pointing its camera in the predicted direction. The predicted directional tracks can also serve as powerful priors for re-identification (re-ID) systems. When an object reappears, candidates that appear in locations requiring implausible motion can be rejected, improving tracking robustness when objects return to view.

The TAPVid-360 task requires that a model learns key cognitive abilities like object permanence and reasoning about unseen object dynamics. Given the difficulty of acquiring ground-truth temporal 3D tracks for dynamic scenes, our scalable data generation pipeline could be used to pretrain a model before being fine-tuned on smaller 3D datasets.

Finally, the directional tracks could be used as a conditioning signal for video generation models. This would help enforce temporal consistency and plausible object motion, mitigating common failure modes where objects are forgotten or hallucinated incorrectly after leaving and re-entering the camera's view.

We additionally acknowledge however that these same advancements could also have negative consequences if misused, potentially leading to more sophisticated surveillance capabilities that erode privacy, or contributing to the development of more effective autonomous weaponry with reduced human oversight.

References

- [1] Carl Doersch, Ankush Gupta, Larisa Markeeva, Adria Recasens, Lucas Smaira, Yusuf Aytar, Joao Carreira, Andrew Zisserman, and Yi Yang. TAP-vid: A benchmark for tracking any point in a video. *Advances in Neural Information Processing Systems*, 35:13610–13626, 2022.
- [2] Carl Doersch, Yi Yang, Mel Vecerik, and Dilara Gokay. TAPIR: Tracking any point with per-frame initialization and temporal refinement. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 10061–10072, 2023.
- [3] Skanda Koppula, Ignacio Rocco, Yi Yang, Joe Heyward, João Carreira, Andrew Zisserman, Gabriel Brostow, and Carl Doersch. Tapvid-3d: A benchmark for tracking any point in 3d. In A. Globerson, L. Mackey, D. Belgrave, A. Fan, U. Paquet, J. Tomczak, and C. Zhang, editors, *Advances in Neural Information Processing Systems*, volume 37, pages 82149–82165. Curran Associates, Inc., 2024.
- [4] Nikita Karaev, Ignacio Rocco, Benjamin Graham, Natalia Neverova, Andrea Vedaldi, and Christian Rupprecht. Cotracker: It is better to track together. In *Proc. ECCV*, 2024.
- [5] Nikita Karaev, Iurii Makarov, Jianyuan Wang, Natalia Neverova, Andrea Vedaldi, and Christian Rupprecht. Cotracker3: Simpler and better point tracking by pseudo-labelling real videos, 2024. URL https://arxiv.org/abs/2410.11831.
- [6] Artem Zholus, Carl Doersch, Yi Yang, Skanda Koppula, Viorica Patraucean, Xu Owen He, Ignacio Rocco, Mehdi S. M. Sajjadi, Sarath Chandar, and Ross Goroshin. Tapnext: Tracking any point (tap) as next token prediction. *arXiv preprint arXiv:2504.05579*, 2025.
- [7] Julio A. Placed, Jared Strader, Henry Carrillo, Nikolay Atanasov, Vadim Indelman, Luca Carlone, and José A. Castellanos. A survey on active simultaneous localization and mapping: State of the art and new frontiers. *Trans. Rob.*, 39(3):1686–1705, June 2023. ISSN 1552-3098. doi: 10.1109/TRO.2023.3248510. URL https://doi.org/10.1109/TRO.2023.3248510.
- [8] Simon Baker and Iain Matthews. Lucas-kanade 20 years on: A unifying framework. *International journal of computer vision*, 56:221–255, 2004.
- [9] J. L. Barron, D. J. Fleet, and S. S. Beauchemin. Performance of optical flow techniques. *International Journal of Computer Vision*, 12(1):43–77, Feb 1994. ISSN 1573-1405. doi: 10.1007/BF01420984. URL https://doi.org/10.1007/BF01420984.
- [10] Alexey Dosovitskiy, Philipp Fischer, Eddy Ilg, Philip Hausser, Caner Hazirbas, Vladimir Golkov, Patrick Van Der Smagt, Daniel Cremers, and Thomas Brox. Flownet: Learning optical flow with convolutional networks. In *Proceedings of the IEEE international conference on computer vision*, pages 2758–2766, 2015.
- [11] Zachary Teed and Jia Deng. Raft: Recurrent all-pairs field transforms for optical flow. In *Computer Vision–ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part II 16*, pages 402–419. Springer, 2020.
- [12] Adam W Harley, Zhaoyuan Fang, and Katerina Fragkiadaki. Particle video revisited: Tracking through occlusions using point trajectories. In *European Conference on Computer Vision*, pages 59–75. Springer, 2022.
- [13] Yuxi Xiao, Qianqian Wang, Shangzhan Zhang, Nan Xue, Sida Peng, Yujun Shen, and Xiaowei Zhou. Spatialtracker: Tracking any 2d pixels in 3d space. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 20406–20417, 2024.
- [14] Bo Wang, Jian Li, Yang Yu, Li Liu, Zhenping Sun, and Dewen Hu. Scenetracker: Long-term scene flow estimation network. *arXiv preprint arXiv:2403.19924*, 2024.
- [15] Klaus Greff, Francois Belletti, Lucas Beyer, Carl Doersch, Yilun Du, Daniel Duckworth, David J Fleet, Dan Gnanapragasam, Florian Golemo, Charles Herrmann, et al. Kubric: A scalable dataset generator. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 3749–3761, 2022.

- [16] Xiaqing Pan, Nicholas Charron, Yongqian Yang, Scott Peters, Thomas Whelan, Chen Kong, Omkar Parkhi, Richard Newcombe, and Yuheng Carl Ren. Aria digital twin: A new benchmark dataset for egocentric 3d machine perception. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 20133–20143, 2023.
- [17] Arjun Balasingam, Joseph Chandler, Chenning Li, Zhoutong Zhang, and Hari Balakrishnan. Drivetrack: A benchmark for long-range point tracking in real-world videos. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 22488–22497, 2024.
- [18] Pei Sun, Henrik Kretzschmar, Xerxes Dotiwalla, Aurelien Chouard, Vijaysai Patnaik, Paul Tsui, James Guo, Yin Zhou, Yuning Chai, Benjamin Caine, et al. Scalability in perception for autonomous driving: Waymo open dataset. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 2446–2454, 2020.
- [19] Hanbyul Joo, Hao Liu, Lei Tan, Lin Gui, Bart Nabbe, Iain Matthews, Takeo Kanade, Shohei Nobuhara, and Yaser Sheikh. Panoptic studio: A massively multiview system for social motion capture. In *Proceedings of the IEEE international conference on computer vision*, pages 3334–3342, 2015.
- [20] Matthew Wallingford, Anand Bhattad, Aditya Kusupati, Vivek Ramanujan, Matt Deitke, Aniruddha Kembhavi, Roozbeh Mottaghi, Wei-Chiu Ma, and Ali Farhadi. From an image to a scene: Learning to imagine the world from a million 360° videos. In *The Thirty-eighth Annual Conference on Neural Information Processing Systems*, 2024. URL https://openreview.net/forum?id=otxOtsWCMb.
- [21] Rundong Luo, Matthew Wallingford, Ali Farhadi, Noah Snavely, and Wei-Chiu Ma. Beyond the frame: Generating 360 panoramic videos from perspective videos, 2025. URL https://arxiv.org/abs/2504.07940.
- [22] Andreas Blattmann, Tim Dockhorn, Sumith Kulal, Daniel Mendelevitch, Maciej Kilian, Dominik Lorenz, Yam Levi, Zion English, Vikram Voleti, Adam Letts, Varun Jampani, and Robin Rombach. Stable video diffusion: Scaling latent video diffusion models to large datasets, 2023. URL https://arxiv.org/abs/2311.15127.
- [23] yt dlp. A feature-rich command-line audio/video downloader. https://github.com/ yt-dlp/yt-dlp, 2025.
- [24] Richard Zhang, Phillip Isola, Alexei A Efros, Eli Shechtman, and Oliver Wang. The unreasonable effectiveness of deep features as a perceptual metric. In *CVPR*, 2018.
- [25] Suramya Tomar. Converting video formats with ffmpeg. Linux journal, 2006(146):10, 2006.
- [26] Brandon Castellano. Video cut detection and analysis tool. https://github.com/ Breakthrough/PySceneDetect, 2025.
- [27] LAION-AI. A watermark classifier. https://github.com/LAION-AI/LAION-5B-WatermarkDetection, 2022.
- [28] Luca Medeiros. GitHub luca-medeiros/lang-segment-anything: SAM with Text Prompts. https://github.com/luca-medeiros/lang-segment-anything, 2025.
- [29] Nikhila Ravi, Valentin Gabeur, Yuan-Ting Hu, Ronghang Hu, Chaitanya Ryali, Tengyu Ma, Haitham Khedr, Roman Rädle, Chloe Rolland, Laura Gustafson, Eric Mintun, Junting Pan, Kalyan Vasudev Alwala, Nicolas Carion, Chao-Yuan Wu, Ross Girshick, Piotr Dollár, and Christoph Feichtenhofer. Sam 2: Segment anything in images and videos. *arXiv preprint arXiv:2408.00714*, 2024. URL https://arxiv.org/abs/2408.00714.
- [30] Romain Brégier. Deep regression on manifolds: a 3D rotation case study. 2021.
- [31] Carl Doersch, Pauline Luc, Yi Yang, Dilara Gokay, Skanda Koppula, Ankush Gupta, Joseph Heyward, Ignacio Rocco, Ross Goroshin, João Carreira, and Andrew Zisserman. BootsTAP: Bootstrapped training for tracking-any-point. *Asian Conference on Computer Vision*, 2024.

- [32] Bowei Zhang, Lei Ke, Adam W Harley, and Katerina Fragkiadaki. Tapip3d: Tracking any point in persistent 3d geometry. *arXiv preprint arXiv:2504.14717*, 2025.
- [33] Brent Yi, Chung Min Kim, Justin Kerr, Gina Wu, Rebecca Feng, Anthony Zhang, Jonas Kulhanek, Hongsuk Choi, Yi Ma, Matthew Tancik, and Angjoo Kanazawa. Viser: Imperative, web-based 3d visualization in python, 2025. URL https://arxiv.org/abs/2507.22885.
- [34] Rundong Luo, Matthew Wallingford, Ali Farhadi, Noah Snavely, and Wei-Chiu Ma. Beyond the frame: Generating 360 {\deg} panoramic videos from perspective videos. *arXiv preprint arXiv:2504.07940*, 2025.

NeurIPS Paper Checklist

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

Answer: [Yes]

Justification: Dataset - see Section 3, Evaluation - see Section 4.

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [Yes]

Justification: See Section 5.

Guidelines:

- The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate "Limitations" section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory assumptions and proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [NA]

Justification: Paper does not include theoretical results

Guidelines:

- The answer NA means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental result reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: Dataset generation is fully described in Section 3 and all model details provided in Section 4.

Guidelines:

- The answer NA means that the paper does not include experiments.
- If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
- (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
- (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
- (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
- (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: [Yes]

Justification: Evaluation Dataset will be available for download and code to generate training data and run evaluation will be available online.

Guidelines:

- The answer NA means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (https://nips.cc/public/guides/CodeSubmissionPolicy) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so "No" is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (https://nips.cc/public/guides/CodeSubmissionPolicy) for more details.
- The authors should provide instructions on data access and preparation, including how
 to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new
 proposed method and baselines. If only a subset of experiments are reproducible, they
 should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental setting/details

Question: Does the paper specify all the training and test details (e.g., data splits, hyper-parameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

Answer: [Yes]

Justification: Fully specified in Section 4.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental
 material.

7. Experiment statistical significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [No]

Justification: No error bars are reported for results.

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).

- It should be clear whether the error bar is the standard deviation or the standard error
 of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments compute resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: Specified in Section 4 and Section 4.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code of ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics https://neurips.cc/public/EthicsGuidelines?

Answer: [Yes]

Justification: The authors confirm the paper conform, in every respect, with the NeurIPS Code of Ethics.

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a
 deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [Yes]

Justification: Discussed in the conclusion.

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.

- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

Answer: [NA]

Justification: Datasets are scraped from YouTube which itself provides filtering for harmful content.

Guidelines:

- The answer NA means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [NA]

Justification: The paper does not use existing assets.

- The answer NA means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.
- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.

 If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. New assets

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [Yes]

Justification: Links to YouTube content are provided by prior work. The evaluation dataset transformed beyond recognition from the source and considered fair use for non-commercial use

Guidelines:

- The answer NA means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. Crowdsourcing and research with human subjects

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects. Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional review board (IRB) approvals or equivalent for research with human subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects. Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

16. Declaration of LLM usage

Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the core methods in this research? Note that if the LLM is used only for writing, editing, or formatting purposes and does not impact the core methodology, scientific rigorousness, or originality of the research, declaration is not required.

Answer: [NA]

Justification: The core method development in this research does not involve LLMs as any important, original, or non-standard components.

- The answer NA means that the core method development in this research does not involve LLMs as any important, original, or non-standard components.
- Please refer to our LLM policy (https://neurips.cc/Conferences/2025/LLM) for what should or should not be described.




Figure 6: The Graphical User Interface (GUI) for manual verification of object point tracks. Users can accept tracks to be passed to the next stage of the pipeline or reject them.

A Dataset Verification

To ensure high dataset fidelity, we employ a two-stage manual verification process. First, we validate the output of the point tracker on object-centred perspective crops, as detailed in *Perspective Projections and Point Tracks*. To streamline this step, we developed a verification GUI (Fig. 6) that enables an operator to efficiently accept or reject point tracks before they proceed to the camera motion emulation stage. Second, following camera emulation, a visualisation tool (Fig. 7) is used to confirm that the final data is plausible, accurate, and sufficiently diverse.

B Dynamic Object Classes

To query LangSAM, we select a curated list of object categories that are typically associated with dynamic behavior in real-world scenes. This strategy is aimed at maximizing the likelihood of capturing non-static points. The chosen categories are: person, bird, fish, insect, dog, cat, horse, snake, animal, car, bike, motorcycle, train, airplane, boat, ship, helicopter, submarine, rocket, bus, truck, robot, drone, conveyor belt, wind turbine, fan, clock hands, gears, ball, frisbee, pendulum, swing, yo-yo, kite, and shopping cart.




Figure 7: 3D Viser [33] based viewer used to check camera motion strategies and frustrum alignment. The 360 video wraps around the sampled perspective camera frustum shown here in orange. Local camera axis and world coordinate axis are also shown.

C Perspective Camera Sampling Methods

Given a specified number of frames N, we aim to generate a sequence of rotation matrices $\{\mathbf{R}_i\}_{i=0}^{N-1}$ simulating a form of camera motion. To achieve this we sample from a range of motion strategies, as well as employing an optional back-to-front (btf) strategy.

C.1 Motion Strategies for Framewise Rotation

We define a motion strategy that governs the per-frame rotational deltas applied to an initial rotation matrix $\mathbf{R}_0 \in \mathrm{SO}(3)$, producing a sequence $\{\mathbf{R}_i\}_{i=0}^{N-1}$. The framewise deltas are determined by a selected motion type: spiral, random, simulated human, static, or spin. At each time step i, we compute pitch (α_i) , roll (β_i) , and yaw (γ_i) angles, and update the rotation matrix accordingly:

$$\mathbf{R}_{i+1} = \mathbf{R}_i \cdot \mathbf{R}_{\text{update}}(\alpha_i, \beta_i, \gamma_i)$$

where $\mathbf{R}_{\text{update}} \in SO(3)$ represents the combined rotation induced by pitch (α) , roll (β) , and yaw (γ) angles, applied in a fixed axis order (e.g., XYZ).

Let N be the total number of frames, and θ_{\min} , $\theta_{\max} \in \mathbb{R}$ be the angular bounds.

• Spiral Motion:

$$\alpha_i = \gamma_i = \left(\frac{i(\theta_{\max} - \theta_{\min})}{N}\right) \bmod 360^{\circ}, \quad \beta_i = 0$$

• Random Motion:

$$\alpha_i \sim \mathcal{U}_{\mathbb{Z}}[\theta_{\min}, \theta_{\max}], \quad \beta_i \sim \mathcal{U}_{\mathbb{Z}}[\theta_{\min}, \theta_{\max}], \quad \gamma_i \sim \mathcal{U}_{\mathbb{Z}}[\theta_{\min}, \theta_{\max}]$$

where $\mathcal{U}_{\mathbb{Z}}[a,b]$ denotes a uniform discrete distribution over integers in [a,b].

• **Simulated Human Motion:** Inspired by [34], this strategy mimics natural human motion by combining a sinusoidal **oscillatory term** $(A_j \sin(\omega i))$, a **linear drift term** $(D_k i)$, and a per-frame **noise term** $(\epsilon_i(i))$. The resulting rotational deltas are defined as:

$$\beta_i = A_r \sin(\omega i) + \epsilon_r(i) \tag{2}$$

$$\alpha_i = A_n \sin(\omega i) + D_n i + \epsilon_n(i) \tag{3}$$

$$\gamma_i = A_y \sin(\omega i) + D_y i + \epsilon_y(i) \tag{4}$$

where parameters are sampled once per sequence (unless noted) from:

$$\begin{split} A_{j} &\sim \mathcal{U}(0, A_{j, \max}) & \text{for axes } j \in \{r, p, y\} \\ D_{k} &\sim \mathcal{U}(-D_{k, \max}, D_{k, \max}) & \text{for axes } k \in \{p, y\} \\ \omega &\sim \mathcal{U}(\omega_{\min}, \omega_{\max}) \\ \epsilon_{j}(i) &\sim \mathcal{N}(0, \sigma_{j}^{2}) & \text{(per frame)} \end{split}$$

• Static Motion (Original Camera Motion):

$$\alpha_i = \beta_i = \gamma_i = 0$$

• Spin Sequence (with Optional Noise):

In this strategy, the camera undergoes consistent rotation about a single axis $a \in \{x, y, z\}$, optionally perturbed by zero-mean noise. The nominal step size is:

$$\Delta\theta = \frac{360^{\circ}}{N}$$

A noise vector $\epsilon \in \mathbb{R}^N$, where $\epsilon_i \sim \mathcal{U}(-\eta \Delta \theta, \eta \Delta \theta)$ for some noise ratio $\eta \in [0, 1]$, is used to perturb the steps:

$$\epsilon \leftarrow \epsilon - \frac{1}{N} \sum_{i=1}^{N} \epsilon_i$$

The final rotation step per frame becomes:

$$\theta_i = \Delta \theta + \epsilon_i$$

The corresponding Euler angle update is applied only along axis a, with others zeroed.

C.2 Back-to-Front (btf) Sampling Strategy for Symmetric Motion Sequences

To simulate temporally coherent and reversible motion patterns, we introduce a rotation sampling procedure called back-to-front (btf). This approach constructs a symmetric camera motion sequence centered around a middle frame, ensuring the target object remains in view at both the start and end of the sequence, while allowing flexible motion in the intervening frames.

Given an initial sequence of rotation matrices $\{\mathbf{R}_i^{(0)}\}_{i=0}^{N-1}$, we define a subset of frames around the temporal midpoint to undergo smooth motion governed by a selected motion strategy (listed in Section C.1). We then mirror the motion to maintain temporal symmetry.

Midpoint-Based Symmetric Sampling Let N be the total number of frames, and define:

$$m = \left\lfloor \frac{N}{2} \right\rfloor \quad \text{(temporal midpoint)}$$

We randomly select an even number of frames $k \in \{N_{\min}, \dots, N_{\max}\}$ such that:

$$N_{\min} = \left\lfloor \frac{N}{2} \right
floor, \quad N_{\max} = N - 2 \cdot s$$

where s=2 is a buffer to ensure the motion does not affect sequence boundaries. Let:

$$i_s = m - \frac{k}{2}, \quad i_e = i_s + k$$

Forward and Reverse Rotation Generation Let $\{\mathbf{R}_i^{\text{init}}\}_{i=i_s}^{i_e}$ be the initial rotations for the selected region. We generate forward motion using a motion function \mathcal{M} (e.g., SpinSequence along axis z):

$$\{\mathbf{R}_j^{\text{fwd}}\}_{j=0}^{k_f-1} = \mathcal{M}(k_f, \{\mathbf{R}_i^{\text{init}}\}_{i=i_s}^m)$$

where $k_f = m - i_s$. The reverse motion is then defined as:

$$\{\mathbf{R}_{j}^{\text{rev}}\}_{j=0}^{k_f-2} = \text{Flip}\left(\{\mathbf{R}_{j}^{\text{fwd}}\}_{j=0}^{k_f-2}\right)$$

Finally, we construct the symmetric update:

$$\{\mathbf{R}_i^{\mathrm{new}}\}_{i=i_s}^{i_e-1} = \{\mathbf{R}_j^{\mathrm{fwd}}\}_{j=0}^{k_f-1} \cup \{\mathbf{R}_j^{\mathrm{rev}}\}_{j=0}^{k_f-2}$$

Rotation Type	$<\delta^x_{ ext{avg all}}\uparrow$	$<\delta^x_{ m avgif}\uparrow$	$<\delta^x_{ m avgoof}\uparrow$	$AD_{\mathrm{avg}\mathrm{all}}^{x}\downarrow$	$AD_{\mathrm{avgif}}^{x}\downarrow$	$AD_{\mathrm{avg}\mathrm{oof}}^{x}\downarrow$
Spiral	0.3462 ± 0.1240	0.4961 ± 0.1094	0.2566 ± 0.1430	4.0407 ± 4.9899	2.2302 ± 2.4922	5.0982 ±6.5514
Random	0.1566 ± 0.0730	0.3145 ± 0.1148	0.0634 ± 0.0551	11.0680 ± 8.5585	4.4965 ± 5.5455	$14.4932 \pm _{10.6052}$
Simulated Human	0.2531 ± 0.0793	0.4293 ± 0.1188	0.0806 ± 0.0708	8.3346 ± 6.3253	3.9910 ± 4.4522	12.2939 ± 8.7871
btf (back-to-front)	0.2179 ± 0.0792	0.3965 ± 0.1244	0.0544 ± 0.0500	10.2299 ± 7.2768	$4.2174 \pm \scriptstyle{4.1245}$	$15.2938 \pm {\scriptstyle 10.4913}$
Spin X	0.2591 ± 0.0682	0.4390 ± 0.0820	0.1190 ± 0.0703	6.2751 ± 4.6889	4.0033 ± 2.4147	7.9345 ± 6.2233
Spin Y	0.1442 ± 0.0362	0.3409 ± 0.0673	0.0036 ± 0.0056	31.4775 ± 13.6024	7.1785 ± 4.5654	49.1963 ± 22.9266
Spin Z	0.2716 ± 0.0737	0.4081 ± 0.0858	0.1327 ± 0.0769	6.0986 ± 4.4115	4.5028 ± 3.4054	7.6715 ± 5.7018
Static	0.1354 ± 0.0552	0.3254 ± 0.1044	0.0144 ± 0.0234	18.1220 ± 9.6174	5.6064 ± 4.0628	$25.8741 \pm {}_{12.8718}$

Table 4: CoTracker360 results on camera-motion-type subsets of the data.

Category	$<\delta^x_{ ext{avg all}}\uparrow$	$<\delta^x_{ m avgif}\uparrow$	$<\delta^x_{\rm avgoof}\uparrow$	$AD_{\mathrm{avg}\mathrm{all}}^{x} \downarrow$	$AD^x_{\mathrm{avgif}} \downarrow$	$AD_{\mathrm{avgoof}}^x\downarrow$
People & Blogs	0.2187 ± 0.1034	0.3775 ±0.1253	0.1011 ±0.0987	8.7376 ±7.5396	4.2186 ±4.1966	11.6186 ±9.9570
Entertainment	0.2326 ± 0.1055	0.3959 ± 0.1213	0.1127 ± 0.1041	8.1384 ± 6.7665	3.8117 ± 3.3887	10.8634 ± 9.1534
Gaming	0.2087 ± 0.1043	0.3626 ± 0.1305	0.0965 ± 0.0936	9.8318 ± 9.2392	4.8049 ± 4.8847	12.9421 ± 12.1378
Music	0.2525 ± 0.1153	0.4069 ± 0.1300	0.1361 ± 0.1180	7.3109 ± 8.5737	4.0196 ± 8.3218	9.4702 ± 9.6809
Autos & Vehicles	0.2222 ± 0.1085	0.3650 ± 0.1305	0.1188 ± 0.1022	7.9885 ± 6.0648	4.1886 ± 3.4097	10.3286 ± 8.0348
Sports	0.2244 ± 0.1026	0.3831 ± 0.1236	0.1065 ± 0.0961	8.4316 ± 7.3019	4.0932 ± 3.7952	11.1472 ± 9.8152
Travel & Events	0.2230 ± 0.1047	0.3876 ± 0.1239	0.1021 ± 0.1017	8.8244 ± 7.4239	3.9860 ± 3.5132	11.8718 ± 10.1599
Film & Animation	0.2207 ± 0.1056	0.3806 ± 0.1259	0.1047 ± 0.0983	8.5694 ± 7.3663	4.0472 ± 3.5918	11.2320 ± 9.3025
Science & Technology	0.2282 ± 0.1087	0.3935 ± 0.1335	0.1103 ± 0.1012	$8.2426 \pm \scriptstyle{6.8832}$	4.0457 ± 4.0657	10.8628 ± 8.7709
News & Politics	0.2353 ± 0.1102	0.3914 ± 0.1283	0.1188 ± 0.1076	7.9090 ± 8.3056	4.0294 ± 5.8545	10.3167 ± 9.9797
Comedy	0.2462 ± 0.1020	0.4010 ± 0.1192	0.1286 ± 0.0994	$7.4292 {\scriptstyle~\pm 6.3229}$	3.9414 ± 3.8063	9.9137 ± 8.8446
Education	0.2414 ± 0.1080	0.4025 ± 0.1192	0.1205 ± 0.1082	7.7933 ± 6.3804	3.8595 ± 3.7169	10.3621 ± 8.5833
Nonprofits & Activism	0.2353 ± 0.1080	0.3989 ± 0.1282	0.1161 ± 0.1030	8.0270 ± 6.7501	3.8404 ± 3.2821	10.6153 ± 9.2540
Howto & Style	0.2356 ± 0.0971	0.3965 ± 0.1126	0.1187 ± 0.0992	7.1260 ± 4.7993	3.5662 ± 2.9108	9.5412 ± 6.6137
Pets & Animals	0.2061 ± 0.1025	0.3758 ± 0.1198	0.0917 ± 0.0876	9.7361 ± 7.9589	4.2521 ± 3.1416	12.5534 ± 9.4720

Table 5: CoTracker360 results on subsets of the dataset split by category.

Final Sequence The new rotation sequence is given by:

$$\mathbf{R}_i = \begin{cases} \mathbf{R}_i^{(0)} & \text{if } i \notin [i_s, i_e - 1] \\ \mathbf{R}_i^{\text{new}} & \text{otherwise} \end{cases}$$

D Metrics Across Rotations and Subcategories

Table 4 presents the performance of our CoTracker360 on various camera emulation methods. The model achieves the best results with the Spiral motion, likely because objects often remain partially visible or near the frame's edge, simplifying position estimation. In contrast, the Spin Y motion is the most challenging due to its roll rotation, which requires the model to track objects as they become inverted.

Table 5 presents the performance of CoTracker360 on the video subcategories of the TAPVid360-10k dataset. The results are consistent across all categories, demonstrating that our method generalises effectively to diverse objects and environments.




Figure 8: Further examples of the TAPVid360-10k dataset.