

SHIELD: Defending Textual Neural Networks against Black-Box Adversarial Attacks with Stochastic Multi-Expert Patcher

Anonymous ACL submission

Abstract

Even though several methods have proposed to defend textual neural network (NN) models against black-box adversarial attacks, they often defend against a specific text perturbation strategy and/or require re-training the models from scratch. This leads to a lack of generalization in practice and redundant computation. In particular, the state-of-the-art transformer models (e.g., BERT, RoBERTa) require great time and computation resources. By borrowing an idea from *software engineering*, in order to address these limitations, we propose a novel algorithm, SHIELD, which modifies and re-trains only the last layer of a textual NN, and thus it “patches” and “transforms” the NN into a stochastic weighted ensemble of multi-expert prediction heads. Considering that most of current black-box attacks rely on iterative search mechanisms to optimize their adversarial perturbations, SHIELD confuses the attackers by automatically utilizing different weighted ensembles of predictors depending on the input. In other words, SHIELD breaks a fundamental assumption of the attack, which is a victim NN model remains constant during an attack. By conducting comprehensive experiments, we demonstrate that all of CNN, RNN, BERT, and RoBERTa-based textual NNs, once patched by SHIELD, exhibit a relative enhancement of 15%–70% in accuracy on average against 14 different black-box attacks, outperforming 6 defensive baselines across 3 public datasets. All codes are to be released.

1 Introduction

Adversarial Text Attack and Defense. After being trained to maximize prediction performance, textual NN models frequently become vulnerable to adversarial attacks (Papernot et al., 2016; Wang et al., 2019a). In the NLP domain, in general, adversaries utilize different strategies to perturb an input sentence such that its semantic meaning is

preserved while successfully letting a target NN model output a desired prediction. Text perturbations are typically generated by replacing or inserting critical words (e.g., HotFlip (Ebrahimi et al., 2018), TextFooler (Jin et al., 2019)), characters (e.g., DeepWordBug (Gao et al.), TextBugger (Li et al., 2018)) in a sentence or by manipulating a whole sentence (e.g., SCPNA (Iyyer et al., 2018), GAN-based(Zhao et al., 2018)).

Since many recent NLP models are known to be vulnerable to adversarial black-box attacks (e.g., fake news detection (Le et al., 2020; Zhou et al., 2019b), dialog systems (Cheng et al., 2019), and so on), robust defenses for textual NN models are required. Even though several papers have proposed to defend NNs against such attacks, they were designed for either a specific type of attack (e.g., word or synonym substitution (Wang et al., 2021; Dong et al., 2021; Mozes et al., 2020; Zhou et al., 2021), misspellings (Pruthi et al., 2019), character-level (Pruthi et al., 2019), or word-based (Le et al., 2021)). Even though there exist some general defensive methods, most of them enrich NN models by re-training them with adversarial data augmented via known attack strategies (Miyato et al., 2016; Liu et al., 2020; Pang et al., 2020) or with external information such as knowledge graphs (Li and Sethy, 2019).

However, these augmentations often induce substantial overhead in training or are still limited to only a small set of predefined attacks (e.g., (Zhou et al., 2019a)). Hence, we are in search of defense algorithms that directly enhance NN models’ structures (e.g., (Li and Sethy, 2019)) while achieving higher generalization capability without the need of acquiring additional data.

Motivation (Fig. 1). Different from white-box attacks, black-box attacks do not have access to a target model’s parameters, which are crucial for achieving effective attacks. Hence, attackers often query the target model repeatedly to acquire the




Figure 1: Motivation of SHIELD: An attacker optimizes a step objective function (score) to search for the best perturbation by iteratively replacing each of the original 5 tokens with a perturbed one. (A) The attacker assumes the model *remains unchanged* and (B) gives coherent signal during the iteration search, resulting in the true *best* attack: “dirty”→“dirrty”. (C) A model patched with SHIELD utilizes a weighted ensemble of 3 diverse heads depending on the input. Therefore, the ensemble weights keep changing over time during adversaries’ perturbation search processes – the line width represents the ensemble weights. (D) SHIELD confuses the attacker with 3 *varying* distributions of the score, resulting in a sub-optimal attack “people”→“pe0ple”.

084 necessary information for optimizing their strategy.
 085 From our analyses of 14 black-box attacks
 086 published during 2018–2020 (Table 1), all of them,
 087 except for *SCPNA* (Iyyer et al., 2018), rely on a
 088 searching algorithm (e.g., greedy, genetic) to iteratively
 089 replace each character/word in a sentence
 090 with a perturbation candidate to optimize the choice
 091 of characters/words and how they should be crafted
 092 to attack the target model (Fig. 1A). Even though
 093 this process is effective in terms of attack performance,
 094 they assume that the model’s parameters remain “unchanged”
 095 and the model outputs “coherent” signals during the
 096 iterative search (Fig. 1A and 1B). Our key intuition is,
 097 however, *to obfuscate the attackers by breaking this assumption*.
 098 Specifically, we want to develop an algorithm that
 099 automatically utilizes a diverse set of models during
 100 inference. This can be done by training multiple sub-
 101 models instead of a single prediction model and
 102 randomly select one of them during inference to
 103 obfuscate the iterative search mechanism. However,
 104 this then introduces impractical computational overhead
 105 during both training and inference, especially when
 106 one wants to maximize prediction accuracy by utilizing
 107 complex SOTA sub-models such as BERT (Devlin et al.,
 108 2019) and RoBERTa (Liu et al., 2019b). Moreover,
 109 it also does not guarantee that trained models are
 110 sufficiently diverse to fool attackers. Furthermore,
 111 applying this strategy to existing NN models would
 112 also require re-training everything from the scratch,
 113 rendering the approach impractical.

116 **Proposal.** To address these challenges, we borrow
 117 ideas from *software engineering* where bugs can be
 118 readily removed by an external installation patch.
 119 Specifically, we develop a novel neural patching
 120 algorithm, named as SHIELD, which patches only the
 121 last layer of an already deployed textual NN

Attack Method	Search Method	Atk Level	Sem. Presv.	Natr. Presv.
SCPNA Iyyer et al.	TP	SN	✓	✓
TextBugger(TB) Li et al.	GD	CR	✓	
DeepWordBug(DW) Gao et al.	GD	CR	✓	
Kuleshov Kuleshov et al.	GD	WD	✓	✓
TextFooler(TF) Jin et al.	GD	WD	✓	
IGA Wang et al.	GN	WD		
Pruthi Pruthi et al.	GD	CR		
PWWS(PS) Ren et al.	GD	WD		
Alzantot Alzantot et al.	GN	WD		✓
BAE Garg and Ramakrishnan	GD	WD	✓	
BERT-Atk(BERTK) Li et al.	GD	WD	✓	
PSO Zang et al.	GN	WD		
Checklist Ribeiro et al.	GD	WD		
Clare Li et al.	GD	WD	✓	✓

TP: Template; GD: Greedy; GN: Genetics
 CR: Character; WD: Word; SN: Sentence

Table 1: Different attack methods with i) how they search for adversarial perturbations, ii) their attack level, and iii) whether they maintain the original semantics (*Sem. Presv.*), pursue the naturalness of the perturbed sentence (*Natr. Presv.*), or both of them.

122 model (e.g., CNN, RNN, transformers(Vaswani
 123 et al., 2017; Bahdanau et al.)) and transforms it into
 124 an ensemble of multi-experts or *prediction heads*
 125 (Fig. 1C). During inference, then SHIELD automatically
 126 utilizes a stochastic weighted ensemble of experts
 127 for prediction depending on inputs. This will
 128 obfuscate adversaries’ perturbation search, making
 129 black-box attacks much more difficult regardless
 130 of attack types, e.g., character or word level
 131 attacks (Fig. 1C,D). By patching only the last layer
 132 of a model, SHIELD also introduces lightweight
 133 computational overhead and requires no additional
 134 training data. In summary, our contributions are as
 135 follows:

- We propose SHIELD, a novel neural patching algorithm that transforms a already-trained NN model to a *stochastic* ensemble of multi-experts

with little computational overhead.

- We demonstrate the effectiveness of SHIELD. CNN, RNN, BERT, and RoBERTa-based textual models patched by SHIELD achieve an increase of 15%–70% on their robustness across 14 different black-box attacks, outperforming 6 defensive baselines on 3 public NLP datasets.
- To the best of our knowledge, this work by far includes the most comprehensive evaluation for the defense against black-box attacks.

2 The Proposed Method: SHIELD

We introduce *Stochastic Multi-Expert Neural Patcher* (SHIELD) which patches *only* the last layer of an already *trained* NN model $f(\mathbf{x}, \theta)$ and transforms it into an ensemble of multiple expert predictors with stochastic weights. These predictors are designed to be strategically selected with different weights during inference depending on the input. This is realized by two complementary modules, namely (i) a *Stochastic Ensemble (SE)* module that transforms $f(\cdot)$ into a randomized ensemble of different heads and (ii) a *Multi-Expert (ME)* module that uses Neural Architecture Search (NAS) to dynamically learn the optimal architecture of each head to promote their diversity.

2.1 A Stochastic Ensemble (SE) Module

This module extends the last layer of $f(\cdot)$, which is typically a fully-connected layer (followed by a softmax for classification), to an ensemble of K *prediction heads*, denoted $\mathcal{H} = \{h(\cdot)\}_j^K$. Each head $h_j(\cdot)$, parameterized by θ_{h_j} , is an expert predictor that is fed with a feature representation learned by *up to the second-last layer* of $f(\cdot)$ and outputs a prediction logit score:

$$h_j : f(\mathbf{x}, \theta_{L-1}^*) \in \mathbb{R}^Q \mapsto \tilde{y}_j \in \mathbb{R}^M, \quad (1)$$

where θ_{L-1}^* are *fixed* parameters of f up to the last prediction head layer, Q is the size of the feature representation of \mathbf{x} generated by the base model $f(\mathbf{x}, \theta_{L-1}^*)$, and M is the number of labels. To aggregate all logit scores returned from all heads, then, a classical ensemble method would average them as the final prediction: $\hat{y}^* = \frac{1}{K} \sum_j^K \tilde{y}_j$. However, this simple aggregation assumes each $h_j(\cdot) \in \mathcal{H}$ learns from very similar training signals. Hence, when θ_{L-1}^* already learns some of the task-dependent information, \mathcal{H} will eventually converge *not* to a set of experts but very similar predictors.

To resolve this issue, we introduce stochasticity into the process by assigning *prediction heads with stochastic weights* during both training and inference. Specifically, we introduce a new aggregation mechanism:

$$\hat{y} = \frac{1}{K} \sum_j^K \alpha_j w_j \tilde{y}_j, \quad (2)$$

where w_j weights \tilde{y}_j according to head j 's expertise on the current input \mathbf{x} , and $\alpha_j \in [0, 1]$ is a probabilistic scalar, representing how much of the weight w_j should be accounted for. Let us denote $w, \alpha \in \mathbb{R}^K$ as vectors containing all scalars w_j and α_j , respectively, and $\tilde{\mathbf{y}} \in \mathbb{R}^{(K \times M)}$ as the concatenation of all vectors \tilde{y}_j returned from each of the heads. We calculate w and α as follows:

$$w = \mathbf{W}^T (\tilde{\mathbf{y}} \oplus f(\mathbf{x}, \theta_{L-1}^*)) + \mathbf{b}, \quad (3)$$

$$\alpha = \text{softmax}((w + \mathbf{g})/\tau), \quad (4)$$

where $\mathbf{W} \in \mathbb{R}^{(K \times M + Q) \times K}$, $\mathbf{b} \in \mathbb{R}^K$ are trainable parameters, $\mathbf{g} \in \mathbb{R}^K$ is a noise vector sampled from the *Standard Gumbel Distribution* and therefore, probability vector α is sampled by a technique known as *Gumbel-Softmax* (Jang et al., 2016) controlled by the noise vector \mathbf{g} and the inverse-temperature τ . Unlike the standard Softmax, the Gumbel-Softmax is able to learn a categorical distribution (over K heads) optimized for a downstream task (Jang et al., 2016). Annealing $\tau \rightarrow 0$ encourages a pseudo one-hot vector (e.g., [0.94, 0.03, 0.01, 0.02] when $K=4$), which makes Eq. (2) a mixture of experts (Avnimelech and Intrator, 1999). Importantly, α is sampled in an inherently stochastic way depending on the gumbel noise \mathbf{g} .

While \mathbf{W}, \mathbf{b} is learned to *deterministically* assigns more weights w to heads that are experts for each input \mathbf{x} (Eq. (3)), α introduces *stochasticity* into the final logits. The multiplication of $\alpha_j w_j$ in Eq. (2) then enables us to use different sets of weighted ensemble models *while still maintaining the ranking of the most important head*. Thus, this further diversifies the learning of each expert and confuse attackers when they iteratively try different inputs to find good adversarial perturbations.

Finally, to train this module, we use Eq. (2) as the final prediction and train the whole module with *Negative Log Likelihood (NLL)* loss following the objective:

$$\min_{\mathbf{W}, \mathbf{b}, \{\theta_h\}_j^K} \mathcal{L}_{\text{SE}} = -\frac{1}{N} \sum_i^N y_i \log(\text{softmax}(\hat{y}_i)). \quad (5)$$

Algorithm 1 Training SHIELD Algorithm.

- 1: **Input:** pre-trained neural network $f(\cdot)$
 - 2: **Input:** $\mathcal{O}, K, \tau, \gamma$
 - 3: *Initialize* $\mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}}, \{\beta\}_j^K$
 - 4: **repeat**
 - 5: Freeze $\{\beta\}_j^K$ and optimize $\mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}}$ via Eq. (5) in mini-batch from *train* set.
 - 6: Freeze $\mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}}$ and optimize $\{\beta\}_j^K$ via Eq. (8) with γ multiplier in mini-batch from *validation* set.
 - 7: **until** convergence
-

2.2 A Multi-Expert (ME) Module

While the *SE* module facilitates stochastic weighted ensemble among heads, the *ME* module searches for the optimal architecture for each head that maximizes the diversity in how they make predictions. To do this, we utilize the DARTS algorithm (Liu et al., 2019a) as follows. Let us denote $\mathcal{O}_j = \{o_j(\cdot)\}_t^T$ where T is the number of possible architectures to be selected for $h_j \in \mathcal{H}$. We want to learn a one-hot encoded *selection* vector $\beta_j \in \mathbb{R}^T$ that assigns $h_j(\cdot) \leftarrow o_{j, \text{argmax}(\beta_j)}(\cdot)$ during prediction. Since $\text{argmax}(\cdot)$ operation is not differentiable, during training, we relax the categorical assignment of the architecture for $h_j(\cdot) \in \mathcal{H}$ to a softmax over all possible networks in \mathcal{O}_j :

$$h_j(\cdot) \leftarrow \frac{1}{T} \sum_t \frac{\exp(\beta_j^t)}{\sum_t \exp(\beta_j^t)} o_{j,t}(\cdot). \quad (6)$$

However, the original DARTS algorithm *only* optimizes prediction performance. In our case, we also want to promote the diversity among heads. To do this, we force each $h_j(\cdot)$ to specialize in different features of an input, i.e., in how it makes predictions. This can be achieved by *maximizing* the difference among the gradients of the word-embedding \mathbf{e}_i of input \mathbf{x}_i w.r.t to the outputs of each $h_j(\cdot) \in \mathcal{H}$. Hence, given a fixed set of parameters $\theta_{\mathcal{O}}$ of all possible networks for every heads, we train all selection vectors $\{\beta\}_j^K$ by optimizing the objective:

$$\begin{aligned} \text{minimize}_{\{\beta\}_j^K} \mathcal{L}_{\text{experts}} = \\ \sum_i \sum_{n < m}^K \left(d(\nabla_{\mathbf{e}_i} \mathcal{J}_n; \nabla_{\mathbf{e}_i} \mathcal{J}_m) - \|\nabla_{\mathbf{e}_i} \mathcal{J}_n - \nabla_{\mathbf{e}_i} \mathcal{J}_m\|_2 \right) \end{aligned} \quad (7)$$

where $d(\cdot)$ is the cosine-similarity function, and \mathcal{J}_j is the NLL loss as if we only use a single prediction head h_j . In this module, however, not only do we want to maximize the differences among gradients vectors, but also we want to ensure the selected architectures eventually converge to good prediction

	#Class	#Vocab	#Example
MR (Pang and Lee, 2005)	2	19K	11K
CB (Anand et al., 2017)	2	25K	32K
HS (Davidson et al.)	3	35K	25K

Table 2: Statistics of experimental datasets.

performance. Therefore, we train the whole *ME* module with the following objective:

$$\text{minimize}_{\{\beta\}_j^K} \mathcal{L}_{ME} = \mathcal{L}_{SE} + \gamma \mathcal{L}_{\text{experts}}. \quad (8)$$

2.3 Overall Framework

To combine the *SE* and *ME* modules, we replace Eq. (6) into Eq. (1) and optimize the overall objective:

$$\begin{aligned} \text{minimize}_{\{\beta\}_j^K} \mathcal{L}_{ME}^{\text{val}} + \gamma \mathcal{L}_{\text{experts}}^{\text{val}} \quad \text{s.t.} \\ \mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}} = \text{minimize}_{\mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}}} \mathcal{L}_{SE}^{\text{train}}. \end{aligned} \quad (9)$$

We employ an *iterative* training strategy (Liu et al., 2019a) with the *Adam* optimization algorithm (Kingma and Ba, 2013) as in Alg. 1. By alternately freezing and training $\mathbf{W}, \mathbf{b}, \theta_{\mathcal{O}}$ and $\{\beta\}_j^K$ using a training set $\mathcal{D}_{\text{train}}$ and a validation set \mathcal{D}_{val} , we want to (i) achieve high quality prediction performance through Eq. (5) and (ii) select the optimal architecture for each expert to maximize their specialization through Eq. (7).

3 Experimental Evaluation

3.1 Set-up

Datasets & Metric. Table 2 shows the statistics of all experimental datasets: Clickbait detection (CB) (Anand et al., 2017), Hate Speech detection (HS) (Davidson et al.) and Movie Reviews classification (MR) (Pang and Lee, 2005). We split each dataset into *train*, *validation* and *test* set with the ratio of 8:1:1 whenever standard public splits are not available. To report prediction performance on clean examples, we use the *weighted F1* score to take the distribution of prediction labels into consideration. To report the robustness, we report prediction *accuracy* under adversarial attacks (Morris et al., 2020), i.e., # of failed attacks over total # of examples. A failed attack is only counted when the attacker fails to perturb (i.e., fail to flip the label of a *correctly predicted* clean example).

Defense Baselines. We want to defend four textual NN models (base models) of different architectures, namely RNN with GRU cells (Chung et al.), *transformer*-based BERT (Devlin et al., 2019) and

RoBERTa (Liu et al., 2019b). We compare SHIELD with the following six defensive baselines:

- *Ensemble (Ens.)* is the classical ensemble of 5 different *base models*. We use the average of all NLL losses from the base models as the final training loss.
- *Diversity Training (DT)* (Kariyappa and Qureshi, 2019) is a variant of the *Ensemble* baseline where a regularization term is added to maximize the coherency of gradient vectors of the input text w.r.t each sub-model. DT diversifies the feature-level expertise among heads.
- *Adaptive Diversity Promoting (ADP)* (Pang et al., 2019) is a variant of *Ensemble* baseline where a regularization term is added to maximize the diversity among non-maximal predictions of individual sub-models. ADP diversifies the class-level expertise among heads.
- *Mixup Training (Mixup)* (Zhang et al., 2018; Si et al.) trains a *base model* with data constructed by linear interpolation of two random training samples. In this work, we use *Mixup* to regularize a NN to adapt linear transformation in-between the continuous embeddings of training samples.
- *Adversarial Training (AdvT)* (Miyato et al., 2016) is a semi-supervised algorithm that optimizes the NLL loss on the original training samples plus adversarial inputs.
- *Robust Word Recognizer (ScRNN)* (Pruthi et al., 2019) detects and corrects potential adversarial perturbations or misspellings in a text before feeding it to the base model for prediction.

Note that due to the insufficient memory of GPU Titian Xp to simultaneously train several BERT and RoBERTa sub-models, we exclude *Ensemble*, *DT*, and *ADP* baseline for them.

Attacks. We comprehensively evaluate SHIELD under 14 different black-box attacks (Table 1). These attacks differ in their attack levels (e.g., character, word, sentence-based), optimization algorithms for searching adversarial perturbations (e.g., through fixed templates, greedy, genetic-based search). Apart from lexical constraints such as limiting # or % of words to manipulate in a sentence, ignoring stop-words, etc., many of them also preserve the semantic meanings of a generated adversarial text via constraining the *l2 distance* between its representation vector and that of the

Model/Dataset	MR	HS	CB	AVG
RNN	0.73	0.88	0.97	0.86
+Ensemble	0.80	0.90	0.97	0.89
+DT	0.80	0.86	0.97	0.88
+ADP	0.80	0.88	0.97	0.88
+Mixup	0.77	0.87	0.97	0.87
+AdvT	0.76	0.89	0.98	0.88
+ScRNN	0.79	0.85	0.96	0.87
+SHIELD	0.78	0.86	0.97	0.87 (↑1.3%)
BERT	0.84	0.90	1.00	0.91
+Mixup	0.81	0.89	0.99	0.90
+AdvT	0.85	0.91	0.99	0.92
+ScRNN	0.83	0.90	0.99	0.91
+SHIELD	0.86	0.90	0.99	0.91 (0%)
RoBERTa	0.88	0.89	1.00	0.92
+Mixup	0.88	0.91	0.99	0.93
+AdvT	0.87	0.89	0.99	0.92
+ScRNN	0.88	0.90	0.99	0.92
+SHIELD	0.88	0.89	0.99	0.92 (0%)

Table 3: Prediction F1 on clean examples. On average, SHIELD is still able to maintain the original fidelity.

original text produced by either Universal Sentence Encoder (USE) (Cer et al., 2018) or GloVe embeddings (Pennington et al., 2014). Moreover, to ensure that the perturbed texts still look natural, a few of the attack methods employ an external pre-trained language model (e.g., BERT (Devlin et al., 2019), L2W (Holtzman et al., 2018)) to optimize the log-likelihood of the adversarial texts. Due to computational limit, we only compare SHIELD with other baselines in 3 representative attacks, namely *TextFooler* (Jin et al., 2019), *DeepWord-Bug* (Gao et al.) and *PWWS* (Ren et al., 2019). They are among the most effective attacks. To ensure fairness and reproducibility, we use the external *TextAttack* (Morris et al., 2020) and *OpenAttack* (Zeng et al., 2021). framework for adversarial text generation and evaluation.

Implementation. We train SHIELD of 5 experts ($K=5$) with $\gamma=0.5$. For each expert, we set \mathcal{O}_j to 3 ($T=3$) possible networks: FCN with 1, 2 and 3 hidden layer(s). For each dataset, we use *grid-search* to search for the best τ value from $\{1.0, 0.1, 0.01, 0.001\}$ based on the averaged defense performance on the *validation* set under *TextFooler* (Jin et al., 2019) and *DeepWord-Bug* (Gao et al.). We use 10% of the training set as a separate development set during training with early-stop to prevent overfitting. We report the performance of **the best single model across all attacks** on the test set. The Appendix includes all details on all models’ parameters and implementation. We will release the code of SHIELD.

Dataset	Movie Reviews						Hate Speech						Clickbait					
	RNN		BERT		RoBERTa		RNN		BERT		RoBERTa		RNN		BERT		RoBERTa	
Attack	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.
SCPNA	0.37	0.32	0.27	0.24	0.27	0.28	0.51	0.72	0.25	0.29	0.23	0.3	0.51	0.5	0.44	0.49	0.4	0.4
TB	0.2	0.32	0.28	0.37	0.28	0.5	0.35	0.61	0.48	0.59	0.51	0.6	0.79	0.86	0.87	0.93	0.89	0.94
DW	0.2	0.44	0.27	0.42	0.16	0.55	0.27	0.47	0.27	0.55	0.41	0.55	0.67	0.9	0.58	0.95	0.68	0.96
Kuleshov	0.01	0.12	0.07	0.22	0.05	0.28	0.04	0.18	0.09	0.28	0.03	0.25	0.37	0.71	0.52	0.88	0.63	0.9
TF	0.03	0.18	0.08	0.26	0.05	0.39	0.08	0.24	0.25	0.42	0.12	0.37	0.31	0.78	0.44	0.92	0.5	0.93
IGA	0.05	0.29	0.16	0.32	0.13	0.5	0.16	0.34	0.27	0.35	0.24	0.33	0.6	0.8	0.79	0.95	0.77	0.96
Pruthi	0.53	0.56	0.48	0.49	0.54	0.54	0.59	0.71	0.45	0.59	0.53	0.59	0.94	0.92	0.96	0.95	0.96	0.96
PS	0.09	0.3	0.14	0.35	0.15	0.45	0.3	0.54	0.32	0.43	0.32	0.44	0.46	0.85	0.64	0.94	0.66	0.94
Alzantot	0.21	0.36	0.42	0.47	0.46	0.64	0.27	0.54	0.51	0.57	0.56	0.55	0.73	0.83	0.92	0.97	0.9	0.98
BAE	0.44	0.54	0.38	0.46	0.43	0.57	0.6	0.72	0.38	0.52	0.43	0.51	0.83	0.92	0.4	0.81	0.39	0.92
BERTK	0.01	0.18	0.04	0.17	0.03	0.23	0.1	0.21	0.36	0.48	0.22	0.36	0.18	0.65	0.25	0.86	0.41	0.86
PSO	0.05	0.07	0.14	0.12	0.07	0.15	0.35	0.54	0.38	0.4	0.35	0.4	0.6	0.64	0.75	0.87	0.71	0.87
Checklist	0.7	0.76	0.84	0.85	0.88	0.88	0.86	0.81	0.89	0.89	0.88	0.88	0.98	0.98	0.99	1.0	1.0	1.0
Clare	0.16	0.35	0.23	0.28	0.27	0.54	0.76	0.72	0.79	0.78	0.72	0.76	0.7	0.87	0.48	0.86	0.68	0.94
Average	0.27	0.36	0.27	0.46	0.37	0.52	0.41	0.51	0.4	0.49	0.65	0.75	0.62	0.8	0.65	0.88	0.68	0.9
<i>Relative ↑%</i>		↑54.55%		↑33.33%		↑70.37%		↑40.54%		↑24.39%		↑22.5%		↑29.03%		↑35.38%		↑32.35%

Bold, Red: no worse and **decreased** results from the base models

Table 4: Accuracy under adversarial attacks before (Bef.) and after (Aft.) patched with SHIELD.

3.2 Results

Due to space limitation, the results of CNN-based models are presented in the Appendix.

Fidelity We first evaluate SHIELD’s prediction performance *without* adversarial attacks. Table 3 shows that all base models patched by SHIELD still maintain similar F1 scores on average across all datasets. Although SHIELD with RNN has a slightly decrease in fidelity on Hate Speech dataset, this is negligible compared to the adversarial robustness benefits that SHIELD will provide (More below).

Computational Complexity Regarding the space complexity, SHIELD can extend a NN into an ensemble model with a marginal increase of # of parameters. Specifically, with B denoting # of parameters of the base model, SHIELD has a space complexity of $\mathcal{O}(B+KU)$ while both *Ensemble*, *DT* and *ADP* have a complexity of $\mathcal{O}(KB)$ and $U \ll B$. In case of BERT with $K=5$, SHIELD only requires an additional 8.3%. While traditional ensemble methods require as many as 4 times additional parameters. During training, SHIELD *only* trains $\mathcal{O}(KU)$ parameters, while other defense methods, including ones using data augmentation, update all of them. Specifically, with $K=5$, SHIELD only trains 8% of the parameters of the base model and 1.6% of the parameters of other BERT-based ensemble baselines. During inference, SHIELD is also 3 times faster than ensemble-based *DT* and *ADP* on average.

Robustness Table 4 shows the performance of SHIELD compared to the base models. Overall, SHIELD consistently improves the robustness of base models in 154/168 (92%) cases across 14 adversarial attacks regardless of their attack strategies. Particularly, all CNN, RNN, BERT and RoBERTa-based textual models that are patched by SHIELD witness relative improvements in the average prediction accuracy from 15% to as much as 70%. Especially in the case of detecting clickbait, SHIELD can recover up to 5% margin within the performance on clean examples in many cases. This demonstrates that SHIELD provides a versatile neural patching mechanism that can quickly and effectively defends against black-box adversaries *without* making any assumptions on the attack strategies.

We then compare SHIELD with all defense baselines under TextFooler (TF), DeepWordBug (DW), and PWS (PS) attacks. These attacks are selected as (i) they are among the strongest attacks and (ii) they provide foundation mechanisms upon which other attacks are built. Table 5 shows that SHIELD achieves the best robustness across all attacks and datasets. On average, SHIELD observes an absolute improvement from +9% to +18% in accuracy over the second-best defense algorithms (DT in case of RNN, and AdvT in case of BERT, RoBERTa). Moreover, SHIELD outperforms other ensemble-based baselines (DT, ADP), and can be applied on top of a pre-trained BERT or RoBERTa model with only around 8% additional parameters. However, that # would increase to 500% ($K \leftarrow 5$) in the case

Dataset	MR			HS			CB			AVG
	TF	DW	PS	TF	DW	PS	TF	DW	PS	
RNN	0.02	0.2	0.09	0.09	0.26	0.32	0.31	0.67	0.46	0.27
+Ens.	0.01	0.16	0.06	0.08	0.12	0.29	0.32	0.66	0.48	0.24
+DT	<u>0.03</u>	<u>0.24</u>	<u>0.1</u>	0.32	<u>0.53</u>	<u>0.53</u>	<u>0.35</u>	<u>0.66</u>	<u>0.5</u>	<u>0.36</u>
+ADP	0.02	0.18	0.09	0.18	0.27	0.35	0.33	0.66	0.47	0.28
+Mixup	0.01	0.14	0.04	0.07	0.42	0.29	0.27	0.64	0.44	0.26
+AdvT	0.01	0.3	0.09	0.17	0.18	0.35	0.33	<u>0.69</u>	<u>0.51</u>	0.29
+ScRNN	<u>0.03</u>	0.17	0.08	0.15	0.16	0.32	0.33	0.68	0.47	0.27
+SHIELD	0.18	0.44	0.3	<u>0.26</u>	0.61	0.54	0.78	0.9	0.85	0.54
BERT	0.09	0.2	0.19	0.26	0.16	0.38	0.49	0.5	0.49	0.31
+Mixup	<u>0.11</u>	0.3	<u>0.22</u>	0.15	0.19	0.22	0.39	0.48	0.57	0.29
+AdvT	<u>0.11</u>	0.25	0.19	0.37	0.47	0.47	<u>0.69</u>	<u>0.73</u>	0.81	0.45
+ScRNN	0.03	0.11	0.13	0.34	0.33	0.34	0.41	0.51	0.6	0.31
+SHIELD	0.26	0.42	0.35	0.42	0.55	<u>0.43</u>	0.92	0.95	0.94	0.58
RoBERTa	0.06	0.18	0.16	0.1	0.12	0.12	0.37	0.34	0.45	0.21
+Mixup	0.05	0.16	0.15	0.17	0.43	0.32	0.52	0.69	0.66	0.35
+AdvT	<u>0.1</u>	<u>0.21</u>	<u>0.21</u>	0.34	0.43	0.42	<u>0.67</u>	<u>0.79</u>	<u>0.77</u>	<u>0.44</u>
+ScRNN	0.04	0.18	0.15	0.19	0.38	0.32	0.57	0.74	0.7	0.36
+SHIELD	0.39	0.55	0.45	0.37	0.55	0.44	0.93	0.96	0.94	0.62

Underline: the second best result

Table 5: Accuracy of all defense baselines under TF, DW and PS attack.

of DT and ADP, requiring over half a billion # of parameters.

4 Discussion

Performance under Budgeted Attacks. SHIELD not only improves the overall robustness of the patched NN model under a variety of black-box attacks, but also induces computational cost that can greatly discourage malicious actors to exercise adversarial attacks in practice. We define computational cost as # of queries on a target NN model that is required for a successful attack. Since adversaries usually have an attack budget on # of model queries (e.g. a monetary budget, limited API access to the black-box model), the higher # of queries required, the less vulnerable a target model is to adversarial threats. A larger budget is crucial for genetic-based attacks because they usually require larger # of queries than greedy-based strategies. We have demonstrated in Sec. 3.2 that SHIELD is robust even when the attack budget is *unlimited*. Fig. 2 shows that the performance of RoBERTa after patched by SHIELD also reduces at a slower rate compared to the base RoBERTa model when the attack budget increases, especially under greedy-based attacks.

Parameter Sensitivity Analyses. Training SHIELD requires hyper-parameter K, T, γ and τ . We observe that arbitrary value $\gamma=0.5, K=5, T=3$




Figure 2: Average accuracy of RoBERTa before and after patched with SHIELD under greedy-based and genetic-based attacks with different percentages of # model queries up to 100% budget limit.

works well across all experiments. Although we did not observe any patterns on the effects of K on the robustness, a $K \geq 3$ performs well across all attacks. On the contrary, different pairs of the inverse-temperature τ during training and inference witness varied performance w.r.t to different datasets. τ gives us the flexibility to control the sharpness of the probability vector α . When $\tau \rightarrow \infty$, α to get closer to one-hot encoded vector, i.e., use only one head at a time. By decreasing $\tau : 0.1 \rightarrow 0.001$, we involve more experts in final predictions. Table A.5 (Appendix) shows the best τ found using the validation set as explained in Sec. 3.1.

Ablation Tests. This section tests SHIELD with *only* either the *SE* or *ME* module. Table 6 shows that *SE* and *ME* performs differently across different datasets and models. Specifically, we observe that *ME* performs better than the *SE* module in case of Clickbait dataset, *SE* is better than the *ME* module in case of Movie Reviews dataset and we have mixed results in Hate Speech dataset. Nevertheless, the final SHIELD model which comprises both the *SE* and *ME* modules consistently performs the best across all cases. This shows that both the *ME* and *SE* modules are complementary to each other and are crucial for SHIELD’s robustness.

5 Limitations and Future Work

In this paper, we limit the architecture of each expert to be an FCN with a maximum of 3 hidden layers (except the base model). If we include more options for this architecture (e.g., attention (Luong et al., 2015)), sub-models’ diversity will significantly increase. The design of SHIELD is model-agnostic and is also applicable to other complex and large-scale NNs such as *transformers-based* models. Especially with the recent adoption of *transformer* architecture in both NLP and computer vision (Carion et al., 2020; Chen et al., 2020), potential future work includes extending SHIELD

Dataset	Movie Reviews			Hate Speech			Clickbait		
	TF	DW	PS	TF	DW	PS	TF	DW	PS
RNN	0.02	0.2	0.09	0.09	0.26	0.32	0.31	0.67	0.46
+SE Only	<u>0.02</u>	<u>0.17</u>	<u>0.08</u>	0.09	0.2	<u>0.32</u>	0.52	0.72	<u>0.61</u>
+ME Only	<u>0.02</u>	0.14	0.07	<u>0.13</u>	0.03	0.01	<u>0.57</u>	<u>0.79</u>	<u>0.61</u>
+SHIELD	0.18	0.44	0.3	0.26	0.61	0.54	0.78	0.9	0.85
BERT	0.09	<u>0.2</u>	<u>0.19</u>	<u>0.26</u>	0.16	<u>0.38</u>	0.49	0.5	0.49
+SE Only	0.07	0.18	0.16	<u>0.26</u>	<u>0.28</u>	0.32	0.45	0.49	0.62
+ME Only	0.06	<u>0.2</u>	0.15	0.21	<u>0.28</u>	0.27	0.74	<u>0.81</u>	<u>0.82</u>
+SHIELD	0.26	0.42	0.35	0.37	0.55	0.44	0.92	0.95	0.94
RoBERTa	0.06	0.18	0.16	0.1	0.12	0.12	0.37	0.34	0.45
+SE Only	<u>0.13</u>	<u>0.22</u>	<u>0.19</u>	0.13	0.26	0.29	0.57	0.70	0.71
+ME Only	0.07	0.17	0.15	<u>0.22</u>	0.4	0.31	0.8	<u>0.87</u>	<u>0.85</u>
+SHIELD	0.39	0.55	0.45	0.37	0.55	0.44	0.93	0.96	0.94

Table 6: Complementary role of SE and ME.

to patch other complex NN models (e.g., T5 (Rafel et al., 2020)) or other tasks and domains such as Q&A and language generation. Although our work focus is not in robust transferability, it can accommodate so simply by unfreezing the base layers $f(\mathbf{x}, \theta_{L-1}^*)$ in Eq. (1 during training with some sacrifice on running time.

6 Related Work

Defending against Black-Box Attacks. Most of previous works (e.g., (Le et al., 2021; Zhou et al., 2021; Keller et al., 2021; Pruthi et al., 2019; Dong et al., 2021; Mozes et al., 2020; Wang et al., 2021; Jia et al., 2019) in adversarial defense are designed either for a specific type (e.g., word, synonym-substitution as in *certified training* (Jia et al., 2019), misspellings (Pruthi et al., 2019)) or level (e.g., character or word-based) of attack. Thus, they are usually evaluated against a small subset of (≤ 4) attack methods. Despite there are works that propose general defense methods, they are often built upon *adversarial training* (Goodfellow et al., 2015) which requires training everything from scratch (e.g., (Si et al.; Miyato et al., 2016; Zhang et al., 2018) or limited to a set of predefined attacks (e.g., (Zhou et al., 2019a)). Although adversarial training-based defense works well against several attacks on BERT and RoBERTa, its performance is far out-weighted by SHIELD (Table 5).

Contrast to previous approaches, SHIELD addresses not the characteristics of the resulted perturbations from the attackers but their fundamental attack mechanism, which is most of the time an iterative perturbation optimization process (Fig. 1). This allows SHIELD to effectively defend against 14 different black-box attacks (Table 1), showing its effectiveness in practice. To the best of our

knowledge, by far, this works also evaluate with the most comprehensive set of attack methods in the adversarial text defense literature.

Ensemble-based Defenses. SHIELD is distinguishable from previous ensemble-based defenses on two aspects. First, previous approaches such as DT (Kariyappa and Qureshi, 2019), ADP (Pang et al., 2019) are mainly designed for computer vision. Applying these models to the NLP domain faces a practical challenge where training multiple memory-intensive SOTA sub-models such as BERT or RoBERTa can be very costly in terms of space and time complexities.

In contrast, SHIELD enables to “hot-fix” a complex NN by replacing and training only the last layer, removing the necessity of re-training the entire model from scratch. Second, previous methods (e.g., DT and ADP) mainly aim to reduce the *dimensionality of adversarial subspace*, i.e., the subspace that contains all adversarial examples, by forcing the adversaries to attack *a single fixed* ensemble of diverse sub-models at the same time. This then helps improve the transferability of robustness on different tasks. However, our approach mainly aims to dilute not transfer but direct attacks by forcing the adversaries to attack stochastic, i.e., different, ensemble variations of sub-models at every inference passes. This helps SHIELD achieve a much better defense performance compared to DT and ADP across several attacks (Table 5).

7 Conclusion

This paper presents a novel algorithm, SHIELD, which consistently improves the robustness of textual NN models under black-box adversarial attacks by modifying and re-training only their last layers. By extending a textual NN model of varying architectures (e.g., CNN, RNN, BERT, RoBERTa) into a stochastic ensemble of multiple experts, SHIELD utilizes differently-weighted sets of prediction heads depending on the input. This helps SHIELD defend against black-box adversarial attacks by breaking their most fundamental assumption—i.e., target NN models remain unchanged during an attack. SHIELD achieves average relative improvements of 15%–70% in prediction accuracy under 14 attacks on 3 public NLP datasets, while still maintaining similar performance on clean examples. Thanks to its model- and domain-agnostic design, we expect SHIELD to work properly in other NLP domains.

603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656

References

Moustafa Alzantot, Yash Sharma, Ahmed Elgohary, Bo-Jhang Ho, Mani Srivastava, and Kai-Wei Chang. 2018. Generating natural language adversarial examples. *arXiv preprint arXiv:1804.07998*.

Ankesh Anand, Tanmoy Chakraborty, and Noseong Park. 2017. We used neural networks to detect click-baits: You won't believe what happened next! In *ECIR'17*, pages 541–547. Springer.

Ran Avnimelech and Nathan Intrator. 1999. Boosted mixture of experts: An ensemble learning scheme. *Neural computation*, 11(2).

Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. Neural machine translation by jointly learning to align and translate. *ICLR'15*.

Nicolas Carion, Francisco Massa, Gabriel Synnaeve, Nicolas Usunier, Alexander Kirillov, and Sergey Zagoruyko. 2020. End-to-end object detection with transformers. *ECCV'20*.

Daniel Cer, Yinfei Yang, Sheng-yi Kong, Nan Hua, Nicole Limtiaco, Rhomni St John, Noah Constant, Mario Guajardo-Cespedes, Steve Yuan, Chris Tar, et al. 2018. Universal sentence encoder. *arXiv preprint arXiv:1803.11175*.

Mark Chen, Alec Radford, Rewon Child, Jeff Wu, and Heewoo Jun. 2020. Generative pretraining from pixels. In *ICML'20*.

Minhao Cheng, Wei Wei, and Cho-Jui Hsieh. 2019. Evaluating and enhancing the robustness of dialogue systems: A case study on a negotiation agent. *ACL'19*.

Junyoung Chung, Caglar Gulcehre, KyungHyun Cho, and Yoshua Bengio. Empirical evaluation of gated recurrent neural networks on sequence modeling. *NIPS'14 Workshop*.

Thomas Davidson, Dana Warmusley, Michael Macy, and Ingmar Weber. Automated hate speech detection and the problem of offensive language. In *ICWSM'17*.

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. Bert: Pre-training of deep bidirectional transformers for language understanding. In *NAACL-HLT'19*, pages 4171–4186.

Xinshuai Dong, Anh Tuan Luu, Rongrong Ji, and Hong Liu. 2021. Towards robustness against natural language word substitutions. *arXiv preprint arXiv:2107.13541*.

Javid Ebrahimi, Anyi Rao, Daniel Lowd, and Dejing Dou. 2018. Hotflip: White-box adversarial examples for text classification. In *ACL'18*. ACL.

Ji Gao, Jack Lanchantin, Mary Lou Soffa, and Yanjun Qi. Black-box generation of adversarial text sequences to evade deep learning classifiers. In *SPW'18*. IEEE.

Siddhant Garg and Goutham Ramakrishnan. 2020. Bae: Bert-based adversarial examples for text classification. *EMNLP'20*.

Ian Goodfellow, Jonathon Shlens, and Christian Szegedy. 2015. Explaining and harnessing adversarial examples. In *ICLR'15*.

Ari Holtzman, Jan Buys, Maxwell Forbes, Antoine Bosselut, David Golub, and Yejin Choi. 2018. Learning to write with cooperative discriminators. *arXiv preprint arXiv:1805.06087*.

Mohit Iyyer, John Wieting, Kevin Gimpel, and Luke Zettlemoyer. 2018. Adversarial example generation with syntactically controlled paraphrase networks. In *ACL'18*, pages 1875–1885.

Eric Jang, Shixiang Gu, and Ben Poole. 2016. Categorical reparameterization with gumbel-softmax. *ICLR'17*.

Robin Jia, Aditi Raghunathan, Kerem Göksel, and Percy Liang. 2019. Certified robustness to adversarial word substitutions. *EMNLP-IJCNLP'19*.

Di Jin, Zhijing Jin, Joey Tianyi Zhou, and Peter Szolovits. 2019. Is bert really robust? natural language attack on text classification and entailment. *arXiv preprint arXiv:1907.11932*.

Sanjay Kariyappa and Moinuddin K Qureshi. 2019. Improving adversarial robustness of ensembles with diversity training. *arXiv preprint arXiv:1901.09981*.

Yannik Keller, Jan Mackensen, and Steffen Eger. 2021. Bert-defense: A probabilistic model based on bert to combat cognitively inspired orthographic adversarial attacks. *arXiv preprint arXiv:2106.01452*.

Yoon Kim. 2014. Convolutional neural networks for sentence classification. In *EMNLP'14*.

Diederik P Kingma and Jimmy Ba. 2013. Adam: A method for stochastic optimization. In *ICLR'13*.

Volodymyr Kuleshov, Shantanu Thakoor, Tingfung Lau, and Stefano Ermon. 2018. Adversarial examples for natural language classification problems, 2018. In URL <https://openreview.net/forum>.

Thai Le, Noseong Park, and Dongwon Lee. 2021. A sweet rabbit hole by darcy: Using honeypots to detect universal trigger's adversarial attacks. In *ACL'21*.

Thai Le, Suhang Wang, and Dongwon Lee. 2020. Malcom: Generating malicious comments to attack neural fake news detection models. In *ICDM'20*. IEEE.

Alexander Hanbo Li and Abhinav Sethy. 2019. Knowledge enhanced attention for robust natural language inference. *arXiv preprint arXiv:1909.00102*.

Dianqi Li, Yizhe Zhang, Hao Peng, Liqun Chen, Chris Brockett, Ming-Ting Sun, and Bill Dolan. 2020a. Contextualized perturbation for textual adversarial attack. *arXiv preprint arXiv:2009.07502*.

710	Jinfeng Li, Shouling Ji, Tianyu Du, Bo Li, and Ting Wang. 2018. TextBugger: Generating Adversarial Text Against Real-world Applications. <i>NDSS'18</i> .	Jeffrey Pennington, Richard Socher, and Christopher D Manning. 2014. Glove: Global vectors for word representation. In <i>EMNLP'14</i> , pages 1532–1543.	761
711			762
712			763
713	Linyang Li, Ruotian Ma, Qipeng Guo, Xiangyang Xue, and Xipeng Qiu. 2020b. Bert-attack: Adversarial attack against bert using bert. <i>EMNLP'20</i> .	Danish Pruthi, Bhuwan Dhingra, and Zachary C Lipton. 2019. Combating adversarial misspellings with robust word recognition. In <i>ACL'19</i> .	764
714			765
715			766
716	Hanxiao Liu, Karen Simonyan, and Yiming Yang. 2019a. DARTS: Differentiable architecture search. In <i>ICLR'19</i> .	Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. 2020. Exploring the limits of transfer learning with a unified text-to-text transformer. <i>JMLR'20</i> , 21.	767
717			768
718			769
719	Kai Liu, Xin Liu, An Yang, Jing Liu, Jinsong Su, Sujian Li, and Qiaoqiao She. 2020. A robust adversarial training approach to machine reading comprehension. In <i>AAAI'20</i> , pages 8392–8400.	Shuhuai Ren, Yihe Deng, Kun He, and Wanxiang Che. 2019. Generating natural language adversarial examples through probability weighted word saliency. In <i>ACL'19</i> , pages 1085–1097.	770
720			771
721			772
722			773
723	Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019b. Roberta: A robustly optimized bert pretraining approach. <i>arXiv preprint arXiv:1907.11692</i> .	Marco Tulio Ribeiro, Tongshuang Wu, Carlos Guestrin, and Sameer Singh. 2020. Beyond accuracy: Behavioral testing of nlp models with checklist. <i>ACL'20</i> .	774
724			775
725			776
726			777
727			778
728	Minh-Thang Luong, Hieu Pham, and Christopher D Manning. 2015. Effective approaches to attention-based neural machine translation. In <i>EMNLP'15</i> .	Chenglei Si, Zhengyan Zhang, Fanchao Qi, Zhiyuan Liu, Yasheng Wang, Qun Liu, and Maosong Sun. Better robustness by more coverage: Adversarial and mixup data augmentation for robust finetuning. <i>ACL'21 (Findings)</i> .	779
729			780
730			781
731	Andrew Maas, Raymond E Daly, Peter T Pham, Dan Huang, Andrew Y Ng, and Christopher Potts. 2011. Learning word vectors for sentiment analysis. In <i>Proceedings of the 49th annual meeting of the association for computational linguistics: Human language technologies</i> , pages 142–150.	Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In <i>NIPS'17</i> , pages 5998–6008.	782
732			783
733			784
734			785
735			786
736			787
737	Takeru Miyato, Andrew M Dai, and Ian Goodfellow. 2016. Training methods for semi-supervised text classification. In <i>ICLR'16</i> .	Wenqi Wang, Lina Wang, Run Wang, Zhibo Wang, and Aoshuang Ye. 2019a. Towards a robust deep neural network in texts: A survey. <i>arXiv preprint arXiv:1902.07285</i> .	788
738			789
739			790
740	John Morris, Eli Lifland, Jin Yong Yoo, Jake Grigsby, Di Jin, and Yanjun Qi. 2020. Textattack: A framework for adversarial attacks, data augmentation, and adversarial training in nlp. In <i>EMNLP'19</i> .	Xiaosen Wang, Hao Jin, and Kun He. 2019b. Natural language adversarial attacks and defenses in word level. <i>arXiv preprint arXiv:1909.06723</i> .	791
741			792
742			793
743			794
744	Maximilian Mozes, Pontus Stenetorp, Bennett Kleinberg, and Lewis D Griffin. 2020. Frequency-guided word substitutions for detecting textual adversarial examples. <i>arXiv preprint arXiv:2004.05887</i> .	Xiaosen Wang, Yichen Yang, Yihe Deng, and Kun He. 2021. Adversarial training with fast gradient projection method against synonym substitution based text attacks. In <i>AAAI</i> .	795
745			796
746			797
747			798
748	Bo Pang and Lillian Lee. 2005. Seeing stars: Exploiting class relationships for sentiment categorization with respect to rating scales. In <i>ACL'05</i> .	Yuan Zang, Fanchao Qi, Chenghao Yang, Zhiyuan Liu, Meng Zhang, Qun Liu, and Maosong Sun. 2020. Word-level textual adversarial attacking as combinatorial optimization. In <i>ACL'20</i> , pages 6066–6080.	799
749			800
750			801
751	Tianyu Pang, Kun Xu, Chao Du, Ning Chen, and Jun Zhu. 2019. Improving adversarial robustness via promoting ensemble diversity. In <i>ICML'19</i> .	Guoyang Zeng, Fanchao Qi, Qianrui Zhou, Tingji Zhang, Bairu Hou, Yuan Zang, Zhiyuan Liu, and Maosong Sun. 2021. Openattack: An open-source textual adversarial attack toolkit. In <i>Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing: System Demonstrations</i> , pages 363–371.	802
752			803
753			804
754	Tianyu Pang, Kun Xu, and Jun Zhu. 2020. Mixup inference: Better exploiting mixup to defend adversarial attacks. In <i>ICLR'20</i> .		805
755			806
756			807
757	Nicolas Papernot, Patrick McDaniel, Somesh Jha, Matt Fredrikson, Z Berkay Celik, and Ananthram Swami. 2016. The limitations of deep learning in adversarial settings. In <i>EuroS&P'16</i> , pages 372–387. IEEE.	Hongyi Zhang, Moustapha Cisse, Yann N. Dauphin, and David Lopez-Paz. 2018. mixup: Beyond empirical risk minimization. In <i>ICLR'18</i> .	808
758			809
759			810
760			811
			812
			813

- 814 Zhengli Zhao, Dheeru Dua, and Sameer Singh.
815 2018. Generating natural adversarial examples. In
816 *ICLR'18*.
- 817 Yi Zhou, Xiaoqing Zheng, Cho-Jui Hsieh, Kai-Wei
818 Chang, and Xuanjing Huang. 2021. Defense against
819 synonym substitution-based adversarial attacks via
820 dirichlet neighborhood ensemble. *ACL'21*.
- 821 Yichao Zhou, Jyun-Yu Jiang, Kai-Wei Chang, and Wei
822 Wang. 2019a. Learning to discriminate perturba-
823 tions for blocking adversarial attacks in text classi-
824 fication. *arXiv preprint arXiv:1909.03084*.
- 825 Zhixuan Zhou, Huankang Guan, Meghana Moorthy
826 Bhat, and Justin Hsu. 2019b. Fake news detection
827 via nlp is vulnerable to adversarial attacks. *arXiv*
828 *preprint arXiv:1901.09657*.

Model/Dataset	MR	HS	CB	AVG
CNN	0.719	0.900	0.966	0.862
+Ens.	0.770	0.881	<u>0.975</u>	0.875
+DT	0.767	0.890	0.972	0.876
+ADP	0.764	0.885	0.977	0.875
+Mixup	0.711	0.867	0.965	0.848
+AdvT	<u>0.772</u>	0.884	0.977	<u>0.878</u>
+ScRNN	0.758	0.854	0.972	0.861
+SHIELD	0.787	<u>0.893</u>	0.974	0.885

Table A.1: Prediction performance in F1 on clean examples of CNN-based NN models.

Dataset	MR		HS		CB	
	Bef.	Aft.	Bef.	Aft.	Bef.	Aft.
SCPNA	0.35	0.41	0.27	0.4	0.58	0.53
TB	0.15	0.35	0.23	0.48	0.79	0.82
DW	0.13	0.38	0.1	0.32	0.71	0.86
Kuleshov	0.01	0.13	0.01	0.11	0.43	0.63
TF	0.01	0.19	0.03	0.19	0.44	0.74
IGA	0.05	0.23	0.1	0.2	0.6	0.71
Pruthi	0.49	0.54	0.47	0.59	0.94	0.9
PS	0.05	0.28	0.13	0.34	0.56	0.81
Alzantot	0.22	0.3	0.29	0.36	0.82	0.75
BAE	0.45	0.5	0.43	0.55	0.77	0.85
BERTK	0.0	0.2	0.01	0.18	0.32	0.61
PSO	0.03	0.03	0.23	0.34	0.58	0.56
Checklist	0.7	0.77	0.87	0.88	0.98	0.98
Clare	0.11	0.3	0.48	0.67	0.6	0.81
Average	0.2	0.33	0.26	0.4	0.65	0.75
<i>Relative ↑%</i>		↑65.0%		↑53.85%		↑15.38%

Table A.2: Accuracy of CNN-based NN models under adversarial attacks before (Bef.) and after (Aft.) being patched with SHIELD.

Dataset	MR			HS			CB			AVG
	TF	DW	PS	TF	DW	PS	TF	DW	PS	
CNN	0.01	0.13	0.06	0.03	0.1	0.14	0.45	0.7	0.57	0.24
+Ens.	0.02	0.16	0.07	0.08	0.2	0.26	0.72	0.87	0.78	0.35
+DT	<u>0.03</u>	0.16	0.07	0.08	0.25	0.28	0.75	0.87	0.8	0.37
+ADP	0.0	0.11	0.04	0.08	0.19	0.21	0.19	0.67	0.44	0.21
+Mixup	<u>0.03</u>	0.18	0.1	0.07	0.32	0.24	0.13	0.6	0.37	0.23
+AdvT	0.02	0.17	0.07	<u>0.1</u>	0.18	0.27	0.33	0.73	0.55	0.27
+ScRNN	<u>0.03</u>	<u>0.24</u>	<u>0.11</u>	0.06	0.14	0.22	0.36	0.69	0.54	0.27
+SHIELD	0.19	0.38	0.28	0.19	0.32	0.34	0.74	0.86	0.81	0.46

Underline: the second best result

Table A.3: Accuracy of all defense baselines under TF, DW and PS attack on CNN-based NN models.

A ADDITIONAL RESULTS

- Table A.1 shows the performance on clean examples of all defense methods on CNN-based NN models.
- Table A.2 shows the performance of SHIELD against all 14 black-box attacks on CNN-based NN models.

Dataset	MR			HS			CB		
	TF	DW	PS	TF	DW	PS	TF	DW	PS
CNN	0.01	0.13	0.06	0.03	0.1	0.14	0.45	0.7	0.57
+SE Only	0.02	0.15	<u>0.07</u>	0.24	0.42	0.42	0.46	0.64	0.61
+ME Only	<u>0.18</u>	<u>0.19</u>	<u>0.07</u>	0.1	0.25	0.29	<u>0.60</u>	<u>0.80</u>	<u>0.69</u>
+SHIELD	0.19	0.38	0.28	<u>0.19</u>	<u>0.32</u>	<u>0.34</u>	0.74	0.86	0.81

Table A.4: Ablation test of the SE and ME modules on CNN-based model.

Model	Train			Test		
	MR	HS	CB	MR	HS	CB
CNN+SHIELD	1e-2	1	1	1e-1	1e-1	1e-1
RNN+SHIELD	1	1e-2	1e-3	1e-3	1e-3	1
BERT+SHIELD	1e-2	1e-1	1	1e-1	1e-2	1e-3
RoBERTa+SHIELD	1	1	1e-3	1e-3	1e-3	1e-3

Table A.5: Inverse of the final hyper-parameter τ' values for the selected best SHIELD model for all datasets.

- Table A.3 compares the performance of SHIELD with all defense baselines on CNN-based NN models. SHIELD outperforms all baselines on average. 836
- Table A.4 shows the ablation test of SHIELD on CNN-based NN models. 837
- Table A.5 shows the final τ parameters found using brute-force search on the validation set as described in Sec. 3.1. We use this set of parameters to evaluate all the performance under adversarial attacks throughout the paper. 838

B REPRODUCIBILITY

B.1 Infrastructure and Source Code

- Software: All the implementations are written in Python (v3.7) with Pytorch (v1.5.1), Numpy (v1.19.1), Scikit-learn (v0.21.3). We rely on *Transformers* (v3.0.2) library for loading and training *transformers-based* models (e.g., BERT, RoBERTa). 841
- Hardware: We run all of the experiments on standard server machines installed with Ubuntu OS (v18.04), 20-Core Intel(R) Xeon(R) Silver 4114 CPU @ 2.20GHz, 93GB of RAM, and a Titan Xp GPU. 842
- Dataset: We use the python library *datasets* (v1.2.0) ¹ by *Huggingface* to load all the 843

¹ <https://huggingface.co/docs/datasets/#>

862	benchmark datasets used in the paper. They	and RoBERTa model. We use the <i>bert-base-</i>	909
863	are also available to download at the fol-	<i>uncased</i> version of BERT and the <i>RoBERTa-</i>	910
864	lowing links: Movie Reviews (http://	<i>base</i> version of RoBERTa.	911
865	www.eraserbenchmark.com/zipped/		
866	movies.tar.gz), Clickbait (https:	B.2.2 Vocabulary and Input Length	912
867	//github.com/saurabhmathur96/	Due to limited GPU memory, we set the maxi-	913
868	clickbait-detector), Hate Speech	imum length of inputs for transformer-based mod-	914
869	(https://github.com/t-davidson/	els, i.e., BERT and RoBERTa, to 128 during train-	915
870	hate-speech-and-offensive-language/	ing. For CNN and RNN-based models, we use all	916
871	raw/master/data/labeled_data.	the vocabulary tokens that can be extracted from	917
872	csv).	the training set, and we use all of the vocabulary	918
		tokens provided by pre-trained models for BERT	919
873	• Random Seed: To ensure reproducibility,	and RoBERTa-based models.	920
874	we set a consistent random seed using		
875	<code>torch.manual_seed</code> and <code>np.random.seed</code> func-	B.3 Experimental Settings for Defense	921
876	tion for all experiments.	Methods	922
877	• Source Code: We will also release the source	1. SHIELD: For hyper-parameter γ , K and T , we	923
878	code of SHIELD upon acceptance of this paper.	arbitrarily set $\gamma \leftarrow 0.5$, $K \leftarrow 5$ and $T \leftarrow 3$ and they	924
		work well across all datasets. For τ , we already	925
879	B.2 Experimental Settings for Base Models	described how to choose the best pair of τ during	926
		training and testing in Sec. 3.1.	927
880	B.2.1 Architectures and Parameters		
		2. <i>Ensemble</i> : We train an ensemble model of 5 sub-	928
881	• CNN: We implement the CNN sentence classi-	models, all of which have the same architecture	929
882	fication model (Kim, 2014) with three 2D CNN	as the base model. We use the average loss of all	930
883	layers, each of which is followed by a <i>Max-</i>	sub-models as the final loss to train the model.	931
884	<i>Pooling</i> layer. Concatenation of outputs of all		
885	Max-Pooling layers is fed into a Dropout layer	3. <i>DT</i> : We follow the implementation described	932
886	with 0.5 probability, then an FCN + Softmax for	in Section 3 of the original paper (Kariyappa	933
887	prediction. We use an <i>Embedding</i> layer of size	and Qureshi, 2019) and train an ensemble DT	934
888	300 with pre-trained <i>GloVe</i> embedding-matrix	model with 5 sub-models, all of which have the	935
889	to transform each discrete text tokens into con-	same architecture as the base model. We set the	936
890	tinuous input features before feeding them into	hyper-parameter $\lambda \leftarrow 0.5$ as suggested by the	937
891	the CNN network. Each of CNN layers uses 150	original paper.	938
892	kernels with a size of 2, 3, 4, respectively.		
		4. <i>ADP</i> : We follow the implementation described	939
893	• RNN: Because the original PyTorch implemen-	in Section 3 of the original paper (Pang et al.,	940
894	tation of RNN does not support double back-	2019) and train an ensemble ADP model with	941
895	propagation on <i>CuDNN</i> , which is required by	5 sub-models, all of which have the same ar-	942
896	<i>DT</i> and <i>SHIELD</i> to run the model on GPU, we	chitecture as the base model. We set the hyper-	943
897	use a publicly available <i>Just-in-Time (JIT)</i> ver-	parameters required by ADP to default values	944
898	sion of GRU of one hidden layer as RNN cell.	($\alpha \leftarrow 1.0$ and $\beta \leftarrow 0.5$) as suggested by the	945
899	We use an <i>Embedding</i> layer of size 300 with	original implementation.	946
900	pre-trained <i>GloVe</i> embedding-matrix to trans-		
901	form each discrete text tokens into continuous	5. <i>Mix-up Training (Mix)</i> : We sample $\lambda \in$	947
902	input features before inputting them into the	<i>Beta</i> (1.0, 1.0) as suggested by the implementa-	948
903	RNN layer. We flatten out all outputs of the	tion provided by the original paper (Zhang et al.,	949
904	RNN layer, followed by a Dropout layer with	2018).	950
905	0.5 probability, then an FCN + Softmax for pre-		
906	diction.	6. <i>Adversarial Training</i> : We use a 1:1 ratio be-	951
		tween original training samples and adversarial	952
907	• BERT & RoBERTa: We use the <i>transformers</i>	training samples as suggested by (Miyato et al.,	953
908	library from <i>HuggingFace</i> to fine-tune BERT		

954 2016). We specifically use the *AT* method as de-
955 scribed in Sec. 3 of the original paper (Miyato
956 et al., 2016).

- 957 7. *ScRNN*: We use the implementation and pre-
958 trained model provided by the original paper
959 (Pruthi et al., 2019) that is available at [https://github.com/danishpruthi/](https://github.com/danishpruthi/Adversarial-Misspellings)
960 [Adversarial-Misspellings](https://github.com/danishpruthi/Adversarial-Misspellings).
961

962 **B.4 Experimental Settings for Attack** 963 **Methods**

964 Since we use external open-source *TextAttack* (Mor-
965 ris et al., 2020)² and *OpenAttack* (Zeng et al.,
966 2021) framework for evaluating the performance
967 of SHIELD and all defense baselines under adver-
968 sarial attacks, implementation of all the attacks are
969 publicly available. Specifically, we use the *TextAt-*
970 *tack* framework for evaluating all the word- and
971 character-level attacks, and use the *OpenAttack* for
972 evaluating the sentence-level attack SCPNA.

973 **B.5 Experimental Settings for Training and** 974 **Evaluation**

975 For every dataset, we train a single SHIELD model
976 with the best τ parameters and evaluate this model
977 with all of the adversarial attacks. In other words,
978 since we have a total of 3 datasets (Movie Reviews,
979 Hate Speech, Clickbait) and 4 base architectures
980 (CNN, RNN, BERT, RoBERTa), we train a total
981 of 12 SHIELD models for evaluation. This is done
982 to ensure that we can evaluate the versatility of
983 SHIELD’s robustness against different types of at-
984 tacks *without making any assumptions on their*
985 *strategies*. During training, we use a *batch size*
986 of 32, *learning rate* of 0.005, *gradient clipping* of
987 10.0.

988 For every attack evaluation, we generate a new
989 set of adversarial examples for every pair of *attack*
990 *method* and *target model*. In other words, since
991 we have a total of 14 different attack methods, 3
992 datasets, and 4 possible architectures for the base
993 models, this results in a total of 168 different sets
994 of adversarial examples to evaluate in Table 4.

² <https://github.com/QData/TextAttack>