

Synthetic Experience Replay

Cong Lu^{*1} Philip J. Ball^{*1} Yee Whye Teh¹ Jack Parker-Holder¹


Abstract

A key theme in the past decade has been that when large neural networks and large datasets combine they can produce remarkable results. In deep reinforcement learning (RL), this paradigm is commonly made possible through *experience replay*, whereby a dataset of past experiences is used to train a policy or value function. However, unlike in supervised or self-supervised learning, an RL agent has to collect its own data, which is often limited. Thus, it is challenging to reap the benefits of deep learning, and even small neural networks can overfit at the start of training. In this work, we leverage the tremendous recent progress in generative modeling and propose Synthetic Experience Replay (SYNTH_{ER}), a diffusion-based approach to flexibly upsample an agent’s collected experience. We show that SYNTH_{ER} is an effective method for training RL agents across offline and online settings, in both proprioceptive and pixel-based environments. In offline settings, we observe drastic improvements when upsampling small offline datasets and see that additional synthetic data also allows us to effectively train larger networks. Furthermore, SYNTH_{ER} enables online agents to train with a much higher update-to-data ratio than before, leading to a significant increase in sample efficiency, *without any algorithmic changes*. Finally, we open-source our code at <https://github.com/conglu1997/SynthER>.

1. Introduction

In the past decade, the combination of large datasets (Deng et al., 2009; Schuhmann et al., 2022) and ever deeper neural

^{*}Equal contribution ¹University of Oxford. Correspondence to: Cong Lu <cong.lu@stats.ox.ac.uk>, Philip J. Ball <ball@robots.ox.ac.uk>.



(a) IQL (Kostrikov et al., 2022) on a reduced 15% subset of walker2d medium-replay. (b) SAC (Haarnoja et al., 2018) on 6 DeepMind Control Suite and OpenAI Gym environments.

Figure 1: Upsampling data using SYNTH_{ER} greatly outperforms explicit data augmentation schemes for small offline datasets and data-efficient algorithms in online RL *without any algorithmic changes*. Moreover, synthetic data from SYNTH_{ER} may readily be added to *any* algorithm utilizing experience replay. Full results in Section 4.

networks (Krizhevsky et al., 2012; He et al., 2015; Vaswani et al., 2017; Devlin et al., 2018) has led to a series of more generally capable models (Radford et al., 2019; Brown et al., 2020; Ramesh et al., 2022). In reinforcement learning (RL, Sutton & Barto (2018)), agents typically learn online from their own experience. Thus, to leverage sufficiently rich datasets, RL agents typically make use of *experience replay* (Mnih et al., 2015; Fedus et al., 2020), where training takes place on a dataset of recent experiences. However, this experience is typically limited, unless an agent is distributed over many workers which requires both high computational cost and sufficiently fast simulation (Espeholt et al., 2018; Kapturowski et al., 2019).

Another approach for leveraging broad datasets for training RL policies is *offline* RL (Agarwal et al., 2020; Levine et al., 2020), whereby behaviors may be distilled from previously collected data either via behavior cloning (Schaal, 1996), off-policy learning (Kumar et al., 2020; Fujimoto & Gu, 2021) or model-based methods (Yu et al., 2020; Kidambi et al., 2020; Lu et al., 2022a). Offline data can also significantly bootstrap online learning (Hester et al., 2017; Wagenmaker & Pacchiano, 2022; Ball et al., 2023); however, it is a challenge to apply these methods when there is a mismatch between offline data and online environment. Thus, many of the successes rely on toy domains with transfer from specific behaviors in a simple low-dimensional proprioceptive environment.

Whilst strong results have been observed in re-using prior data in RL, appropriate data for particular behaviors may simply not exist and thus this approach falls short in gen-




Figure 2: SYNThER allows any RL agent using experience replay to arbitrarily upsample their experiences and train on synthetic data. Our approach scales across proprioceptive and pixel-based environments. By leveraging this increased data, agents can learn effectively from smaller datasets and achieve higher sample efficiency.

erality. We consider an alternative approach—rather than passively reusing data, we leverage tremendous progress in generative modeling to generate a large quantity of new, synthetic data. While prior work has considered upsampling online RL data with VAEs or GANs (Huang et al., 2017; Imre, 2021; Ludjen, 2021), we propose making use of *diffusion* generative models (Sohl-Dickstein et al., 2015; Ho et al., 2020; Karras et al., 2022), which unlocks significant new capabilities.

Our approach, which we call *Synthetic Experience Replay*, or SYNThER, is conceptually simple, whereby given a limited initial dataset, we can arbitrarily upsample the data for an agent to use as if it was real experience. Therefore, in this paper, we seek to answer a simple question: *Can the latest generative models replace or augment traditional datasets in reinforcement learning?* To answer this, we consider the following settings: offline RL where we replace the original data with data produced by a generative model, and online RL where we upsample experiences to broaden the training data available to the agent. In both cases, SYNThER leads to drastic improvements, obtaining performance comparable to that of agents trained with substantially more real data. Furthermore, in certain offline settings, synthetic data enables effective training of larger policy and value networks, resulting in higher performance by alleviating the representational bottleneck. Finally, we show that SYNThER scales to pixel-based environments *by generating data in latent space*. We thus believe this paper presents sufficient evidence that our approach could enable entirely new, efficient, and scalable training strategies for RL agents. To summarize, the contributions of this paper are:

- We propose SYNThER in Section 3, a diffusion-based approach that allows one to generate synthetic experiences and thus arbitrarily upsample data for any reinforcement learning algorithm utilizing experience replay.

- We validate the synthetic data generated by SYNThER in offline settings across proprioceptive and pixel-based environments in Section 4.1 and Section 4.3, presenting the first generative approach to show parity with real data on the standard D4RL and V-D4RL offline datasets with a wide variety of algorithms. Furthermore, we observe considerable improvements from upsampling for small offline datasets and scaling up network sizes.

- We show how SYNThER can arbitrarily upsample an online agent’s training data in Section 4.2 by continually training the diffusion model. This allows us to significantly increase an agent’s update-to-data (UTD) ratio matching the efficiency of specially designed data-efficient algorithms *without any algorithmic changes*.

2. Background

2.1. Reinforcement Learning

We model the environment as a Markov Decision Process (MDP, Sutton & Barto (2018)), defined as a tuple $M = (\mathcal{S}, \mathcal{A}, P, R, \rho_0, \gamma)$, where \mathcal{S} and \mathcal{A} denote the state and action spaces respectively, $P(s'|s, a)$ the transition dynamics, $R(s, a)$ the reward function, ρ_0 the initial state distribution, and $\gamma \in (0, 1)$ the discount factor. The goal in reinforcement learning is to optimize a policy $\pi(a|s)$ that maximizes the expected discounted return $\mathbb{E}_{\pi, P, \rho_0} [\sum_{t=0}^{\infty} \gamma^t R(s_t, a_t)]$.

2.2. Offline Reinforcement Learning

In *offline RL* (Levine et al., 2020), the policy is not deployed in the environment until test time. Instead, the algorithm only has access to a static dataset $\mathcal{D}_{\text{env}} = \{(s_t, a_t, r_t, s_{t+1})\}_{t=1}^T$, collected by one or more behavioral policies π_b . We refer to the distribution from which \mathcal{D}_{env} was sampled as the *behavioral distribution* (Yu et al., 2020). In some of the environments we consider, the environment may be finite horizon or have early termination. In that case, the transition tuple also contains a terminal flag d_t where $d_t = 1$ indicates the episode ended early at timestep t and $d_t = 0$ otherwise.

2.3. Diffusion Models

Diffusion models (Sohl-Dickstein et al., 2015; Ho et al., 2020) are a class of generative models inspired by non-equilibrium thermodynamics that learn to iteratively reverse a forward noising process and generate samples from noise. Given a data distribution $p(\mathbf{x})$ with standard deviation σ_{data} , we consider noised distributions $p(\mathbf{x}; \sigma)$ obtained by adding i.i.d. Gaussian noise of standard deviation σ to the base distribution. The forward noising process is defined by a sequence of noised distributions following a fixed noise

schedule $\sigma_0 = \sigma_{\max} > \sigma_1 > \dots > \sigma_N = 0$. When $\sigma_{\max} \gg \sigma_{\text{data}}$, the final noised distribution $p(\mathbf{x}; \sigma_{\max})$ is essentially indistinguishable from random noise.

Karras et al. (2022) consider a probability-flow ODE with the corresponding continuous noise schedule $\sigma(t)$ that maintains the desired distribution as \mathbf{x} evolves through time given by Equation (1).

$$d\mathbf{x} = -\dot{\sigma}(t)\sigma(t)\nabla_{\mathbf{x}} \log p(\mathbf{x}; \sigma(t))dt \quad (1)$$

where the dot indicates a time derivative and $\nabla_{\mathbf{x}} \log p(\mathbf{x}; \sigma(t))$ is the score function (Hyvärinen, 2005), which points towards the data at a given noise level. Infinitesimal forward or backward steps of this ODE either nudge a sample away or towards the data. Karras et al. (2022) consider training a denoiser $D_{\theta}(\mathbf{x}; \sigma)$ on an L2 denoising objective:

$$\min_{\theta} \mathbb{E}_{\mathbf{x} \sim p, \sigma, \epsilon \sim \mathcal{N}(0, \sigma^2 I)} \|D_{\theta}(\mathbf{x} + \epsilon; \sigma) - \mathbf{x}\|_2^2 \quad (2)$$

and then use the connection between score-matching and denoising (Vincent, 2011) to obtain $\nabla_{\mathbf{x}} \log p(\mathbf{x}; \sigma) = (D_{\theta}(\mathbf{x}; \sigma) - \mathbf{x})/\sigma^2$. We may then apply an ODE (or SDE as a generalization of Equation (1)) solver to reverse the forward process. In this paper, we train our diffusion models to approximate the online or offline behavioral distribution.

Algorithm 1 SYNTHETIC for online replay-based algorithms. Our additions are highlighted in blue.

- 1: **Input:** real data ratio $r \in [0, 1]$
- 2: **Initialize:** $\mathcal{D}_{\text{real}} = \emptyset$ real replay buffer, π agent, $\mathcal{D}_{\text{synthetic}} = \emptyset$ synthetic replay buffer, M diffusion model
- 3: **for** $t = 1, \dots, T$ **do**
- 4: Collect data with π in the environment and add them to $\mathcal{D}_{\text{real}}$
- 5: Update diffusion model M with samples from $\mathcal{D}_{\text{real}}$
- 6: Generate samples from M and add them to $\mathcal{D}_{\text{synthetic}}$
- 7: Train π on samples from $\mathcal{D}_{\text{real}} \cup \mathcal{D}_{\text{synthetic}}$ mixed with ratio r
- 8: **end for**

3. Synthetic Experience Replay

In this section, we introduce Synthetic Experience Replay (SYNTHETIC), our approach to upsampling an agent’s experience using diffusion. We begin by describing the simpler process used for offline RL and then how that may be adapted to the online setting by continually training the diffusion model.

3.1. Offline SYNTHETIC

For offline reinforcement learning, we take the data distribution of the diffusion model $p(\mathbf{x})$ to simply be the offline behavioral distribution. In proprioceptive environments, the full transition is low-dimensional compared with typical




Figure 3: SYNTHETIC generates synthetic samples using a diffusion model which we visualize on the proprioceptive walker2d environment. On the **top row**, we render the state component of the transition tuple on a subset of samples; and on the **bottom row**, we visualize a t-SNE (Van der Maaten & Hinton, 2008) projection of 100,000 samples. The denoising process creates cohesive and plausible transitions whilst also remaining diverse, as seen by the multiple clusters that form at the end of the process in the bottom row.

pixel-based diffusion. Therefore, the network architecture is an important design choice; and similarly to Pearce et al. (2023) we find it important to use a residual MLP denoising (Tolstikhin et al., 2021) network. Furthermore, the choice of the Karras et al. (2022) sampler allows us to use a low number of diffusion steps resulting in high sampling speed. Full details for both are provided in Appendix B. We visualize the denoising process on a D4RL (Fu et al., 2020) offline dataset, in Figure 3. We further validate our diffusion model on the D4RL datasets in Figure 7 in Appendix A by showing that the synthetic data closely matches the original data when comparing the marginal distribution over each dimension. In Section 4.3, we show the same model may be used for pixel-based environments by generating data in a low-dimensional latent space.

Next, we conduct a quantitative analysis and show that **the quality of the samples from the diffusion model is significantly better** than with prior generative models such as VAEs (Kingma & Welling, 2014) and GANs (Goodfellow et al., 2014). We consider the state-of-the-art Tabular VAE (TVAE) and Conditional Tabular GAN (CTGAN) models proposed by Xu et al. (2019) with the default hyperparameters, and evaluate on the D4RL halfcheetah medium-replay dataset. As proposed in Patki et al. (2016), we compare the following two high-level statistics: **(1) Marginal:** Mean Kolmogorov-Smirnov (Massey Jr, 1951) statistic, measuring the maximum distance between empirical cumulative distribution functions, for each dimension of the synthetic and real data; and **(2) Correlation:** Mean Correlation Similarity, measuring the difference in pairwise Pearson rank correlations (Fieller et al., 1957) between the synthetic and real data.

We also assess downstream offline RL performance using the synthetic data with two state-of-the-art offline RL algorithms, TD3+BC (Fujimoto & Gu, 2021) and IQL (Kostrikov et al., 2022), in Table 2. The full evaluation protocol is described in Section 4.1. The diffusion

Table 1: A comprehensive evaluation of SYNTHET on a wide variety of proprioceptive D4RL (Fu et al., 2020) datasets and selection of state-of-the-art offline RL algorithms. We show that synthetic data from SYNTHET faithfully reproduces the original performance, which allows us to completely eschew the original training data. We show the mean and standard deviation of the final performance averaged over 4 seeds. **Highlighted** figures show at least parity over each group (algorithm and environment class) of results.

Environment	Behavioral Policy	TD3+BC (Fujimoto & Gu, 2021)		IQL (Kostrikov et al., 2022)		EDAC (An et al., 2021)	
		Original	SYNTHET	Original	SYNTHET	Original	SYNTHET
halfcheetah-v2	random	11.3±0.8	10.9±0.4	15.2±1.2	19.4±0.3	-	-
	mixed	44.8±0.7	45.4±0.4	43.5±0.4	46.7±0.1	62.1±1.3	62.9±1.8
	medium	48.1±0.2	48.8±0.3	48.3±0.1	49.9±0.2	67.7±1.2	64.2±1.2
	medexp	90.8±7.0	85.9±8.2	94.6±0.2	93.6±1.7	104.8±0.7	94.0±8.3
walker2d-v2	random	0.6±0.3	3.4±1.8	4.1±0.8	4.8±0.7	-	-
	mixed	85.6±4.6	91.9±1.4	82.6±8.0	90.2±4.8	87.1±3.2	84.9±1.6
	medium	82.7±5.5	85.2±1.1	84.0±5.4	83.2±5.6	93.4±1.6	88.2±1.6
	medexp	110.0±0.4	110.1±0.3	111.7±0.6	111.8±0.7	114.8±0.9	113.6±0.5
hopper-v2	random	8.6±0.3	17.8±11.2	7.2±0.2	7.5±0.5	-	-
	mixed	64.4±24.8	54.0±10.8	84.6±13.5	102.8±0.3	99.7±0.9	97.6±1.6
	medium	60.4±4.0	63.0±4.3	62.8±6.0	71.8±4.3	101.7±0.3	101.0±0.7
	medexp	101.1±10.5	102.5±10.9	106.2±6.1	97.5±8.8	105.2±11.6	109.7±0.2
locomotion average		59.0±4.9	59.9±4.3	62.1±3.5	64.9±2.3	92.9±2.4	90.7±1.9
maze2d-v1	umaze	29.4±14.2	40.5±9.8	37.7±2.0	40.5±1.0	95.3±7.4	101.5±20.6
	medium	59.5±41.9	67.1±36.6	35.5±1.0	34.1±0.2	57.0±4.0	69.4±8.0
	large	97.1±29.3	128.0±41.3	49.6±22.0	48.7±4.6	95.6±26.5	161.6±9.7
maze average		62.0±28.2	78.5±29.2	40.9±8.3	41.1±1.9	82.6±12.6	110.8±12.8

model is far more faithful to the original data than prior generative models which leads to substantially higher returns on both algorithms. Thus, we hypothesize a large part of the failure of prior methods (Imre, 2021; Ludjen, 2021) is due to a weaker generative model.

3.2. Online SYNTHET

SYNTHET may be used to upsample an online agent’s experiences by continually training the diffusion model on new experiences. We provide pseudocode for how to incorporate SYNTHET into any online replay-based RL agent in Algorithm 1 and visualize this in Figure 2. Concretely, a diffusion model is periodically updated on the real transitions and then used to populate a second synthetic buffer. The agent may then be trained on a mixture of real and synthetic data sampled with ratio r . For the results in Section 4.2, we simply set $r = 0.5$ following Ball et al. (2023). The synthetic replay buffer may also be configured with a finite capacity to prevent overly stale data.

Table 2: SYNTHET is better at capturing both the high-level statistics of the dataset (halfcheetah medium-replay) than prior generative models and also leads to far higher downstream performance. Metrics (left) computed from 100K samples from each model, offline RL performance (right) computed using 5M samples from each model. We show the mean and standard deviation of the final performance averaged over 4 seeds.

Model	Metrics		Eval. Return	
	Marginal	Correlation	TD3+BC	IQL
Diffusion	0.989	0.998	45.4±0.4	46.7±0.1
VAE	0.941	0.976	12.3±5.6	6.7±1.0
GAN	0.947	0.979	11.0±3.3	4.6±2.4

4. Empirical Evaluation

We evaluate SYNTHET across a wide variety of offline and online settings. First, we validate our approach on offline RL, where we entirely replace the original data, and further show large benefits from upsampling small offline datasets. Next, we show that SYNTHET leads to large improvements in sample efficiency in online RL, exceeding specially designed data-efficient approaches. Finally, we show that SYNTHET scales to pixel-based environments by generating data in latent space.

4.1. Offline Evaluation

We first verify that synthetic samples from SYNTHET faithfully model the underlying distribution from the canonical offline D4RL (Fu et al., 2020) datasets. To do this, we evaluate SYNTHET in combination with 3 widely-used SOTA offline RL algorithms: TD3+BC (Fujimoto & Gu (2021), explicit policy regularization), IQL (Kostrikov et al. (2022), expectile regression), and EDAC (An et al. (2021), uncertainty-based regularization) on an extensive selection of D4RL datasets. We consider the MuJoCo (Todorov et al., 2012) locomotion (halfcheetah, walker2d, and hopper) and maze2d environments. In these experiments, all datasets share the same training hyperparameters in Appendix B, with some larger datasets using a wider network. For each dataset, we upsample the original dataset to **5M samples**; we justify this choice in Appendix C.1. We show the final performance in Table 1.

Our results show that we achieve at least parity for all groups of environments and algorithms as highlighted in the table, *regardless of the precise details of each algorithm*. We




Figure 4: SYNThER is a powerful method for upsampling reduced variants of the walker2d datasets and vastly improves on explicit data augmentation approaches for both the TD3+BC (top) and IQL (bottom) algorithms. The subsampling levels are scaled proportionally to the original size of each dataset. We show the mean and standard deviation of the final performance averaged over 4 seeds.

note significant improvements to maze2d environments, which are close to the ‘best’ performance as reported in CORL (Tarasov et al., 2022) (i.e., the best iteration during offline training) rather than the final performance. We hypothesize this improvement is largely due to increased data from SYNThER, which leads to less overfitting and increased stability. For the locomotion datasets, we largely reproduce the original results, which we attribute to the fact that most D4RL datasets are at least 1M in size and are already sufficiently large. However, as detailed in Table 5 in Appendix A.1, SYNThER allows the effective size of the dataset to be compressed significantly, up to $12.9\times$ on some datasets.

4.1.1. UPSAMPLING FOR SMALL DATASETS

We investigate the benefit of SYNThER for small offline datasets and compare it to canonical ‘explicit’ data augmentation approaches (Laskin et al., 2020; Ball et al., 2021). Concretely, we wish to understand whether SYNThER generalizes and generates synthetic samples that improve policy learning compared with *explicitly* augmenting the data with hand-designed inductive biases. We focus on the walker2d (medium, medium-replay/mixed, medium-expert) datasets in D4RL and uniformly subsample each at the transition level. We subsample each dataset proportional to the original dataset size so that the subsampled datasets approximately range from 20K to 200K samples. As in Section 4.1, we then use SYNThER to *upsample* each dataset to 5M transitions. Our denoising network uses the same hyperparameters as for the original evaluation in Section 4.1.

In Figure 4, we can see that for all datasets, SYNThER leads to a significant gain in performance and vastly improves on explicit data augmentation approaches. For explicit data

augmentation, we select the overall most effective augmentation scheme from Laskin et al. (2020) (adding Gaussian noise of the form $\epsilon \sim \mathcal{N}(0, 0.1)$). Notably, with SYNThER we can achieve close to the original levels of performance on the walker2d-medium-expert datasets starting from **only 3% of the original data**. In Figure 1a, we methodically compare across both additive and multiplicative versions of RAD, as well as dynamics augmentation (Ball et al., 2021) on the 15% reduced walker medium-replay dataset.




Figure 5: Comparing L2 distance from training data and dynamics accuracy under SYNThER and augmentations.

Why is SYNThER better than explicit augmentation?

To provide intuition into the efficacy of SYNThER over canonical explicit augmentation approaches, we compare the data generated by SYNThER to that generated by the best-performing data augmentation approach in Figure 1a, namely additive noise. We wish to evaluate two properties: 1) How diverse is the data? 2) How accurate is the data for the purposes of learning policies? To measure diversity, we

Synthetic Experience Replay

Table 3: SYNTHETIC enables effective training of larger policy and value networks for TD3+BC (Fujimoto & Gu, 2021) leading to a **12.2%** gain on the offline MuJoCo locomotion datasets. In comparison, simply increasing the network size with the original data does not improve performance. We show the mean and standard deviation of the final performance averaged over 4 seeds.

Environment	Behavioral Policy	Baseline	Larger Network	
			Original Data	SYNTHETIC
halfcheetah-v2	random	11.3±0.8	11.0±0.6	12.8±0.7
	mixed	44.8±0.7	44.9±0.5	48.1±0.4
	medium	48.1±0.2	48.5±0.2	53.4±0.1
	medexp	90.8±7.0	91.0±3.8	101.4±1.1
walker2d-v2	random	0.6±0.3	1.8±1.8	3.5±2.0
	mixed	85.6±4.6	82.5±7.3	93.6±2.3
	medium	82.7±5.5	84.5±1.0	88.0±0.4
	medexp	110.0±0.4	110.2±0.4	110.3±0.2
hopper-v2	random	8.6±0.3	8.2±0.8	17.0±11.3
	mixed	64.4±24.8	66.2±17.5	88.8±10.8
	medium	60.4±4.0	58.7±5.7	65.6±4.1
	medexp	101.1±10.5	97.8±7.9	111.5±0.5
locomotion average		59.0±4.9	58.8±4.0	66.2±2.8

measure the *minimum* L2 distance of each datapoint from the dataset, which allows us to see how far the upsampled data is from the original data. To measure the validity of the data, we follow Lu et al. (2022a) and measure the MSE between the reward and next state proposed by SYNTHETIC with the true next state and reward defined by the simulator. We plot both these values in a joint scatter plot to compare how they vary with respect to each other. For this, we compare specifically on the reduced 15% subset of walker2d medium-replay as in Figure 1a. As we see in Figure 5, SYNTHETIC generates a significantly wider marginal distribution over the distance from the dataset, and generally produces samples that are further away from the dataset than explicit augmentations. Remarkably, however, we see that these samples are far more consistent with the true environment dynamics. Thus, SYNTHETIC generates samples that have significantly lower dynamics MSE than explicit augmentations, even for datapoints that are far away from the training data. This implies that a high level of generalization has been achieved by the SYNTHETIC model, resulting in the ability to generate **novel, diverse, yet dynamically accurate data** that can be used by policies to improve performance.

4.1.2. SCALING NETWORK SIZE

A further benefit we observe from SYNTHETIC on the TD3+BC algorithm is that upsampled data can enable scaling of the policy and value networks leading to improved performance. As is typical for RL algorithms, TD3+BC uses a small value and policy network with two hidden layers, and width of 256, and a batch size of 256. We consider increasing the size of both networks to be three hidden layers and width 512 (approximately 6× more parameters), and the batch size to 1024 to better make use of the upsampled data in Table 3.

We observe a large overall improvement of **12.2%** for the locomotion datasets when using a larger network with syn-

thetic data (Larger Network + SYNTHETIC). Notably, when using the original data (Larger Network + Original Data), the larger network performs the same as the baseline. This suggests that the bottleneck in the algorithm lies in the representation capability of the neural network and *synthetic samples from SYNTHETIC enables effective training of the larger network*. This could alleviate the data requirements for scaling laws in reinforcement learning (Adaptive Agent Team et al., 2023; Hilton et al., 2023). However, for the IQL and EDAC algorithms, we did not observe an improvement by increasing the network size which suggests that the bottleneck there lies in the data or algorithm rather than the architecture.

4.2. Online Evaluation

Next, we show that SYNTHETIC can effectively upsample an online agent’s continually collected experiences. In this section, we follow the sample-efficient RL literature (Chen et al., 2021; D’Oro et al., 2023) and consider 3 environments from the DeepMind Control Suite (DMC, Tunyasuvunakool et al. (2020)) (cheetah-run, quadruped-walk, and reacher-hard) and 3 environments the OpenAI Gym Suite (Brockman et al., 2016) (walker2d, halfcheetah, and hopper). As in Chen et al. (2021); D’Oro et al. (2023), we choose the base algorithm to be Soft Actor-Critic (SAC, Haarnoja et al. (2018)), a popular off-policy entropy-regularized algorithm, and benchmark against a SOTA sample-efficient variant of itself, ‘Randomized Ensembled Double Q-Learning’ (REDQ, Chen et al. (2021)). REDQ uses an ensemble of 10 Q-functions and computes target values across a randomized subset of them during training. By default, SAC uses an update-to-data ratio of 1 (1 update for each transition collected); the modifications to SAC in REDQ enable this to be raised to 20. Our method, ‘SAC (SYNTHETIC)’, augments the training data by generating 1M new samples for every 10K real samples collected and samples them with a ratio $r = 0.5$. We then match REDQ and train with a UTD ratio




Figure 6: SYNTHER greatly improves the sample efficiency of online RL algorithms by enabling an agent to train on upsampled data. This allows an agent to use an increased update-to-data ratio (UTD=20 compared to 1 for regular SAC) *without any algorithmic changes*. We show the mean and standard deviation of the online return over 4 seeds. DeepMind Control Suite environments are shown in the top row, and OpenAI Gym environments are shown in the bottom.

of 20. We evaluate our algorithms over 200K online steps for the DMC environments and 100K for OpenAI Gym.

In Figure 6, we see that SAC (SYNTHER) matches or outperforms REDQ on the majority of the environments with particularly strong results on the quadruped-walk and halfcheetah-v2 environments. This is particularly notable as D’Oro et al. (2023) found that UTD=20 on average *decreased performance* for SAC compared with the default value of 1, attributable to issues with overestimation and overfitting (Chen et al., 2021; Li et al., 2023). We aggregate the final performance on the environments in Figure 1b, normalizing the DMC returns following Lu et al. (2022b) and OpenAI returns as in D4RL. Moreover, due to the fast speed of training our diffusion models and fewer Q-networks, our approach is in fact faster than REDQ based on wall-clock time, whilst also requiring fewer algorithmic design choices, such as large ensembles and random subsetting. Full details on run-time are given in Appendix D.2.

4.3. Scaling to Pixel-Based Observations

Finally, we show that we can readily scale SYNTHER to pixel-based environments by generating data in the latent space of a CNN encoder. We consider the V-D4RL (Lu et al., 2022b) benchmarking suite, a set of standardized pixel-based offline datasets, and focus on the ‘cheetah-run’ and ‘walker-walk’ environments. We use the associated DrQ+BC (Lu et al., 2022b) and BC algorithms. Whilst the original image observations are of size $84 \times 84 \times 3$, we note that the CNN encoder in both algorithms generates features that are 50 dimensional (Yarats et al., 2022). Therefore, given a frozen encoder pre-trained on the same dataset,

we can retain the fast training and sampling speed of our proprioceptive models but now in pixel space. We present full details in Appendix E.

Analogously to the proprioceptive offline evaluation in Section 4.1, we upsample 5M latent transitions for each dataset and present downstream performance in Table 4. Since the V-D4RL datasets are smaller than the D4RL equivalents with a base size of 100K, we would expect synthetic data to be beneficial. Indeed, we observe a statistically significant increase in performance of **+9.5%** and **+6.8%** on DrQ+BC and BC respectively; with particularly strong highlighted results on the medium and expert datasets. We believe this serves as compelling evidence of the scalability of SYNTHER to high-dimensional observation spaces and leave generating data in the original image space, or extending this approach to the online setting for future work.

5. Related Work

Whilst generative training data has been explored in reinforcement learning; in general, synthetic data has not previously performed as well as real data on standard RL benchmarks.

Generative Training Data. Imre (2021); Ludjen (2021) considered using VAEs and GANs to generate synthetic data for online reinforcement learning. However, we note that both works failed to match the original performance on simple environments such as CartPole—this is likely due to the use of a weaker class of generative models which we explored in Section 3.1. Huang et al. (2017) considered using GAN samples to *pre-train* an RL policy, observing a

Table 4: We scale SYNTHETIC to high dimensional pixel-based environments by generating data in the latent space of a CNN encoder pre-trained on the same offline data. Our approach is composable with algorithms that train with data augmentation and leads to a **+9.5%** and **+6.8%** overall gain on DrQ+BC and BC respectively. We show the mean and standard deviation of the final performance averaged over 6 seeds.

Environment		DrQ+BC (Lu et al., 2022b)		BC (Lu et al., 2022b)	
		Original	SynthER	Original	SynthER
walker-walk	mixed	28.7±6.9	32.3±7.6	16.5±4.3	12.3±3.6
	medium	46.8±2.3	44.0±2.9	40.9±3.1	40.3±3.0
	medexp	86.4±5.6	83.4±6.3	47.7±3.9	45.2±4.5
	expert	68.4±7.5	83.6±7.5	91.5±3.9	92.0±4.2
cheetah-run	mixed	44.8±3.6	43.8±2.7	25.0±3.6	27.9±3.4
	medium	53.0±3.0	56.0±1.2	51.6±1.4	52.2±1.2
	medexp	50.6±8.2	56.9±8.1	57.5±6.3	69.9±9.5
	expert	34.5±8.3	52.3±7.0	67.4±6.8	85.4±3.1
Average		51.7±5.7	56.5±5.4 (+9.5%)	49.8±4.2	53.2±4.1 (+6.8%)

modest improvement in sample efficiency for CartPole. Yu et al. (2023); Chen et al. (2023) consider augmenting the image observations of robotic control data using a guided diffusion model whilst maintaining the same action. This differs from our approach which models the entire transition and *can synthesize novel action and reward labels*.

Outside of reinforcement learning, He et al. (2022); Azizi et al. (2023); Sariyildiz et al. (2023) consider generative training data for image classification and pre-training. They also find that synthetic data improves performance for data-scarce settings which are especially prevalent in reinforcement learning. Schwag et al. (2022) consider generative training data to improve adversarial robustness in image classification.

Generative Modeling in RL. Prior work in diffusion modeling for offline RL has largely sought to supplant traditional reinforcement learning with “upside-down RL” (Schmidhuber, 2019). Diffuser (Janner et al., 2022) models long sequences of transitions or full episodes and can bias the whole trajectory with guidance towards high reward or a particular goal. It then takes the first action and re-plans by receding horizon control. Decision Diffuser (Ajay et al., 2022) similarly operates at the sequence level but instead uses conditional guidance on rewards and goals. Du et al. (2023) present a similar trajectory-based algorithm for visual data. In contrast, SYNTHETIC operates at the transition level and seeks to be readily compatible with existing reinforcement learning algorithms. Pearce et al. (2023) consider a diffusion-based approach to behavioral cloning, whereby a state-conditional diffusion model may be used to sample actions that imitate prior data.

Model-Based Reinforcement Learning. We note the parallels between synthetic data generation and model-based reinforcement learning (Janner et al., 2019; Yu et al., 2020; Lu et al., 2022a); methods that generate synthetic samples by rolling out from observed states. Two key differences to our method are: SYNTHETIC synthesizes new experiences without the need to start from a real state and the generated experiences are distributed exactly according to the data,

rather than subject to compounding errors due to modeling inaccuracy. Furthermore, SYNTHETIC is an orthogonal approach which could in fact be *combined with* model-based RL by generating initial states using diffusion, which could lead to increased diversity.

6. Conclusion

In this paper, we proposed SYNTHETIC, a powerful and general method for upsampling agent experiences in any reinforcement learning algorithm using experience replay. We integrated SYNTHETIC with ease on **six distinct algorithms across proprioceptive and pixel-based environments**, each fine-tuned for its own use case, **with no algorithmic modification**. Our results show the potential of synthetic training data when combined with modern diffusion models. In offline reinforcement learning, SYNTHETIC allows training from extremely small datasets, scaling up policy and value networks, and high levels of data compression. In online reinforcement learning, the additional data allows online agents to use higher update-to-data ratios leading to increased sample efficiency.

We have demonstrated that SYNTHETIC is a scalable approach and believe that extending it to more settings would unlock extremely exciting new capabilities for RL agents. SYNTHETIC could readily be extended to n -step formulations of experience replay by simply expanding the input space of the diffusion model. Furthermore, whilst we demonstrated an effective method to generate synthetic data in latent space for pixel-based settings, exciting future work could involve generating full transitions in the original space. For example, one could leverage the generalization capability of image-based diffusion models to synthesize novel views and configurations of a pixel-based environment. Finally, by leveraging guidance for diffusion models (Ho & Salimans, 2021), the generated synthetic data could be biased towards certain modes, resulting in transferable and composable sampling strategies for RL algorithms.

ACKNOWLEDGMENTS

Cong Lu is funded by the Engineering and Physical Sciences Research Council (EPSRC). Philip Ball is funded through the Willowgrove Studentship. The authors would like to thank the anonymous Reincarnating Reinforcement Learning Workshop at ICLR 2023 and New Frontiers in Learning, Control, and Dynamical Systems Workshop at ICML 2023 reviewers for positive and constructive feedback which helped to improve the paper. We would also like to thank Ondrej Bajgar for reviewing an early draft of this work.

References

Adaptive Agent Team, Bauer, J., Baumli, K., Baveja, S., Behbahani, F., Bhoopchand, A., Bradley-Schmieg, N., Chang, M., Clay, N., Collister, A., Dasagi, V., Gonzalez, L., Gregor, K., Hughes, E., Kashem, S., Loks-Thompson, M., Openshaw, H., Parker-Holder, J., Pathak, S., Perez-Nieves, N., Rakicevic, N., Rocktäschel, T., Schroecker, Y., Sygnowski, J., Tuyls, K., York, S., Zacherl, A., and Zhang, L. Human-timescale adaptation in an open-ended task space, 2023. URL <https://arxiv.org/abs/2301.07608>.

Agarwal, R., Schuurmans, D., and Norouzi, M. An optimistic perspective on offline reinforcement learning. In *International Conference on Machine Learning*, 2020.

Ajay, A., Du, Y., Gupta, A., Tenenbaum, J., Jaakkola, T., and Agrawal, P. Is conditional generative modeling all you need for decision-making? *arXiv preprint arXiv:2211.15657*, 2022.

An, G., Moon, S., Kim, J.-H., and Song, H. O. Uncertainty-based offline reinforcement learning with diversified q-ensemble. In Ranzato, M., Beygelzimer, A., Dauphin, Y., Liang, P., and Vaughan, J. W. (eds.), *Advances in Neural Information Processing Systems*, volume 34, pp. 7436–7447. Curran Associates, Inc., 2021. URL <https://proceedings.neurips.cc/paper/2021/file/3d3d286a8d153a4a58156d0e02d8570c-Paper.pdf>.

Azizi, S., Kornblith, S., Saharia, C., Norouzi, M., and Fleet, D. J. Synthetic data from diffusion models improves imagenet classification, 2023.

Ball, P. J., Lu, C., Parker-Holder, J., and Roberts, S. Augmented world models facilitate zero-shot dynamics generalization from a single offline environment. In Meila, M. and Zhang, T. (eds.), *Proceedings of the 38th International Conference on Machine Learning*, volume 139 of *Proceedings of Machine*

Learning Research, pp. 619–629. PMLR, 18–24 Jul 2021. URL <https://proceedings.mlr.press/v139/ball21a.html>.

Ball, P. J., Smith, L., Kostrikov, I., and Levine, S. Efficient online reinforcement learning with offline data, 2023. URL <https://arxiv.org/abs/2302.02948>.

Brockman, G., Cheung, V., Pettersson, L., Schneider, J., Schulman, J., Tang, J., and Zaremba, W. Openai gym, 2016.

Brown, T., Mann, B., Ryder, N., Subbiah, M., Kaplan, J. D., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., Askell, A., et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33: 1877–1901, 2020.

Chen, X., Wang, C., Zhou, Z., and Ross, K. W. Randomized ensembled double q-learning: Learning fast without a model. In *International Conference on Learning Representations*, 2021. URL <https://openreview.net/forum?id=AY8zfZm0tDd>.

Chen, Z., Kiami, S., Gupta, A., and Kumar, V. Genaug: Retargeting behaviors to unseen situations via generative augmentation, 2023. URL <https://arxiv.org/abs/2302.06671>.

Deng, J., Dong, W., Socher, R., Li, L.-J., Li, K., and Fei-Fei, L. Imagenet: A large-scale hierarchical image database. In *2009 IEEE conference on computer vision and pattern recognition*, pp. 248–255. Ieee, 2009.

Devlin, J., Chang, M.-W., Lee, K., and Toutanova, K. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*, 2018.

D’Oro, P., Schwarzer, M., Nikishin, E., Bacon, P.-L., Belle-mare, M. G., and Courville, A. Sample-efficient reinforcement learning by breaking the replay ratio barrier. In *The Eleventh International Conference on Learning Representations*, 2023. URL <https://openreview.net/forum?id=OpC-9aBBVJe>.

Du, Y., Yang, M., Dai, B., Dai, H., Nachum, O., Tenenbaum, J. B., Schuurmans, D., and Abbeel, P. Learning universal policies via text-guided video generation, 2023. URL <https://arxiv.org/abs/2302.00111>.

Espeholt, L., Soyer, H., Munos, R., Simonyan, K., Mnih, V., Ward, T., Doron, Y., Firoiu, V., Harley, T., Dunning, I., Legg, S., and Kavukcuoglu, K. IMPALA: Scalable distributed deep-RL with importance weighted actor-learner architectures. In *Proceedings of the 35th International Conference on Machine Learning*, 2018.

- Fedus, W., Ramachandran, P., Agarwal, R., Bengio, Y., Larochelle, H., Rowland, M., and Dabney, W. Revisiting fundamentals of experience replay. In *Proceedings of the 37th International Conference on Machine Learning*, 2020.
- Fieller, E. C., Hartley, H. O., and Pearson, E. S. Tests for rank correlation coefficients. i. *Biometrika*, 44(3/4): 470–481, 1957. ISSN 00063444. URL <http://www.jstor.org/stable/2332878>.
- Fu, J., Kumar, A., Nachum, O., Tucker, G., and Levine, S. D4rl: Datasets for deep data-driven reinforcement learning, 2020.
- Fujimoto, S. and Gu, S. S. A minimalist approach to offline reinforcement learning. In *Thirty-Fifth Conference on Neural Information Processing Systems*, 2021.
- Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., and Bengio, Y. Generative adversarial nets. In Ghahramani, Z., Welling, M., Cortes, C., Lawrence, N., and Weinberger, K. (eds.), *Advances in Neural Information Processing Systems*, volume 27. Curran Associates, Inc., 2014. URL <https://proceedings.neurips.cc/paper/2014/file/5ca3e9b122f61f8f06494c97b1afccf3-Paper.pdf>.
- Haarnoja, T., Zhou, A., Abbeel, P., and Levine, S. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In Dy, J. and Krause, A. (eds.), *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, pp. 1861–1870. PMLR, 10–15 Jul 2018. URL <https://proceedings.mlr.press/v80/haarnoja18b.html>.
- He, K., Zhang, X., Ren, S., and Sun, J. Deep residual learning for image recognition. *CoRR*, abs/1512.03385, 2015.
- He, R., Sun, S., Yu, X., Xue, C., Zhang, W., Torr, P., Bai, S., and Qi, X. Is synthetic data from generative models ready for image recognition?, 2022. URL <https://arxiv.org/abs/2210.07574>.
- Hester, T., Vecerik, M., Pietquin, O., Lanctot, M., Schaul, T., Piot, B., Horgan, D., Quan, J., Sendonaris, A., Dulac-Arnold, G., Osband, I., Agapiou, J., Leibo, J. Z., and Gruslys, A. Deep q-learning from demonstrations, 2017. URL <https://arxiv.org/abs/1704.03732>.
- Hilton, J., Tang, J., and Schulman, J. Scaling laws for single-agent reinforcement learning, 2023. URL <https://arxiv.org/abs/2301.13442>.
- Ho, J. and Salimans, T. Classifier-free diffusion guidance. In *NeurIPS 2021 Workshop on Deep Generative Models and Downstream Applications*, 2021. URL <https://openreview.net/forum?id=qw8AKxfYbI>.
- Ho, J., Jain, A., and Abbeel, P. Denoising diffusion probabilistic models. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M., and Lin, H. (eds.), *Advances in Neural Information Processing Systems*, volume 33, pp. 6840–6851. Curran Associates, Inc., 2020. URL <https://proceedings.neurips.cc/paper/2020/file/4c5bcfec8584af0d967f1ab10179ca4b-Paper.pdf>.
- Hoogeboom, E., Nielsen, D., Jaini, P., Forré, P., and Welling, M. Argmax flows and multinomial diffusion: Learning categorical distributions. In Beygelzimer, A., Dauphin, Y., Liang, P., and Vaughan, J. W. (eds.), *Advances in Neural Information Processing Systems*, 2021. URL <https://openreview.net/forum?id=6nbpPqUCIi7>.
- Huang, V., Ley, T., Vlachou-Konchylaki, M., and Hu, W. Enhanced experience replay generation for efficient reinforcement learning, 2017. URL <https://arxiv.org/abs/1705.08245>.
- Hyvärinen, A. Estimation of non-normalized statistical models by score matching. *Journal of Machine Learning Research*, 6(24):695–709, 2005. URL <http://jmlr.org/papers/v6/hyvarinen05a.html>.
- Imre, B. An investigation of generative replay in deep reinforcement learning, January 2021. URL <http://essay.utwente.nl/85772/>.
- Janner, M., Fu, J., Zhang, M., and Levine, S. When to trust your model: Model-based policy optimization. In *Advances in Neural Information Processing Systems*, 2019.
- Janner, M., Du, Y., Tenenbaum, J., and Levine, S. Planning with diffusion for flexible behavior synthesis. In *International Conference on Machine Learning*, 2022.
- Kapturowski, S., Ostrovski, G., Dabney, W., Quan, J., and Munos, R. Recurrent experience replay in distributed reinforcement learning. In *International Conference on Learning Representations*, 2019.
- Karras, T., Aittala, M., Aila, T., and Laine, S. Elucidating the design space of diffusion-based generative models. In Oh, A. H., Agarwal, A., Belgrave, D., and Cho, K. (eds.), *Advances in Neural Information Processing Systems*, 2022. URL <https://openreview.net/forum?id=k7FuTOWMOc7>.

- Kidambi, R., Rajeswaran, A., Netrapalli, P., and Joachims, T. Morel: Model-based offline reinforcement learning. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M., and Lin, H. (eds.), *Advances in Neural Information Processing Systems*, volume 33, pp. 21810–21823. Curran Associates, Inc., 2020. URL <https://proceedings.neurips.cc/paper/2020/file/f7efa4f864ae9b88d43527f4b14f750f-Paper.pdf>.
- Kingma, D. P. and Welling, M. Auto-Encoding Variational Bayes. In *2nd International Conference on Learning Representations, ICLR 2014, Banff, AB, Canada, April 14-16, 2014, Conference Track Proceedings*, 2014.
- Kostrikov, I., Nair, A., and Levine, S. Offline reinforcement learning with implicit q-learning. In *International Conference on Learning Representations*, 2022. URL <https://openreview.net/forum?id=68n2s9ZJWF8>.
- Krizhevsky, A., Sutskever, I., and Hinton, G. E. Imagenet classification with deep convolutional neural networks. In Pereira, F., Burges, C. J. C., Bottou, L., and Weinberger, K. Q. (eds.), *Advances in Neural Information Processing Systems 25*, 2012.
- Kumar, A., Zhou, A., Tucker, G., and Levine, S. Conservative q-learning for offline reinforcement learning. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M., and Lin, H. (eds.), *Advances in Neural Information Processing Systems*, volume 33, pp. 1179–1191. Curran Associates, Inc., 2020. URL <https://proceedings.neurips.cc/paper/2020/file/0d2b2061826a5df3221116a5085a6052-Paper.pdf>.
- Laskin, M., Lee, K., Stooke, A., Pinto, L., Abbeel, P., and Srinivas, A. Reinforcement learning with augmented data. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M., and Lin, H. (eds.), *Advances in Neural Information Processing Systems*, volume 33, pp. 19884–19895. Curran Associates, Inc., 2020. URL <https://proceedings.neurips.cc/paper/2020/file/e615c82aba461681ade82da2da38004a-Paper.pdf>.
- Levine, S., Kumar, A., Tucker, G., and Fu, J. Offline reinforcement learning: Tutorial, review, and perspectives on open problems, 2020.
- Li, Q., Kumar, A., Kostrikov, I., and Levine, S. Efficient deep reinforcement learning requires regulating statistical overfitting. In *International Conference on Learning Representations*, 2023. URL <https://openreview.net/forum?id=14-kr46GvP->.
- Lu, C., Ball, P., Parker-Holder, J., Osborne, M., and Roberts, S. J. Revisiting design choices in offline model based reinforcement learning. In *International Conference on Learning Representations*, 2022a. URL <https://openreview.net/forum?id=zz9hXVhf40>.
- Lu, C., Ball, P. J., Rudner, T. G. J., Parker-Holder, J., Osborne, M. A., and Teh, Y. W. Challenges and opportunities in offline reinforcement learning from visual observations, 2022b. URL <https://arxiv.org/abs/2206.04779>.
- Ludjen, A. Generative replay in deep reinforcement learning, June 2021. URL <http://essay.utwente.nl/87315/>.
- Massey Jr, F. J. The kolmogorov-smirnov test for goodness of fit. *Journal of the American statistical Association*, 46 (253):68–78, 1951.
- Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A., Veness, J., Bellemare, M., Graves, A., Riedmiller, M., Fidjeland, A., Ostrovski, G., Petersen, S., Beattie, C., Sadik, A., Antonoglou, I., King, H., Kumaran, D., Wierstra, D., Legg, S., and Hassabis, D. Human-level control through deep reinforcement learning. *Nature*, 518:529–33, 02 2015. doi: 10.1038/nature14236.
- Patki, N., Wedge, R., and Veeramachaneni, K. The synthetic data vault. In *2016 IEEE International Conference on Data Science and Advanced Analytics (DSAA)*, pp. 399–410, Oct 2016. doi: 10.1109/DSAA.2016.49.
- Pearce, T., Rashid, T., Kanervisto, A., Bignell, D., Sun, M., Georgescu, R., Macua, S. V., Tan, S. Z., Momennejad, I., Hofmann, K., and Devlin, S. Imitating human behaviour with diffusion models. In *International Conference on Learning Representations*, 2023. URL <https://openreview.net/forum?id=Pv1GPQzRrC8>.
- Radford, A., Wu, J., Child, R., Luan, D., Amodei, D., Sutskever, I., et al. Language models are unsupervised multitask learners. *OpenAI blog*, 1(8):9, 2019.
- Rahimi, A. and Recht, B. Random features for large-scale kernel machines. In Platt, J., Koller, D., Singer, Y., and Roweis, S. (eds.), *Advances in Neural Information Processing Systems*, volume 20. Curran Associates, Inc., 2007. URL <https://proceedings.neurips.cc/paper/2007/file/013a006f03dbc5392effeb8f18fda755-Paper.pdf>.
- Ramesh, A., Dhariwal, P., Nichol, A., Chu, C., and Chen, M. Hierarchical text-conditional image generation with clip latents. *arXiv preprint arXiv:2204.06125*, 2022.

- Sariyildiz, M. B., Alahari, K., Larlus, D., and Kalantidis, Y. Fake it till you make it: Learning transferable representations from synthetic imagenet clones. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2023.
- Schaal, S. Learning from demonstration. In Mozer, M., Jordan, M., and Petsche, T. (eds.), *Advances in Neural Information Processing Systems*, volume 9. MIT Press, 1996. URL <https://proceedings.neurips.cc/paper/1996/file/68d13cf26c4b4f4f932e3eff990093ba-Paper.pdf>.
- Schmidhuber, J. Reinforcement learning upside down: Don't predict rewards—just map them to actions. *arXiv preprint arXiv:1912.02875*, 2019.
- Schuhmann, C., Beaumont, R., Vencu, R., Gordon, C. W., Wightman, R., Cherti, M., Coombes, T., Katta, A., Mullis, C., Wortsman, M., Schramowski, P., Kundurthy, S. R., Crowson, K., Schmidt, L., Kaczmarczyk, R., and Jitsev, J. LAION-5b: An open large-scale dataset for training next generation image-text models. In *Thirty-sixth Conference on Neural Information Processing Systems Datasets and Benchmarks Track*, 2022. URL <https://openreview.net/forum?id=M3Y74vmsMcY>.
- Sehwag, V., Mahloujifar, S., Handina, T., Dai, S., Xiang, C., Chiang, M., and Mittal, P. Robust learning meets generative models: Can proxy distributions improve adversarial robustness? In *International Conference on Learning Representations*, 2022. URL <https://openreview.net/forum?id=WVX0NNVBBkV>.
- Shin, H., Lee, J. K., Kim, J., and Kim, J. Continual learning with deep generative replay. In Guyon, I., Luxburg, U. V., Bengio, S., Wallach, H., Fergus, R., Vishwanathan, S., and Garnett, R. (eds.), *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017. URL <https://proceedings.neurips.cc/paper/2017/file/0efbe98067c6c73dba1250d2beaa81f9-Paper.pdf>.
- Sohl-Dickstein, J., Weiss, E., Maheswaranathan, N., and Ganguli, S. Deep unsupervised learning using nonequilibrium thermodynamics. In Bach, F. and Blei, D. (eds.), *Proceedings of the 32nd International Conference on Machine Learning*, volume 37 of *Proceedings of Machine Learning Research*, pp. 2256–2265, Lille, France, 07–09 Jul 2015. PMLR. URL <https://proceedings.mlr.press/v37/sohl-dickstein15.html>.
- Sutton, R. S. and Barto, A. G. *Reinforcement Learning: An Introduction*. The MIT Press, second edition, 2018. URL <http://incompleteideas.net/book/the-book-2nd.html>.
- Tarasov, D., Nikulin, A., Akimov, D., Kurenkov, V., and Kolesnikov, S. CORL: Research-oriented deep offline reinforcement learning library. In *3rd Offline RL Workshop: Offline RL as a "Launchpad"*, 2022. URL <https://openreview.net/forum?id=SyAS49bBcv>.
- Todorov, E., Erez, T., and Tassa, Y. Mujoco: A physics engine for model-based control. In *2012 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 5026–5033. IEEE, 2012. doi: 10.1109/IROS.2012.6386109.
- Tolstikhin, I., Houlsby, N., Kolesnikov, A., Beyer, L., Zhai, X., Unterthiner, T., Yung, J., Steiner, A. P., Keysers, D., Uszkoreit, J., Lucic, M., and Dosovitskiy, A. MLP-mixer: An all-MLP architecture for vision. In Beygelzimer, A., Dauphin, Y., Liang, P., and Vaughan, J. W. (eds.), *Advances in Neural Information Processing Systems*, 2021. URL <https://openreview.net/forum?id=EI2K0XKdnP>.
- Tunyasuvunakool, S., Muldal, A., Doron, Y., Liu, S., Bohez, S., Merel, J., Erez, T., Lillicrap, T., Heess, N., and Tassa, Y. dm.control: Software and tasks for continuous control. *Software Impacts*, 6:100022, 2020. ISSN 2665-9638. doi: <https://doi.org/10.1016/j.simpa.2020.100022>. URL <https://www.sciencedirect.com/science/article/pii/S2665963820300099>.
- Van der Maaten, L. and Hinton, G. Visualizing data using t-sne. *Journal of machine learning research*, 9(11), 2008.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L. u., and Polosukhin, I. Attention is all you need. In Guyon, I., Luxburg, U. V., Bengio, S., Wallach, H., Fergus, R., Vishwanathan, S., and Garnett, R. (eds.), *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017.
- Vincent, P. A connection between score matching and denoising autoencoders. *Neural Computation*, 23(7):1661–1674, 2011. doi: 10.1162/NECO.a.00142.
- Wagenmaker, A. and Pacchiano, A. Leveraging offline data in online reinforcement learning, 2022. URL <https://arxiv.org/abs/2211.04974>.
- Xu, L., Skoularidou, M., Cuesta-Infante, A., and Veeramachaneni, K. Modeling tabular data using conditional gan. In Wallach, H., Larochelle, H., Beygelzimer, A., d'Alché-Buc, F., Fox, E., and Garnett, R. (eds.), *Advances in Neural Information Processing Systems*, volume 32. Curran Associates,

Inc., 2019. URL <https://proceedings.neurips.cc/paper/2019/file/254ed7d2de3b23ab10936522dd547b78-Paper.pdf>.

Yarats, D., Fergus, R., Lazaric, A., and Pinto, L. Mastering visual continuous control: Improved data-augmented reinforcement learning. In *International Conference on Learning Representations, 2022*. URL https://openreview.net/forum?id=_SJ-_yyes8.

Yu, T., Thomas, G., Yu, L., Ermon, S., Zou, J. Y., Levine, S., Finn, C., and Ma, T. Mopo: Model-based offline policy optimization. In Larochelle, H., Ranzato, M., Hadsell, R., Balcan, M., and Lin, H. (eds.), *Advances in Neural Information Processing Systems*, volume 33, pp. 14129–14142. Curran Associates, Inc., 2020. URL <https://proceedings.neurips.cc/paper/2020/file/a322852ce0df73e204b7e67cbbef0d0a-Paper.pdf>.

Yu, T., Xiao, T., Stone, A., Tompson, J., Brohan, A., Wang, S., Singh, J., Tan, C., M, D., Peralta, J., Ichter, B., Hausman, K., and Xia, F. Scaling robot learning with semantically imagined experience, 2023. URL <https://arxiv.org/abs/2302.11550>.

Supplementary Material

A. Data Modeling

In this section, we provide further details for our data modeling. Our diffusion model generates full environment transitions i.e., a concatenation of states, actions, rewards, next states, and terminals where they are present. For the purposes of modeling, we normalize each continuous dimension (non-terminal) to have 0 mean and 1 std. We visualize the marginal distributions over the state, action, and reward dimensions on the standard halfcheetah medium-replay dataset in Figure 7 and observe that the synthetic samples accurately match the high-level statistics of the original dataset.

We note the difficulties of appropriately modeling the terminal variable which is a binary variable compared to the rest of the dimensions which are continuous for the environments we investigate. This is particularly challenging for “expert” datasets where early termination is rare. For example, walker2d-expert only has $\approx 0.0001\%$ terminals. In practice, we find it sufficient to leave the terminals un-normalized and round them to 0 or 1 by thresholding the continuous diffusion samples in the middle at 0.5. A cleaner treatment of this variable could be achieved by leveraging work on diffusion with categorical variables (Hoogeboom et al., 2021).




Figure 7: Histograms of the empirical marginal distribution of samples from SYNTHER in blue on the halfcheetah medium-replay dataset against the original data in orange. Dashed lines indicate the mean \pm one standard deviation in the original dataset. SYNTHER faithfully reproduces the high-level statistics of the dataset.

A.1. Data Compression

An immediate advantage of sampling data from a generative model is compression. In Table 5, we compare the memory requirements of SYNTHETIC and the original data by the number of 32-bit floating point numbers used by each for some sample D4RL (Fu et al., 2020) datasets. For the original data, this simply scales linearly with the size of the dataset. On other hand, SYNTHETIC amortizes this in the number of parameters in the denoising network, resulting in a high level of dataset compression, at the cost of sampling speed. This property was also noted in the continual learning literature with generative models summarizing previous tasks (Shin et al., 2017). As we discuss in Appendix B.2, sampling is fast with 100K transitions taking around 90 seconds to generate.

Table 5: SYNTHETIC provides high levels of dataset compression *without sacrificing downstream performance* in offline reinforcement learning. Statistics shown are for the standard D4RL MuJoCo walker2d datasets which has a transition dimension of 42, and the residual denoiser used for evaluation on these environments in Section 4.1. Figures are given to 1 decimal place.

Dataset	# FP32s in Original Dataset	# Diffusion Parameters	Compression
mixed	12.6M		1.9×
medium	42M	6.5M	6.5×
medium-expert	84M		12.9×

B. Hyperparameters

The formulation of diffusion we use in our paper is the Elucidated Diffusion Model (EDM, Karras et al. (2022)). We parametrize the denoising network D_θ as a simple residual MLP.

B.1. Denoising Network

Our denoising network D_θ is an MLP with skip connections from the previous layer as in Tolstikhin et al. (2021). Thus each layer has the form given in Equation (3).

$$x_{L+1} = \text{linear}(\text{activation}(x_L)) + x_L \tag{3}$$

The hyperparameters are listed in Table 6. The noise level of the diffusion process is encoded by a Random Fourier Feature (Rahimi & Recht, 2007) embedding. The base size of the network uses a width of 1024 and depth of 6 and thus has $\approx 6\text{M}$ parameters. We adjust the batch size for training based on dataset size. For online training and offline datasets with fewer than 1 million samples (medium-replay datasets) we use a batch size of 256, and 1024 otherwise.

For the following offline datasets, we observe more performant samples by increasing the width up to 2048: halfcheetah medium-expert, hopper medium, and hopper medium-expert. This raises the network parameters to $\approx 25\text{M}$, which remains fewer parameters than the original data as in Table 5. We provide ablations on the depth and type of network used in Table 8.

Table 6: Default Residual MLP Denoiser Hyperparameters.

Parameter	Value(s)
no. layers	6
width	1024
batch size	{ 256 for online and medium-replay, 1024 otherwise }
RFF dimension	16
activation	relu
optimizer	Adam
learning rate	3×10^{-4}
learning rate schedule	cosine annealing
model training steps	100K

B.2. Elucidated Diffusion Model

For the diffusion sampling process, we use the stochastic SDE sampler of Karras et al. (2022) with the default hyperparameters used for the ImageNet, given in Table 7. We use a higher number of diffusion timesteps at 128 for improved sample fi-

delity. We use the implementation at <https://github.com/lucidrains/denoising-diffusion-pytorch> which is released under an Apache license.

Table 7: Default ImageNet-64 EDM Hyperparameters.

Parameter	Value
no. diffusion steps	128
σ_{\min}	0.002
σ_{\max}	80
S_{churn}	80
S_{tmin}	0.05
S_{tmax}	50
S_{noise}	1.003

The diffusion model is fast to train, taking approximately 17 minutes for 100K training steps on a standard V100 GPU. It takes approximately 90 seconds to generate 100K samples with 128 diffusion timesteps.

C. SYNTHER Ablations

We consider ablations on the number of generated samples and type of denoiser used for our offline evaluation in Section 4.1.

C.1. Size of Upsampled Dataset




Figure 8: Ablations on the number of samples generated by SYNTHER for the offline walker medium-replay dataset. We choose 10 levels log-uniformly from the range [50K, 5M]. We find that performance eventually saturates at around 5M samples.

In our main offline evaluation in Section 4.1, we upsample each dataset (which has an original size of between 100K to 2M) to 5M. We investigate this choice for the walker medium-replay dataset in Figure 8 and choose 10 levels log-uniformly from the range [50K, 5M]. Similarly to He et al. (2022), we find that performance gains with synthetic data eventually saturate and that 5M is a reasonable heuristic for all our offline datasets.

C.2. Network Ablations

We ablate the hyperparameters of the denoising network, comparing 3 settings of depth from {2, 4, 6} and analyze the importance of skip connections. The remaining hyperparameters follow Appendix B.1. We choose the hopper medium-expert dataset as it is a large dataset of 2M. As we can see in Table 8, we see a positive benefit from the increased depth and skip connections which leads to our final choice in Table 6.

Table 8: Ablations on the denoiser network used for SYNTER on the hopper medium-expert dataset. We observe that greater depth and residual connections are beneficial for downstream offline RL performance. We show the mean and standard deviation of the final performance averaged over 4 seeds.

Network	Depth	Eval. Return
MLP	2	86.8±18.7
	4	89.9±17.9
	6	100.4± 6.9
Residual MLP	2	78.5±11.3
	4	99.3±14.7
	6	101.1±10.5

D. RL Implementation

For the algorithms in the offline RL evaluation in Section 4.1, we use the ‘Clean Offline Reinforcement Learning’ (CORL, Tarasov et al. (2022)) codebase. We take the final performance they report for the baseline offline evaluation. Their code can be found at <https://github.com/tinkoff-ai/CORL> and is released under an Apache license.

For the online evaluation, we consider Soft Actor-Critic (SAC, Haarnoja et al. (2018)) and use the implementation from the REDQ (Chen et al., 2021) codebase. This may be found at <https://github.com/watchernyu/REDQ> and is released under an MIT license. We use the ‘dmcygym’ wrapper for the DeepMind Control Suite (Tunyasuvunakool et al., 2020). This may be found at <https://github.com/ikostrikov/dmcygym> and is released under an MIT license.

D.1. Data Augmentation Hyperparameters

For the data augmentation schemes we visualize in Figure 1a, we define:

1. Additive Noise (Laskin et al., 2020): adding $\epsilon \sim \mathcal{N}(0, 0.1)$ to s_t and s_{t+1} .
2. Multiplicative Noise (Laskin et al., 2020): multiplying s_t and s_{t+1} by single number $\epsilon \sim \text{Unif}([0.8, 1.2])$.
3. Dynamics Noise (Ball et al., 2021): multiplying the next state delta $s_{t+1} - s_t$ by $\epsilon \sim \text{Unif}([0.5, 1.5])$ so that $s_{t+1} = s_t + \epsilon \cdot (s_{t+1} - s_t)$.

D.2. Online Running Times

Our online implementation in Section 4.2 uses the default training hyperparameters in Appendix B.1 to train the diffusion model every 10K online steps, and generates 1M transitions each time. On the 200K DMC experiments, ‘SAC (Synther)’ takes ≈ 21.1 hours compared to ≈ 22.7 hours with REDQ on a V100 GPU. Both running times are dominated by the use of an update-to-data ratio (UTD) of 20. We expect that this may be heavily sped-up with early stopping on the diffusion training, and leave this to future work. The default SAC algorithm with UTD=1 takes ≈ 2 hours.

E. Latent Data Generation with V-D4RL

We provide full details for the experiments in Section 4.3 that scale SYNTER to pixel-based environments by generating data in latent space for the DrQ+BC (Lu et al., 2022b) and BC algorithms. Concretely, for the DrQ+BC algorithm, we consider parametric networks for the shared CNN encoder, policy, and Q -functions, f_ξ , π_ϕ , and Q_θ respectively. We also use a random shifts image augmentation, aug. Therefore, the Q -value for a state s and action a is given by $Q_\theta(f_\xi(\text{aug}(s)), a)$. The policy is similarly conditioned on an encoding of an augmented image observation.

The policy and Q -functions both consist of an initial ‘trunk’ which further reduces the dimensionality of the CNN encoding to $d_{\text{feature}} = 50$, followed by fully connected layers. We represent this as $\pi_\phi = \pi_\phi^{\text{fc}} \circ \pi_\phi^{\text{trunk}}$ and $Q_\theta = Q_\theta^{\text{fc}} \circ Q_\theta^{\text{trunk}}$. This allows us to reduce a pixel-based transition to a low-dimensional latent version. Consider a pixel-based transition (s, a, r, s') where $s, s' \in \mathbb{R}^{84 \times 84 \times 3}$. Let $h = f_\xi(\text{aug}(s))$ and $h' = f_\xi(\text{aug}(s'))$. The latent transition we generate is:

$$(\pi_\phi^{\text{trunk}}(h), Q_\theta^{\text{trunk}}(h), a, r, \pi_\phi^{\text{trunk}}(h'), Q_\theta^{\text{trunk}}(h'))$$

This has dimension $4 \cdot d_{\text{feature}} + |a| + 1$ and includes specific supervised features for both the actor and the critic; we analyze this choice in Appendix E.1. For example, on the ‘cheetah-run’ environment considered in V-D4RL, since $|a| = 6$, the overall dimension is 207 which is suitable for our residual MLP denoising networks using the same hyperparameters in Table 6. This allows us to retain the fast training and sampling speed from the proprioceptive setting but now in pixel space.

To obtain a frozen encoder f_{ξ} and trunks $\pi_{\phi}^{\text{trunk}}, Q_{\theta}^{\text{trunk}}$, we simply train in two stages. The first stage trains the original algorithm on the original data. The second stage then retrains only the fully-connected portions of the actor and critic, π_{ϕ}^{fc} and Q_{θ}^{fc} , with synthetic data. Thus, our approach could also be viewed as fine-tuning the heads of the networks. The procedure for the BC algorithm works the same but without the critic.

We use the official V-D4RL (Lu et al., 2022b) codebase for the data and algorithms in this evaluation. Their code can be found at <https://github.com/conglu1997/v-d4rl> and is released under an MIT license.

E.1. Ablations On Representation

We analyze the choice of low-dimensional latent representation we use in the previous section, in particular, using specific supervised features for both the actor and critic. We compare this against using actor-only or critic-only features for both the actor and critic, which corresponds to a choice of $\pi_{\phi}^{\text{trunk}} = Q_{\theta}^{\text{trunk}}$, in Table 9. We note that both perform worse with an especially large drop-off for the critic-only features. This may suggest that non-specific options for compressing the image into low-dimensional latents, for example, using auto-encoders (Kingma & Welling, 2014), could be even less suitable for this task.

Table 9: Ablations on the latent representation used for SYNTER on the V-D4RL cheetah expert dataset. We observe that separate specific supervised features are essential for downstream performance with a particularly large decrease if we only used critic features for the actor and critic. We show the mean and standard deviation of the final performance averaged over 4 seeds.

Latent Representation	Eval. Return
Actor and Critic (Ours)	52.3±7.0
Actor Only	43.5±7.3
Critic Only	16.0±2.8