
RealWebAssist: A Benchmark for Long-Horizon Web Assistance with Real-World Users

Anonymous Author(s)

Affiliation

Address

email

Abstract

1 To achieve successful assistance with long-horizon web-based tasks, AI agents
2 must be able to sequentially follow real-world user instructions over a long period.
3 Unlike existing web-based agent benchmarks, sequential instruction following in
4 the real world poses significant challenges beyond performing a single, clearly
5 defined task. For instance, real-world human instructions can be ambiguous, require
6 different levels of AI assistance, and may evolve over time, reflecting changes
7 in the user’s mental state. To address this gap, we introduce RealWebAssist, a
8 novel benchmark designed to evaluate sequential instruction-following in realistic
9 scenarios involving long-horizon interactions with the web, visual GUI grounding,
10 and understanding ambiguous real-world user instructions. RealWebAssist includes
11 a dataset of sequential instructions collected from real-world human users. Each
12 user instructs a web-based assistant to perform a series of tasks on multiple websites.
13 A successful agent must reason about the true intent behind each instruction, keep
14 track of the mental state of the user, understand user-specific routines, and ground
15 the intended tasks to actions on the correct GUI elements. Our experimental
16 results show that state-of-the-art models struggle to understand and ground user
17 instructions, posing critical challenges in following real-world user instructions for
18 long-horizon web assistance.

19 1 Introduction

20 As an integral part of people’s daily life, many of our everyday tasks are performed on the internet.
21 With the tremendous advances in open-ended agents driven by large reasoning models (LRMs)
22 and vision-language models (VLMs), there has been increasing interest in engineering web-based
23 agents that can assist humans with complex tasks on the web following humans’ instructions [Zheng
24 et al., 2024a, Nakano et al., 2022]. Recent works have demonstrated the promising performance of
25 web-based agents on planning [Putta et al., 2024, Wang et al., 2024, Yao et al., 2023] and Graphical
26 User Interface (GUI) grounding [Cheng et al., 2024, Wu et al., 2024b, Gou et al., 2024, Yang et al.,
27 2024, Xu et al., 2024], across diverse websites, tasks, and GUI interfaces.

28 Despite these encouraging results, there have not been systematic studies on long-horizon web
29 assistance with real-world users. Existing benchmarks (e.g., Zhou et al. [2023], Deng et al. [2024],
30 Cheng et al. [2024], Yao et al. [2022], Jang et al. [2024]) typically focus on performing a task based on
31 a single instruction. Additionally, the instructions in the current benchmarks were not collected from
32 real users during natural web use sessions, lacking the realism of real user instructions. As a result,
33 these benchmarks do not capture the full complexity of real users’ web behavior and instructions.

34 To bridge this gap, we propose **RealWebAssist**, the first sequential instruction following benchmark
35 that evaluates long-horizon web assistance with real-world users. As illustrated in Figure 1, to
36 perform a task, a user will instruct an AI assistant in a long sequence. Based on the past instructions
37 and screenshots, the AI assistant must execute one or a few steps of actions to perform the latest




Figure 1: An example sequential instruction following task with a real-world user. The red circles indicate the correct actions based on the user’s spoken instructions. Sequential instructions introduce unique challenges, such as the need to retain and reason over past context. For instance, the instruction in step 3 requires information from step 1 to be correctly interpreted.




Figure 2: Examples of general task categories (left) and websites visited (right) in RealWebAssist. The tasks span a wide range of real-world scenarios, from shopping to food & entertainment to travel planning, which encourages users to visit many different websites.

instruction. Additionally, a user can engage in repeated interactions over a series of tasks with the assistant in a long session up to 40 minutes. To construct RealWebAssist, we recruited real users to instruct an assistant to perform multiple real-world tasks on the web. We created a large dataset with real user instructions (in both speech and text) for diverse real-world tasks and websites (as shown in Figure 2).

The sequential instruction following tasks in our RealWebAssist benchmark reflect the natural human behavior on the web. First, real-world users may not initially know what they are looking for. Thus, they need to engage in information seeking on multiple web pages (e.g., step 1-2 in Figure 1), sometimes even across websites. Second, based on new information such as product reviews, users may change their minds (e.g., step 3). Third, users give simple instructions that are seemingly ambiguous out of the context but could be interpreted based on spatial and temporal context via pragmatic reasoning [Goodman and Frank, 2016, Fried et al., 2023]. For instance, the third instruction in Figure 1 does not explicitly describe which product, but an intelligent assistant should be able to infer the true user intent and correctly select the product in the user’s mind. Lastly, in our benchmark, users can browse the websites and have the autonomy to make critical decisions (such as purchasing) on their own, which is complementary to existing benchmarks that focus on agents’ planning ability to fully complete the tasks without human involvement.

We systematically evaluated state-of-the-art models, including GUI grounding, VLMs, and large reasoning models. Experimental results revealed that these models lack several key abilities, including grounding, understanding user intents, reasoning about spatial and temporal context, and adapting to user-specific routines.

2 Related Works

Web Agent Benchmarks. Existing web agent benchmarks primarily evaluate the performance of web agents on tasks with clearly defined, unambiguous instructions, often overlooking the complexities of real-world users’ behavior and their instructions to an AI assistant. On WebArena [Zhou et al., 2023], Mind2Web [Deng et al., 2024], and WebShop [Yao et al., 2022], an agent follows a single instruction to perform an isolated task. While they offer an evaluation of an agent’s planning capacity, they lack

Benchmark	Real User	Sequential Instructions	Real Websites	GUI Grounding	Speech	# Instructions
ScreenSpot [Cheng et al., 2024]	✗	✗	✓	✓	✗	1200+
WebArena [Zhou et al., 2023]	✗	✗	✗	✗	✗	812
Mind2Web [Deng et al., 2024]	✗	✗	✓	✗	✗	2000+
WebLINX [Lù et al., 2024]	✗	✓	✓	✗	✗	512
VideoWebArena [Jang et al., 2024]	✗	✗	✗	✗	✓	2021
WebShop [Yao et al., 2022]	✗	✗	✗	✗	✗	12087
BearCubs [Song et al., 2025]	✗	✗	✓	✗	✗	111
RealWebAssist (Ours)	✓	✓	✓	✓	✓	1885

Table 1: Comparison between RealWebAssist and existing web agent benchmarks on several key aspects: (1) whether instructions were given by real-world users instead of annotators, (2) whether there is a sequence of instructions, (3) whether there are real-world websites, (4) whether the agent needs to execute actions by selecting coordinates on webpages, (5) whether are speech instructions, and (6) the number of total instructions.

the evaluation of an agent’s ability to follow a long sequence of user instructions on long-horizon web tasks. There have also been GUI grounding benchmarks, such as ScreenSpot [Cheng et al., 2024], that focused on grounding simple instructions to clicking actions on webpages. These instructions only instruct web agents to click web elements rather than reaching a user goal (e.g., purchasing an item). WebLINX [Lù et al., 2024] features sequential instruction following. However, the instructions were generated by annotators who received detailed guidelines and extensive training, rather than by actual users. The resulting instructions do not capture the nuances and complexity of real-world user instructions that naturally emerge in interactions with an assistant. In contrast, RealWebAssist consists of sequential instruction following tasks for assisting real-world users, providing a novel set of challenges necessary for long-horizon web assistance for real-world users. Table 1 summarizes key differences between RealWebAssist and prior benchmarks.

Autonomous Web Agents. There have been many recent works on engineering autonomous web agents through retrieval augmented planning [Kim et al., 2024, Zhou et al., 2024, Wu et al., 2024a, He et al., 2024, Pan et al., 2024], finetuning [Hong et al., 2024, Gur et al., 2024, Deng et al., 2024, Pang et al., 2024, Zhang and Zhang, 2024], learning workflows [Zhang et al., 2023, Wang et al., 2024, Zheng et al., 2024b, Majumder et al., 2023, Cai et al., 2024], reinforcement learning [Liu et al., 2018, Shi et al., 2017, Nogueira and Cho, 2016, Humphreys et al., 2022], and combinations of these methods [Liu et al., 2023, Putta et al., 2024]. These works focus on planning for a single task. However, there has not been much work on understanding and following real-world users’ sequential instructions on long-horizon tasks.

GUI Grounding. One key ability for web agents in many assistance tasks is to ground instructions to clicking actions on a webpage. Recent works have explored VLM finetuning (e.g., Gou et al. [2024], Wu et al. [2024b], Yang et al. [2024, 2025], Wu et al. [2025], Qin et al. [2025], Xu et al. [2025], Yuan et al. [2025]) as well as prompting pretrained VLMs with segmentations of web elements (e.g., Yang et al. [2023]) for enabling GUI grounding. These methods generate coordinates or bounding boxes on webpages to indicate where to click. They have only been trained on low-level instructions that clearly refer to web elements. It remains unclear if they can understand real-world user instructions that must be interpreted considering context or may refer to high-level goals.


3 RealWebAssist Benchmark

3.1 Problem Setup

RealWebAssist evaluates agents’ ability to follow long-horizon, sequential web instructions to assist users with their high-level goals. In each task, a human user will try to reach an open-ended goal such as “buy formal outfits for a formal event” by instructing the assistant through a series of spoken instructions. The dataset is collected from interactions between human users and human assistants in a human experiment. To evaluate agents, we use the human assistants’ actions to evaluate the agents’ success.

In RealWebAssist, a web agent has access to the current instruction, webpage (as a screenshot), and all the past interactions (previous instructions & screenshots of webpages). Since we are focusing on tasks on real-world websites, it is challenging to ensure safety and reproducibility in an interactive

“Ok, buy this item”



“Let’s do All Airports”




Figure 3: Multiple actions can satisfy a user’s intent. A web agent’s action is considered correct if the coordinate they provide is within one of the annotated correct regions.

evaluation setting. Therefore, we adopt an offline evaluation setting following prior web-based agent benchmarks with real websites [Deng et al., 2024, Cheng et al., 2024]. Specifically, for each instruction collected from the human experiment, the agent needs to identify the correct element to interact with by providing a coordinate or a bounding box to click on the webpage. As shown by figure 3, a web agent’s action is considered correct if the coordinate or the center of the bounding box they provide falls in the annotated correct regions on the webpage. If there are multiple steps corresponding to one instruction, we evaluate if the web agent’s actions for the same instruction are all correct.

3.2 Evaluation Metrics

We consider the following evaluation metrics:

- **Task success rate:** A task is successful if the web agent can correctly produce actions for all instructions in a task.
- **Average progress:** We measure the progress of a task by the percentage of consecutive instructions the web agent can successfully perform before its first error in the task.
- **Step success rate:** We also consider a teacher forcing setting as a simpler, diagnostic evaluation, where the web agent will only need to follow the instruction at a single step of a task assuming all previous instructions have been successfully performed.

3.3 Dataset Construction

Setup. We recruited 10 participants (4 female, mean age = 20 years) from a US university campus, none of whom had prior knowledge of the study’s purpose, to construct the dataset. All participants were native or fluent English speakers. Each participant completed a 40-minute real-world web assistance session in which they tackled a series of open-ended tasks designed to encourage diverse strategies. During each session, participants verbally instructed an experimenter, who operated the computer on their behalf, to complete the tasks. We captured screen recordings and used a high-quality USB microphone to record speech as raw data. The user study was approved by an institutional review board.

User Tasks. To increase the instruction diversity and realism, participants received general web-based tasks requiring active information seeking, sub-goal planning, and comparison among various options. We generated the task list by few-shot prompting GPT-4o with open-ended tasks, followed by manual filtering and editing to ensure task quality and feasibility. These tasks provide only general guidance, ensuring flexibility for personal decision-making. Example tasks include “Purchase an outfit for a formal event” and “Plan a 5-day trip to Japan, booking both flights and hotels”.

Emergent User Behavior. In our realistic, open-ended settings, users exhibit rich behaviors that are not present in previous benchmarks. These include, but are not limited to, information seeking, researching and comparing different options, change of mind, and trial-and-error. We show examples of these behaviors in figure 8 of the supplementary material.

Annotations. We manually labeled RealWebAssist data to ensure high-quality annotations. We first segmented the full recording into individual clips corresponding to each user’s instructions. In our

benchmark, we disregard user speech unrelated to explicit instructions for the assistant, such as filler words or verbalized thought processes. For each instruction, we provide raw speech, speech transcript, webpage, and the correct regions to click (in the form of one or more bounding boxes). When there were multiple correct answers for the instructions (for instance, “can you close all the current tabs”), we annotated all correct regions with multiple bounding boxes. When the experimenter made a mistake during the data collection sessions, we annotated the correct action intended by the user. If an instruction required multiple steps to complete, we set the instruction at each step as the same instruction. To generate the text instructions, we used an off-the-shelf recognition model, Whisper Large-V3 [Radford et al., 2023], to transcribe users’ speech and then manually fixed transcription errors.

Dataset Statistics. RealWebAssist contains 1,885 user instructions across 107 tasks, 66 websites, and 2,524 screenshots. In addition to the benchmark, we also plan to release the raw data, consisting of over 6 hours of video & audio. We provide a full list of websites and tasks in the “More Dataset Details” section of the supplementary material.


156 **3.4 Key Challenges**

Figure 4: Key challenges introduced by RealWebAssist: (A) spatial reasoning, (B) temporal reasoning, (C) multi-step planning, and (D) learning user-specific routines.

RealWebAssist features multiple challenges as illustrated in Figure 4, including spatial and temporal reasoning needed to understand ambiguous and context-dependent user instructions, planning for multiple steps of actions to reach the goal communicated by an instruction, and learning about user-specific routines. These key challenges provide a more realistic and holistic evaluation of a web agent’s reasoning, planning, and learning abilities to assist real-world users on long-horizon tasks. It is worth noting that many of these challenges, in particular, spatial reasoning, temporal reasoning, and routine understanding, are not present in existing web agent benchmarks. Unlike RealWebAssist, prior benchmarks, such as ScreenSpot [Cheng et al., 2024], WebArena [Zhou et al., 2023], and Mind2Web [Deng et al., 2024], only include clear, unambiguous, and non-sequential instructions.

Spatial Reasoning. When referring to one of the elements on a webpage, real-world users tend to use a concise instruction that can be understood conditioned on spatial context instead of an overly elaborated instruction. For instance, when instructing an assistant to buy a product, users may give short instructions such as “select the cheapest one,” instead of describing the desired product in detail. Figure 4A depicts different types of spatial reasoning that rely on diverse spatial contexts, including ranking, spatial relations, and overall website functionalities. It is worth noting that these instructions may sometimes reveal users’ preferences (e.g., preferred seating), providing additional information for the web agent to provide potentially more customized assistance in the future.

Temporal Reasoning. In our sequential instruction following tasks, users may instruct an assistant with the history as an assumed temporal context. For example, to understand the intended meaning of “click the last item,” the assistant must memorize the items the user has viewed in the past. Figure 4B shows temporal reasoning based on different kinds of temporal context, ranging from short context between two consecutive webpages to long context with the same website to long context across websites. From the temporal context, the assistant needs to memorize crucial elements in the previous webpages, infer and track a user’s mind (e.g., change of mind about what to buy) based on the past instructions and webpages, and identify the earlier webpage the user refers to. Such temporal reasoning has not been evaluated in prior web agent benchmarks. However, it is very common in our benchmark due to the nature of human web browsing behavior as well as human instructions guided by pragmatics [Goodman and Frank, 2016].

Multi-step Planning. Many instructions require multiple steps to complete. In these cases, the assistant needs to interpret the goal implied by the instruction and plan a sequence of actions to achieve that goal. This goes beyond grounding the instruction to a single action on the current webpage. Figure 4C shows an example where the agent was asked to repeat the same order on another food delivery website to check if the price would be different. A successful execution of this instruction would require the agent to first understand what the order is to ground the goal on the current website and generate a successful multi-step plan.

Routine. Since our benchmark allows a user to engage in repeated interactions with an assistant over multiple tasks, we observe that users may define routines understood by the assistant after repeated interactions. As shown in Figure 4D, the user initially gave detailed step-by-step instructions when selecting arrival and departure dates for a flight. In a subsequent task, however, the user simplified them into a single instruction when selecting dates for a hotel room. Such shorter instructions become possible after establishing a routine in the earlier task. Cognitive studies found that procedural abstraction, like these routines, naturally emerges in human cooperative communication through repeated interactions, allowing more efficient communication with partners [McCarthy et al., 2021]. The emergence of such routines in our benchmark poses a novel challenge for web agents—learning user-specific procedural abstraction via repeated interactions to achieve human-like adaptive assistance. We hypothesize that this ability could enhance users’ perception of the AI assistant, as it understands human cooperative communication.

4 Experiments

4.1 Baselines

We evaluated several types of models for web agents commonly evaluated in existing web agent benchmarks that have real-world websites (i.e., offline evaluation). For all the experiments, we use the ground-truth captions for instructions.

GUI Grounding Models. GUI grounding models directly translate an instruction to an action on a webpage. There are two general types of grounding models. First, Set-of-Mark (SoM) [Yang et al., 2023] segments salient elements on a webpage using an off-the-shelf segmentation model (e.g., SAM [Kirillov et al., 2023] and Semantic-SAM [Li et al., 2023]) and prompts a VLM to select a segment mask to identify the clicking area corresponding to the given instruction. Second, VLMs finetuned on datasets with paired instructions and annotated clicking coordinates or bounding boxes. We evaluated UGround-V1 [Gou et al., 2024], OS-Atlas [Wu et al., 2024b], Aria-UI [Yang et al., 2024], GTA-1 [Yang et al., 2025], GUI-Actor [Wu et al., 2024a], and UI-TARS [Qin et al., 2025].

VLM/LRM + Grounding. Grounding models are designed or trained to ground a simple instruction to a webpage and thus tend to lack reasoning or planning capabilities. To address this, we leveraged VLMs and LRMs to first translate real user instructions to more understandable ones for grounding models. In particular, a VLM or an LRM needs to reason about the true user intent implied by the instruction and the spatial & temporal context. For instructions that require multiple actions, it needs to generate a plan to complete the instructions. Finally, it needs to generate a straightforward, clear instruction for the grounding model to produce the final action at each step. We evaluated state-of-the-art VLMs [OpenAI, 2023, Team, 2025, Qwen et al., 2025], as well as state-of-the-art LRMs [Jaech et al., 2024, Team, 2025, Anthropic, 2025]. In the main results, we paired each VLM and LRM with the grounding model that achieved the highest step accuracy (GTA-1). Table 3 in the supplementary material shows all the results. For all VLMs and LRMs, we provide the past 10 steps for context, which we found to be a reasonable fixed context length in our preliminary study, balancing cost and informativeness. We also found that prompting models with screenshots of past webpages could incur a high cost. Therefore, we only prompt the models with the screenshot of the current webpage. For the history, we prompted GPT-4o to generate text-based action history based on consecutive screenshots and the instructions at each step. We then used this text-based history description for the evaluated VLMs and LRMs.

Finetuning. To evaluate whether models can learn to better follow real-world user instructions with additional training, we finetuned the best-performing grounding model (GTA-1) following the model’s original GRPO training procedure [Yang et al., 2025] on 9 participants’ data and tested it on the held-out participants’ instructions. Specifically, we trained the grounding model to produce an action based on the past 10 steps of actions (in text), the current webpage screenshot, and the instruction. We enumerated different train/test splits and reported the averaged performance, either using the finetuned model alone or pairing it with the best VLM or LRM.

4.2 Results

Main results are summarized in Table 3. All models fell short in following real user instructions. The highest task success rate was only 14.0%, and the highest average progress was only 28.7%, a large gap compared to humans (93.4% task success rate). This difference has a 95% CI of [71.3, 87.5], and is highly significant with p-value < 0.0001. Grounding methods by themselves failed to finish most tasks. However, when paired with the best-performing grounding model (GTA-1), instructions generated by VLMs & LRMs significantly improved the performance. LRMs performed marginally better than most VLMs. Across all three metrics, Gemini 2.5 Flash, Gemini 2.5 Pro, and o3 showed the strongest performance. Finetuning GTA-1 on real user data marginally improved its performance, but finetuning offered no benefit when GTA-1 was paired with VLMs and LRMs, since the finetuned model is trained to adapt to real users’ instructions instead of instructions generated by VLM or LRM. We show more results in Table 3 of the supplementary material.

5 Discussion

Can grounding models understand real-world user instructions? There remains a significant gap in the performance of current direct grounding methods. The best grounding model, GUI-Actor, has a task success rate of only 5.7%. Figure 5 illustrates various failure cases encountered when directly using GTA-1. Unsurprisingly, grounding models fail to interpret instructions requiring reasoning due to their limited reasoning capabilities. However, even for context-free instructions involving straightforward spatial reasoning—tasks where grounding methods should excel—they frequently misinterpret spatial layouts or rankings. For instance, they often incorrectly select elements for instructions such as “click the first one.”

Category	Model	Task Success	Progress	Step Accuracy
Human	Human Operator	93.4	96.4	99.2
Grounding	Set-of-Mark	0.0	2.7	29.8
	OS-Atlas	0.0	3.8	26.6
	Aria-UI	0.0	2.4	32.8
	UGround-V1	0.0	6.2	47.7
	UI-TARS	2.8	13.1	53.8
	GTA-1	3.7	17.7	61.5
	GUI-Actor	5.7	14.7	61.4
VLM + Grounding	GPT-4o + GTA-1	8.4	23.5	72.7
	Qwen 2.5 72B + GTA-1	9.3	24.3	69.0
	Gemini 2.5 Flash + GTA-1	11.2	26.9	75.4
LRM + Grounding	o1 + GTA-1	7.5	17.7	68.2
	Gemini 2.5 Pro + GTA-1	8.4	23.5	74.5
	o4-mini + GTA-1	10.3	21.7	67.1
	Claude 3.7 Sonnet + GTA-1	12.1	26.7	68.8
	o3 + GTA-1	14.0	28.7	76.7
Finetuned	GTA-1-F	3.7 (+0.0)	19.7 (+2.0)	64.3 (+2.8)
	Gemini 2.5 Flash + GTA-1-F	11.2 (+0.0)	26.9 (+0.0)	75.4 (+0.0)
	o3 + GTA-1-F	14.0 (+0.0)	28.7 (+0.0)	76.7 (+0.0)

Table 2: Model Performance including task success rate, average progress, and step accuracy. All results are in %. The best performance of pretrained models and finetuned models is highlighted in bold. GTA-1-F indicates the finetuned GTA-1. Plus sign indicates the improvement compared to using the raw model for the same set of instructions.




Figure 5: Qualitative results. The captions show instructions generated by o3 (the best LRM). (A) Error corrected by using o3 to convert instructions. (B) Failure caused by GTA-1 when o3 reasons correctly. (C) Reasoning failure caused by o3.

263 **How can VLMs & LRMs help?** VLMs or LRMs can convert the original user instructions into more
264 direct and explicit descriptions that a grounding model can more easily understand. This is made
265 possible by their reasoning capacities. For instance, in Figure 5A, the grounding model (GTA-1)
266 on its own fails to select the first tab: it selects the first element instead of the first tab. However,
267 it succeeds after o3 rewrites the instruction to refer to the title. As shown in Figure 5B, grounding
268 models may sometimes still fail due to inherent limitations even when VLMs/LRMs generate clearer
269 instructions. Nonetheless, incorporating VLMs or LRMs significantly improves overall performance.

270 **What are the limitations of VLMs & LRMs?** While VLMs and LRMs help, the highest task success
271 rate is still only 14.0%. Beyond errors from grounding models (e.g., Figure 5B), they continue to
272 struggle with complex temporal reasoning. In Figure 5C, the user previously asked to open the first
273 two search results in new tabs. When later instructed to “look at the first one we just opened,” o3
274 failed to identify which element “the first one” referred to—instead of the first newly opened tab, it
275 pointed to the first search result. We further analyze the error distribution between reasoning errors
276 (the VLM/LRM mistranslates the instruction and refers to the wrong element) and grounding errors

(the rewritten instruction is correct, but the grounding model still fails to click the right element). For the best model (o3 + GTA-1), 43.3% of errors are grounding errors and 56.7% are reasoning errors. This suggests that current VLMs and LRMs still lack the reasoning and planning abilities needed to robustly perform sequential instruction-following tasks.

Does learning from real-world user data help? Fine-tuning GTA-1 marginally improved average progress and step accuracy but yielded no additional benefit when paired with VLMs and LRMs. These results show that the fine-tuned model better understands real user instructions, yet it still fails to generalize to instructions generated by VLMs and LRMs. The experiments suggest that finetuning grounding models on a small set of real user instructions provides minimal benefit, and collecting large-scale real user instructions remains a significant challenge.

Limitations. RealWebAssist represents an important first step towards evaluating web agents on long-horizon, real-user tasks. However, it has several limitations. The first is participant scale and diversity. Collecting real-user data is expensive and time-consuming. The number of participants is comparable to prior works that use expert annotators [Lù et al., 2024]. However, we intend to increase user diversity in future versions of the benchmark. We will also open-source our data collection tools for community expansion of the dataset. Second, like prior benchmarks on real-world websites [Deng et al., 2024, Cheng et al., 2024], we constrain our evaluation to an offline setting to ensure reproducibility and safety. This is complementary to benchmarks that focus on interactive evaluation in sandbox environments (e.g., WebArena). We believe that web agents should be evaluated on both types of benchmarks to fully assess their capabilities. Lastly, the current setting does not allow dialogue between a user and the AI assistant, which we will explore in future work.

6 Conclusion

In this paper, we present RealWebAssist, the first benchmark for evaluating web agents’ ability to provide long-horizon web assistance with real-world users via sequential instruction-following. Our benchmark poses novel challenges, including spatial and temporal reasoning, planning, and adapting to user-specific routines. We conducted a comprehensive evaluation and analysis on multiple state-of-the-art GUI grounding models, VLMs, and LRMs, revealing critical limitations of them. We have also shown the limited benefit of finetuning models on real user data. Our benchmark, along with the well-annotated user instruction dataset, provides resources and diagnostic tools for further research on real-world web assistance. In future work, we plan to expand our human study to include more participants from various backgrounds, examine web assistance in interactive settings, and incorporate chat between users and web agents.

References

- Anthropic. Claude 3.7 sonnet and claude code. <https://www.anthropic.com/news/claude-3-7-sonnet>, 2025. Accessed: 2025-03-17.
- Tianle Cai, Xuezhi Wang, Tengyu Ma, Xinyun Chen, and Denny Zhou. Large language models as tool makers, 2024. URL <https://arxiv.org/abs/2305.17126>.
- Kanzhi Cheng, Qiushi Sun, Yougang Chu, Fangzhi Xu, Yantao Li, Jianbing Zhang, and Zhiyong Wu. SeeClick: Harnessing gui grounding for advanced visual gui agents. *arXiv preprint arXiv:2401.10935*, 2024.
- Xiang Deng, Yu Gu, Boyuan Zheng, Shijie Chen, Sam Stevens, Boshi Wang, Huan Sun, and Yu Su. Mind2web: Towards a generalist agent for the web. *Advances in Neural Information Processing Systems*, 36, 2024.
- Daniel Fried, Nicholas Tomlin, Jennifer Hu, Roma Patel, and Aida Nematzadeh. Pragmatics in language grounding: Phenomena, tasks, and modeling approaches, 2023. URL <https://arxiv.org/abs/2211.08371>.
- Noah D Goodman and Michael C Frank. Pragmatic language interpretation as probabilistic inference. *Trends in cognitive sciences*, 20(11):818–829, 2016.

325 Boyu Gou, Ruohan Wang, Boyuan Zheng, Yanan Xie, Cheng Chang, Yiheng Shu, Huan Sun, and
326 Yu Su. Navigating the digital world as humans do: Universal visual grounding for gui agents.
327 *arXiv preprint arXiv:2410.05243*, 2024.

328 Izzeddin Gur, Hiroki Furuta, Austin Huang, Mustafa Safdari, Yutaka Matsuo, Douglas Eck, and
329 Aleksandra Faust. A real-world webagent with planning, long context understanding, and program
330 synthesis, 2024. URL <https://arxiv.org/abs/2307.12856>.

331 Hongliang He, Wenlin Yao, Kaixin Ma, Wenhao Yu, Yong Dai, Hongming Zhang, Zhenzhong Lan,
332 and Dong Yu. Webvoyager: Building an end-to-end web agent with large multimodal models,
333 2024. URL <https://arxiv.org/abs/2401.13919>.

334 Wenyi Hong, Weihang Wang, Qingsong Lv, Jiazheng Xu, Wenmeng Yu, Junhui Ji, Yan Wang, Zihan
335 Wang, Yuxuan Zhang, Juanzi Li, Bin Xu, Yuxiao Dong, Ming Ding, and Jie Tang. Cogagent: A
336 visual language model for gui agents, 2024. URL <https://arxiv.org/abs/2312.08914>.

337 Peter C Humphreys, David Raposo, Tobias Pohlen, Gregory Thornton, Rachita Chhaparia, Alistair
338 Muldal, Josh Abramson, Petko Georgiev, Adam Santoro, and Timothy Lillicrap. A data-driven
339 approach for learning to control computers. In *International Conference on Machine Learning*,
340 pages 9466–9482. PMLR, 2022.

341 Aaron Jaech, Adam Kalai, Adam Lerer, Adam Richardson, Ahmed El-Kishky, Aiden Low, Alec
342 Helyar, Aleksander Madry, Alex Beutel, Alex Carney, et al. Openai o1 system card. *arXiv preprint*
343 *arXiv:2412.16720*, 2024.

344 Lawrence Jang, Yinheng Li, Dan Zhao, Charles Ding, Justin Lin, Paul Pu Liang, Rogerio Bonatti,
345 and Kazuhito Koishida. Videowebarena: Evaluating long context multimodal agents with video
346 understanding web tasks. *arXiv preprint arXiv:2410.19100*, 2024.

347 Minsoo Kim, Victor Bursztyn, Eunye Koh, Shunan Guo, and Seung-won Hwang. Rada: Retrieval-
348 augmented web agent planning with llms. In *Findings of the Association for Computational*
349 *Linguistics ACL 2024*, pages 13511–13525, 2024.

350 Alexander Kirillov, Eric Mintun, Nikhila Ravi, Hanzi Mao, Chloe Rolland, Laura Gustafson, Tete
351 Xiao, Spencer Whitehead, Alexander C. Berg, Wan-Yen Lo, Piotr Dollár, and Ross Girshick.
352 Segment anything, 2023. URL <https://arxiv.org/abs/2304.02643>.

353 Feng Li, Hao Zhang, Peize Sun, Xueyan Zou, Shilong Liu, Jianwei Yang, Chunyuan Li, Lei Zhang,
354 and Jianfeng Gao. Semantic-sam: Segment and recognize anything at any granularity. *arXiv*
355 *preprint arXiv:2307.04767*, 2023.

356 Evan Zheran Liu, Kelvin Guu, Panupong Pasupat, Tianlin Shi, and Percy Liang. Reinforcement
357 learning on web interfaces using workflow-guided exploration. *arXiv preprint arXiv:1802.08802*,
358 2018.

359 Zhiwei Liu, Weiran Yao, Jianguo Zhang, Le Xue, Shelby Heinecke, Rithesh Murthy, Yihao Feng,
360 Zeyuan Chen, Juan Carlos Niebles, Devansh Arpit, et al. Bolaa: Benchmarking and orchestrating
361 llm-augmented autonomous agents. *arXiv preprint arXiv:2308.05960*, 2023.

362 Xing Han Lù, Zdeněk Kasner, and Siva Reddy. Weblinx: Real-world website navigation with
363 multi-turn dialogue. *arXiv preprint arXiv:2402.05930*, 2024.

364 Bodhisattwa Prasad Majumder, Bhavana Dalvi Mishra, Peter Jansen, Oyvind Tafjord, Niket Tandon,
365 Li Zhang, Chris Callison-Burch, and Peter Clark. Clin: A continually learning language agent for
366 rapid task adaptation and generalization, 2023. URL <https://arxiv.org/abs/2310.10134>.

367 William P McCarthy, Robert D Hawkins, Haoliang Wang, Cameron Holdaway, and Judith E Fan.
368 Learning to communicate about shared procedural abstractions. *arXiv preprint arXiv:2107.00077*,
369 2021.

370 Reiichiro Nakano, Jacob Hilton, Suchir Balaji, Jeff Wu, Long Ouyang, Christina Kim, Christopher
371 Hesse, Shantanu Jain, Vineet Kosaraju, William Saunders, Xu Jiang, Karl Cobbe, Tyna Eloundou,
372 Gretchen Krueger, Kevin Button, Matthew Knight, Benjamin Chess, and John Schulman. Webgpt:
373 Browser-assisted question-answering with human feedback, 2022. URL <https://arxiv.org/abs/2112.09332>.

375 Rodrigo Nogueira and Kyunghyun Cho. End-to-end goal-driven web navigation. *Advances in neural*
376 *information processing systems*, 29, 2016.

377 OpenAI. Gpt-4 technical report. *ArXiv*, abs/2303.08774, 2023.

378 Jiayi Pan, Yichi Zhang, Nicholas Tomlin, Yifei Zhou, Sergey Levine, and Alane Suhr. Autonomous
379 evaluation and refinement of digital agents, 2024. URL <https://arxiv.org/abs/2404.06474>.

380 Richard Yuanzhe Pang, Weizhe Yuan, Kyunghyun Cho, He He, Sainbayar Sukhbaatar, and Jason
381 Weston. Iterative reasoning preference optimization, 2024. URL [https://arxiv.org/abs/](https://arxiv.org/abs/2404.19733)
382 [2404.19733](https://arxiv.org/abs/2404.19733).

383 Pranav Putta, Edmund Mills, Naman Garg, Sumeet Motwani, Chelsea Finn, Divyansh Garg, and
384 Rafael Rafailov. Agent q: Advanced reasoning and learning for autonomous ai agents. *arXiv*
385 *preprint arXiv:2408.07199*, 2024.

386 Yujia Qin, Yining Ye, Junjie Fang, Haoming Wang, Shihao Liang, Shizuo Tian, Junda Zhang, Jiahao
387 Li, Yunxin Li, Shijue Huang, et al. Ui-tars: Pioneering automated gui interaction with native
388 agents. *arXiv preprint arXiv:2501.12326*, 2025.

389 Qwen, :, An Yang, Baosong Yang, Beichen Zhang, Binyuan Hui, Bo Zheng, Bowen Yu, Chengyuan
390 Li, Dayiheng Liu, Fei Huang, Haoran Wei, Huan Lin, Jian Yang, Jianhong Tu, Jianwei Zhang,
391 Jianxin Yang, Jiaxi Yang, Jingren Zhou, Junyang Lin, Kai Dang, Keming Lu, Keqin Bao, Kexin
392 Yang, Le Yu, Mei Li, Mingfeng Xue, Pei Zhang, Qin Zhu, Rui Men, Runji Lin, Tianhao Li, Tianyi
393 Tang, Tingyu Xia, Xingzhang Ren, Xuancheng Ren, Yang Fan, Yang Su, Yichang Zhang, Yu Wan,
394 Yuqiong Liu, Zeyu Cui, Zhenru Zhang, and Zihan Qiu. Qwen2.5 technical report, 2025. URL
395 <https://arxiv.org/abs/2412.15115>.

396 Alec Radford, Jong Wook Kim, Tao Xu, Greg Brockman, Christine McLeavey, and Ilya Sutskever.
397 Robust speech recognition via large-scale weak supervision. In *International conference on*
398 *machine learning*, pages 28492–28518. PMLR, 2023.

399 Chandan KA Reddy, Ebrahim Beyrami, Jamie Pool, Ross Cutler, Sriram Srinivasan, and Johannes
400 Gehrke. A scalable noisy speech dataset and online subjective test framework. *arXiv preprint*
401 *arXiv:1909.08050*, 2019.

402 Tianlin Shi, Andrej Karpathy, Linxi Fan, Jonathan Hernandez, and Percy Liang. World of bits: An
403 open-domain platform for web-based agents. In *International Conference on Machine Learning*,
404 pages 3135–3144. PMLR, 2017.

405 Yixiao Song, Katherine Thai, Chau Minh Pham, Yapei Chang, Mazin Nadaf, and Mohit Iyyer.
406 Bearcubs: A benchmark for computer-using web agents. *arXiv preprint arXiv:2503.07919*, 2025.

407 Team. Gemini 2.5: Pushing the frontier with advanced reasoning, multimodality, long context, and
408 next generation agentic capabilities, 2025. URL <https://arxiv.org/abs/2507.06261>.

409 Zora Zhiruo Wang, Jiayuan Mao, Daniel Fried, and Graham Neubig. Agent workflow memory. *arXiv*
410 *preprint arXiv:2409.07429*, 2024.

411 Qianhui Wu, Kanzhi Cheng, Rui Yang, Chaoyun Zhang, Jianwei Yang, Huiqiang Jiang, Jian Mu,
412 Baolin Peng, Bo Qiao, Reuben Tan, et al. Gui-actor: Coordinate-free visual grounding for gui
413 agents. *arXiv preprint arXiv:2506.03143*, 2025.

414 Zhiyong Wu, Chengcheng Han, Zichen Ding, Zhenmin Weng, Zhoumianze Liu, Shunyu Yao, Tao
415 Yu, and Lingpeng Kong. Os-copilot: Towards generalist computer agents with self-improvement,
416 2024a. URL <https://arxiv.org/abs/2402.07456>.

417 Zhiyong Wu, Zhenyu Wu, Fangzhi Xu, Yian Wang, Qiushi Sun, Chengyou Jia, Kanzhi Cheng, Zichen
418 Ding, Liheng Chen, Paul Pu Liang, et al. Os-atlas: A foundation action model for generalist gui
419 agents. *arXiv preprint arXiv:2410.23218*, 2024b.

420 Yiheng Xu, Zekun Wang, Junli Wang, Dunjie Lu, Tianbao Xie, Amrita Saha, Doyen Sahoo, Tao Yu,
421 and Caiming Xiong. Aguvis: Unified pure vision agents for autonomous gui interaction, 2024.
422 URL <https://arxiv.org/abs/2412.04454>.

423 Yiheng Xu, Zekun Wang, Junli Wang, Dunjie Lu, Tianbao Xie, Amrita Saha, Doyen Sahoo, Tao Yu,
424 and Caiming Xiong. Aguis: Unified pure vision agents for autonomous gui interaction, 2025.
425 URL <https://arxiv.org/abs/2412.04454>.

426 Jianwei Yang, Hao Zhang, Feng Li, Xueyan Zou, Chunyuan Li, and Jianfeng Gao. Set-of-mark
427 prompting unleashes extraordinary visual grounding in gpt-4v. *arXiv preprint arXiv:2310.11441*,
428 2023.

429 Yan Yang, Dongxu Li, Yutong Dai, Yuhao Yang, Ziyang Luo, Zirui Zhao, Zhiyuan Hu, Junzhe
430 Huang, Amrita Saha, Zeyuan Chen, et al. Gta1: Gui test-time scaling agent. *arXiv preprint*
431 *arXiv:2507.05791*, 2025.

432 Yuhao Yang, Yue Wang, Dongxu Li, Ziyang Luo, Bei Chen, Chao Huang, and Junnan Li. Aria-ui:
433 Visual grounding for gui instructions. *arXiv preprint arXiv:2412.16256*, 2024.

434 Shunyu Yao, Howard Chen, John Yang, and Karthik Narasimhan. Webshop: Towards scalable
435 real-world web interaction with grounded language agents. *Advances in Neural Information*
436 *Processing Systems*, 35:20744–20757, 2022.

437 Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik Narasimhan, and Yuan Cao.
438 React: Synergizing reasoning and acting in language models, 2023. URL <https://arxiv.org/abs/2210.03629>.
439

440 Lance Ying, Jason Xinyu Liu, Shivam Aarya, Yizirui Fang, Stefanie Tellex, Joshua B. Tenenbaum,
441 and Tianmin Shu. Siftom: Robust spoken instruction following through theory of mind, 2024.
442 URL <https://arxiv.org/abs/2409.10849>.

443 Xinbin Yuan, Jian Zhang, Kaixin Li, Zhuoxuan Cai, Lujian Yao, Jie Chen, Enguang Wang, Qibin
444 Hou, Jinwei Chen, Peng-Tao Jiang, and Bo Li. Enhancing visual grounding for gui agents via
445 self-evolutionary reinforcement learning, 2025. URL <https://arxiv.org/abs/2505.12370>.

446 Chi Zhang, Zhao Yang, Jiaxuan Liu, Yucheng Han, Xin Chen, Zebiao Huang, Bin Fu, and Gang
447 Yu. Appagent: Multimodal agents as smartphone users, 2023. URL <https://arxiv.org/abs/2312.13771>.
448

449 Zhuosheng Zhang and Aston Zhang. You only look at screens: Multimodal chain-of-action agents,
450 2024. URL <https://arxiv.org/abs/2309.11436>.

451 Boyuan Zheng, Boyu Gou, Jihyung Kil, Huan Sun, and Yu Su. Gpt-4v (ision) is a generalist web
452 agent, if grounded. *arXiv preprint arXiv:2401.01614*, 2024a.

453 Longtao Zheng, Rundong Wang, Xinrun Wang, and Bo An. Synapse: Trajectory-as-exemplar
454 prompting with memory for computer control, 2024b. URL <https://arxiv.org/abs/2306.07863>.
455

456 Andy Zhou, Kai Yan, Michal Shlapentokh-Rothman, Haohan Wang, and Yu-Xiong Wang. Language
457 agent tree search unifies reasoning acting and planning in language models, 2024. URL <https://arxiv.org/abs/2310.04406>.
458

459 Shuyan Zhou, Frank F Xu, Hao Zhu, Xuhui Zhou, Robert Lo, Abishek Sridhar, Xianyi Cheng,
460 Tianyue Ou, Yonatan Bisk, Daniel Fried, et al. Webarena: A realistic web environment for building
461 autonomous agents. *arXiv preprint arXiv:2307.13854*, 2023.

Appendix

7 More experiment results

7.1 Full VLM & LRM + Grounding results

For the best three grounding models, GTA-1 [Yang et al., 2025], GUI-Actor [Wu et al., 2025] and UI-TARS [Qin et al., 2025], we test their pairing with all the VLMs and LRMs. Table 3 shows the full results. All the evaluation experiments are run on a single A100 GPU for 20 - 40 minutes. Finetuning GTA-1 model takes 4 hours on 4 A100 GPUs.

VLM + GTA-1	GPT-4o + GTA-1	8.4	23.5	72.7
	Qwen 2.5 72B + GTA-1	9.3	24.3	69.0
	Gemini 2.5 Flash + GTA-1	11.2	26.9	75.4
LRM + GTA-1	Claude 3.7 Sonnet + GTA-1	12.1	26.7	68.8
	Gemini 2.5 Pro + GTA-1	8.4	23.5	74.5
	o1 + GTA-1	7.5	21.1	73.1
	o3 + GTA-1	14.0	28.7	76.7
	o4-mini + GTA-1	10.3	21.7	67.1
VLM + GUI-Actor	GPT-4o + GUI-Actor	6.5	18.0	67.0
	Qwen 2.5 72B + GUI-Actor	9.3	21.4	64.9
	Gemini 2.5 Flash + GUI-Actor	10.3	25.6	73.1
LRM + GUI-Actor	Claude 3.7 Sonnet+ GUI-Actor	7.5	18.5	63.9
	Gemini 2.5 Pro + GUI-Actor	9.3	24.0	73.2
	o1 + GUI-Actor	7.5	17.7	68.2
	o3 + GUI-Actor	12.1	27.4	74.0
	o4-mini + GUI-Actor	8.4	20.0	65.1
VLM + UI-TARS	GPT-4o + UI-TARS	6.5	20.8	67.3
	Qwen 2.5 72B + UI-TARS	7.5	21.8	63.2
	Gemini 2.5 Flash + UI-TARS	9.3	24.1	70.2
LRM + UI-TARS	Claude 3.7 Sonnet + UI-TARS	9.3	17.5	61.5
	Gemini 2.5 Pro + UI-TARS	7.5	23.4	71.6
	o1 + UI-TARS	6.5	18.5	66.0
	o3 + UI-TARS	12.1	27.2	72.4
	o4-mini + UI-TARS	7.5	19.4	62.5

Table 3: Model Performance for pairing GTA-1, GUI-Actor and UI-TARS with all LRMs & VLMs, including task success rate, average progress, and step accuracy. All results are in %.

7.2 Experiment with different context lengths

We evaluated the best-performing VLM (Gemini 2.5 Flash) + GTA-1 with varying history context lengths, from no history to 20 steps. An ideal assistant should be able to leverage different kinds of historical context based on different instructions, ranging from no history to multi-task history context (e.g., for routine learning). As shown in Figure 6, increasing context length also does not necessarily lead to better performance. Gemini 2.5 Flash + GTA-1 achieved the highest task success rate with a context length of 10, and increasing the context length further led to poorer performance. This suggest the limitation of VLM in effectively utilizing historical context for reasoning.

7.3 Effect of Speech Recognition Errors

All baseline experiments use the ground truth transcripts of user speech instructions as input to ensure that performance is not affected by errors in speech-to-text transcription. However, in real-world settings, instructions are often given via speech. To reflect this, we evaluated the effect of speech recognition on the agent’s performance by using the transcripts generated from a state-of-the-art




Figure 6: Effect of context length on Gemini 2.5 Flash + GTA-1.

automatic speech recognition (ASR) model, Whisper Large-V3 [Radford et al., 2023]. Additionally, since users may not always be in quiet, controlled environments using a high-quality microphone like in our user experiment setup, we simulated noisy environments by injecting background noise with noise files from the Microsoft Scalable Noisy Speech Dataset (MS-SNSD) dataset [Reddy et al., 2019], following Ying et al. [2024]. The noise files include people talking in the background and keyboard typing sounds. As shown in Table 4, using speech recognition resulted in a 1.9% drop in task success rate, and having noisy speech resulted in a further 1.9% drop. In contrast, the word error rate (WER) of the ASR results increased from 1.4% (original speech) to 28.1% (noisy speech), a much larger performance drop compared to the final task performance. This result suggests that reasoning the true meanings of speech instructions by leveraging context can help mitigate errors from ASR.

Input Transcript	Task Success	Progress	Step Accuracy
Ground Truth	10.3	21.7	66.4
Whisper Large-V3	8.4	20.9	65.5
Whisper Large-V3 (Noise)	6.5	20.6	63.4

Table 4: Performance of GPT-4o + UGround-V1 using (1) ground-truth transcripts, (2) transcripts generated from original user speech by Whisper Large-V3, and (3) transcripts generated from noisy speech by Whisper Large-V3.

8 Dataset Construction Details

Video Segmenting. As shown in the video example 11, the interactive sessions are highly dynamic, and spoken instructions do not always align cleanly with specific screens or timesteps. Automatically segmenting instructions and matching them to corresponding webpages and actions using heuristics would risk significantly degrading data quality. Therefore, we manually segment the live sessions using video editing software to construct the final RealWebAssist dataset. All participants provided consent to have their speech recorded and included in this dataset.

Bounding Box Labeling. As shown in Figure 7, certain instructions like “close all the tabs” may correspond to multiple valid actions, since closing any of the tabs first would be reasonable. Therefore, we add bounding boxes to all of the elements that would be correct. The bounding boxes are drawn manually using a Python tool built with tkinter, and the clickable regions are determined by a visual inspection of the webpage.




Figure 7: Example of annotated bounding boxes for an instruction. The red boxes represent the correct bounding boxes. The user gave the instruction “Close all the tabs”. For evaluation purposes, closing any of the tabs first is considered correct at each step, so all the x marks are labeled as correct at each step.

9 More Dataset Details

9.1 Evaluation detail

User instructions in RealWebAssist require different operations on the webpage, including clicking, scrolling and typing. We believe that action types other than clicking is trivial (for typing actions, the benchmark includes the step of finding the correct place to type instead of the actual typing process), so we only evaluate click-type actions with annotated bounding boxes are scored; instructions like “scroll” remain in the history but are not counted in our metrics. Of the 1,885 instructions, 1,412 are scored, yielding 1,714 evaluated action steps (one screenshot per step). Tasks average 17.6 evaluated steps.

9.2 User behaviors

Figure 8 shows diverse user behaviors in RealWebAssist not present in previous benchmarks. We include a zip file of the live recordings (including audio) from which the examples are taken.

Information seeking As Figure 8A shows, the user is seeking information from different aspects, like images and ratings, before they make the purchase decision.


Comparing different options Figure 8B shows the process of the user viewing two candidates and finally make the decision between them.

Changing minds In Figure 8C, the user is searching for some immersive dining experience. They are checking different restaurants and frequently change their minds when they see more options.


Trial-and-error As Figure 8D shows, the user has several unsuccessful attempts when searching for men’s fashion week. They refer to previous searches or initiate new ones to look for what they want.

These diverse behaviors increase the complexity of the web assistance: instead of clearly defined-goals, the user themselves are also actively collecting knowledge to make decisions, which requires web assistant to follow the user’s mind and act accordingly.


A Information seeking



B Comparing different options



C Changing minds



D Trial-and-error




Figure 8: Example of rich user behaviors in RealWebAssist.

Task #	Description
1	Buy a gift for each of my three friends with a budget of \$100
2	Find and buy a birthday gift for a friend who loves tech, within a \$50 budget.
3	Purchase a cute water bottle for everyday use, under \$15
4	Compare different laptops and buy one with the best review
5	Purchase three home workout items under \$75 and compare their reviews before buying.
6	Find and order a customized gift (e.g., engraved or personalized) for a friend's graduation under \$60.
7	Order a complete warm and durable winter outfit (jacket, gloves, and boots) under \$200.
8	Get two sets of reusable grocery bags under \$20 total, checking for durability and eco-friendliness.
9	Buy two wall paintings for a family house, one for a 13-year old boy, one for a 6-year old girl
10	Purchase a set of colorful coffee mugs under \$20 with fun designs
11	Buy a small easy-care indoor plant under \$15 and schedule delivery within three days
12	Get a colorful umbrella for under \$30, making sure it's big enough for two people
13	Buy a set of scented candles under \$25, ensuring they have good reviews for long-lasting fragrance.
14	Find and purchase a durable phone case under \$20 for an iPhone 14 Pro Max.
15	Order a cozy throw blanket under \$30, checking for softness and warmth.
16	Buy a set of three face masks (reusable & breathable) under \$15.
17	Get a wireless Bluetooth speaker under \$40 with good bass and waterproofing.
18	Order a set of noise-canceling earplugs under \$15, ensuring they're comfortable for sleep.
19	Find and buy a compact travel pillow and eye mask set under \$30.
20	Purchase a set of six kitchen towels under \$20 with high absorbency.
21	Buy an adjustable desk lamp under \$35 with multiple brightness settings.
22	Order a pack of 12 gel pens under \$15 in assorted colors with smooth writing.
23	Purchase a waterproof picnic blanket under \$40, ensuring it's easy to fold and carry.
24	Buy a cute yet professional notebook under \$20 for journaling or work.
25	Find and purchase a comfortable memory foam seat cushion under \$35 for long sitting hours.
26	Order a set of reusable silicone food storage bags under \$25.
27	Buy a pair of comfy indoor slippers under \$30 with high reviews for warmth and durability.
28	Purchase a portable mini humidifier under \$40 with USB charging.
29	Order a stylish travel makeup bag under \$25, ensuring it has multiple compartments.
30	Find and order a surprise gift box for a friend who enjoys skincare, under \$50.
31	Compare wireless earbuds and purchase the best-reviewed pair under \$100.
32	Order a budget-friendly yet stylish smartwatch under \$75, ensuring good battery life.
33	Find and order a high-quality mechanical keyboard under \$120, comparing typing feel and reviews
34	Find and buy a useful desk gadget under \$40 for a friend who works from home
35	Plan flights for a trip from US to Europe (at least two different countries) for 3 days, comparing different airlines to find the best deal.
36	Plan a 5-day trip to Japan, booking both flights and hotels, taking into account customer reviews.
37	Book a hotel for a weekend trip for a good price near the beach within the country, making sure you can cancel the trip at any time
38	Plan a spontaneous weekend trip to a destination with cheap last-minute flights and good hotel deals, for hotel make sure it's comfortable enough.
39	Book a luxury hotel for a weekend at a city in the west US, pay attention to different services offered
40	Plan a three-stop European trip in a single week, with flights and hotel for each place
41	Book hotel for a family tour of four to a kid-friendly destination, with a hotel offering family amenities and breakfast included.
42	Arrange a road trip across the US, booking rental cars and a mix of motels and boutique hotels along the route.
43	Book a romantic beach getaway in Hawaii for two people, make sure it's close to beach and have sea view

Task #	Description
44	Plan a family Disney Cruise, securing flights to Port Canaveral and a hotel near the theme parks before sailing.
45	Arrange a wine country getaway, booking flights to Napa Valley, a rental car, and a vineyard hotel with wine-tasting experiences.
46	Find flights and a convertible rental car for a coastal drive in Hawaii, staying in beachfront resorts along the way.
47	Choose flights to a popular ski destination and secure a lodge or hotel under \$150/night.
48	Book last-minute flights and a centrally located hotel in a major US city, focusing on deals under \$100/night with great city landscape view.
49	Secure round-trip flights to a scenic South American city and book a comfortable hotel near local attractions.
50	Pick flights from a major US airport to a warm city in Canada, with a hotel under \$100/night in the downtown area.
51	Schedule flights and a boutique hotel stay in a city rich in history, aiming for under \$100/night in a central location.
52	Arrange direct flights to a popular theme park region, booking a nearby hotel or hotel with easy transportation
53	Schedule flights for a quick visit to a popular national park, booking a nearby lodge or hotel with scenic views.
54	Book round-trip flights to a major Middle Eastern city and reserve a modern hotel near historic sites for under \$100/night
55	Secure flights from the US to a tropical island, choosing a resort that offers water sports
56	Find flights and a resort for a tropical vacation in Cancun, Mexico, focusing on all-inclusive options for relaxation
57	Book flights to Cairo for a 5-day trip, then pick a hotel with a direct view of the Pyramids and free breakfast included
58	Book a solo retreat to Kyoto, Japan, selecting a traditional ryokan stay with an onsen and authentic Japanese breakfast.
59	Buy tickets for 2 people to an NBA Basketball game next weekend.
60	Find and book tickets for a concert by a top artist in the nearest major city within the next three months.
61	Search for a last-minute concert ticket and find the best available seat.
62	Book 3 tickets for a rivalry match between two major sports teams
63	Book 3 tickets for a unique or unusual event, such as a drag show, wrestling match, or haunted experience
64	Purchase four tickets for a Broadway musical happening next month, aiming for orchestra seats if possible.
65	Buy tickets for a family of 4 with 2 kids to a MLB game
66	Find and book tickets to a popular stand-up comedy show in a western big city for the upcoming weekend, prioritizing seats near the front.
67	Locate discounted tickets for a live theater performance in California this weekend
68	Search for an NFL game next month and buy two tickets in a mid-priced seating section for some eastern teams
69	Identify and reserve tickets for a children's matinee performance at a local venue, comparing any available family packages or group discounts.
70	Secure seats for a must-see hockey match, comparing "Best Seat" options.
71	Find tickets for a classical music or orchestra concert in the nearest major city next month, aiming for seats with a good view of the stage.
72	Buy tickets for two people to an English Premier League soccer match in London city center next weekend.
73	Find and purchase tickets to a major electronic music festival in Las Vegas within the next two months.
74	Book seats for a stand-up comedy show in downtown Chicago next month, make sure the location is in city center.
75	Search for tickets to a top-tier cricket match in Sydney next month, aiming for seats that offer a good view of the pitch
76	Locate a family-friendly musical performance near your city for next month.

Task #	Description
77	Purchase two tickets to an upcoming rugby match in Dublin next month, making sure seats are in a central section and remain under.
78	Find a highly rated ballet or opera production in Paris within the next two months, choose the seat in the second floor if available
79	Find tickets to a major fashion event, such as a runway show or fashion week experience.
80	Look for tickets to a themed immersive dining experience (e.g., murder mystery dinner, fantasy-inspired restaurant)
81	Book tickets for UEFA soccer game between two Spanish teams for the next week
82	Book a ticket for a rooftop movie screening or outdoor film festival in a major city.
83	Find tickets for an esports event and compare standard vs. premium seating options.
84	Book a ticket for a “silent disco” event in a city of your choice.
85	secure two tickets to a major MLB game in a well-known ballpark anywhere in the U.S. next month, opting for seats along the first baseline.
86	Find and book tickets for a large-scale country music festival occurring in the southern U.S. within the next two months, focusing on general admission passes.
87	Purchase seats for a top-tier college football rivalry game taking place within the next six weeks, ensuring you can view the marching band’s performance easily.
88	Reserve tickets to a major NHL match in the next two months, choosing seats close to the ice.
89	Book passes for a nationally touring art exhibition or immersive art experience within the next two months, ensuring weekend availability.
90	Secure seats for a top-rated Broadway musical in New York City, making sure the date aligns with a Saturday evening performance.
91	Reserve a spot for a special museum or cultural center night event (e.g., “Night at the Museum” or themed after-hours) in a major U.S. city within the next two months.
92	Find the best deal on a new smartphone (latest model iPhone or Samsung)
93	Find the best dinner deal for two using food delivery apps
94	Purchase an outfit for a formal event within a \$150 budget
95	Buy a high-quality gaming chair for under \$250
96	Find and book the best available concert tickets for a top artist in your city
97	Book tickets for a live theater performance and find a pre-show dinner reservation
98	Plan a sports game outing for two within a \$150 budget
99	Plan a weekend getaway for two within a \$500 budget
100	Organize a one-day itinerary for a solo traveler in a major city
101	Compare car rental options for a 5-day road trip
102	Find and book a local escape room challenge for a group of four
103	Plan a movie night with discounted tickets and snacks
104	Find a highly-rated sushi restaurant and order a meal for delivery
105	Plan a surprise birthday dinner at a fine dining restaurant
106	Order a late-night snack under \$15 for delivery
107	Book a luxury hotel staycation for a weekend

528 9.4 Full List of Websites

Name	URL	Task Type
ACL Festival	aclfestival.com	Entertainment
Amazon	amazon.com	Shopping
Ammoora	ammoora.com	Entertainment
Apple	apple.com	Shopping
Artechouse	artechouse.com	Entertainment
Atom Tickets	atombtickets.com	Entertainment
Best Buy	bestbuy.com	Shopping
Adidas Arena	billetterie.adidasarena.com	Entertainment
Broadway	broadway.com	Entertainment
Charm City Clue Room	charmcityclueroom.com	Entertainment
City Pass	citypass.com	Travel Planning
CN Tower	cntower.ca	Travel Planning

Name	URL	Task Type
Colorado Tourism	colorado.com	Travel Planning
Corsair	corsair.com	Shopping
Coupon Follow	couponfollow.com	Shopping
Crave 4D	crave4d.com	Entertainment
Dine Immersive	dineimmersive.com	Food
Disney Cruise	disneycruise.disney.go.com	Travel Planning
DoorDash	doordash.com	Food
Drone and DSLR	droneandslr.com	Shopping
Enterprise	enterprise.com	Travel Planning
ESCharts	escharts.com	Entertainment
ETIX	etix.com	Entertainment
Eventbrite	eventbrite.com	Entertainment
Expedia	expedia.com	Travel Planning
Fashion Week Online	fashionweekonline.com	Entertainment
Fever Up	feverup.com	Entertainment
Google	google.com	Travel Planning
Google Maps	google.com/maps	Travel Planning
Live Nation	livenation.com	Entertainment
Library of Congress	loc.gov	Travel Planning
LoL Esports	lolesports.com	Entertainment
MLB	mlb.com	Entertainment
MLB Tickets	mlb.tickets.com	Entertainment
NYICFF	nyicff.org	Entertainment
OpenTable	opentable.com	Food
Postmates	postmates.com	Food
Rakuten	rakuten.com	Shopping
Reddit	reddit.com	Entertainment
Retail Me Not	retailmenot.com	Shopping
Road Trip USA	roadtripusa.com	Travel Planning
Samsung	samsung.com	Shopping
San Lorenzo DC	sanlorenzodc.com	Food
Screen Daily	screendaily.com	Entertainment
Secret Baltimore	secretbaltimore.com	Travel Planning
Secret Lab	secretlab.co	Shopping
Smithsonian Sleepovers	smithsoniansleepovers.org	Entertainment
StubHub	stubhub.com	Entertainment
The Bureau Fashion Week	thebureauofashionweek.com	Entertainment
The Meltdown	themeltdown.com	Entertainment
The UFL	theufl.com	Entertainment
Ticketmaster	ticketmaster.com	Entertainment
Ticketmaster France	ticketmaster.fr	Entertainment
Ticket Web	ticketweb.com	Entertainment
TickPick	tickpick.com	Entertainment
TripAdvisor	tripadvisor.com	Travel Planning
Two Step Inn	twostepinn.com	Entertainment
Two Step Inn Frontgate	twostepinn.frontgatetickets.com	Entertainment
Uber	uber.com	Travel Planning
Uber Eats	ubereats.com	Food
Viator	viator.com	Travel Planning
Vivid Seats	vividseats.com	Entertainment
Washington Tourism	washington.org	Travel Planning
Yelp	yelp.com	Food
Zara	zara.com	Shopping

529 9.5 Word Frequency

530 Figure 9 compares the most frequent instruction words in RealWebAssist with those from two
531 common benchmarks, WebLINX and WebArena. The vocabulary used in RealWebAssist is more
532 informal, as the dataset comes from natural spoken instructions. The tone is also more informal and
533 conversational compared to WebLINX and WebArena.

