
Simple Mechanisms for Welfare Maximization in Rich Advertising Auctions

Gagan Aggarwal
Google Research
gagana@google.com

Kshipra Bhawalkar
Google Research
kshipra@google.com

Aranyak Mehta
Google Research
aranyak@google.com

Divyarthi Mohan
Tel Aviv University
divyarthim@tau.ac.il

Alexandros Psomas
Purdue University
apsomas@cs.purdue.edu

Abstract

Internet ad auctions have evolved from a few lines of text to richer informational layouts that include images, sitelinks, videos, etc. Ads in these new formats occupy varying amounts of space, and an advertiser can provide multiple formats, only one of which can be shown. The seller is now faced with a multi-parameter mechanism design problem. Computing an efficient allocation is computationally intractable, and therefore the standard Vickrey-Clarke-Groves (VCG) auction, while truthful and welfare-optimal, is impractical.

In this paper, we tackle a fundamental problem in the design of modern ad auctions. We adopt a “Myersonian” approach and study allocation rules that are monotone both in the bid and set of rich ads. We show that such rules can be paired with a payment function to give a truthful auction. Our main technical challenge is designing a monotone rule that yields a good approximation to the optimal welfare. Monotonicity doesn’t hold for standard algorithms, e.g. the incremental bang-per-buck order, that give good approximations to “knapsack-like” problems such as ours. In fact, we show that no deterministic monotone rule can approximate the optimal welfare within a factor better than 2 (while there is a non-monotone FPTAS). Our main result is a new, simple, greedy and monotone allocation rule that guarantees a 3 approximation. In ad auctions in practice, monotone allocation rules are often paired with the so-called *Generalized Second Price (GSP)* payment rule, which charges the minimum threshold price below which the allocation changes. We prove that, even though our monotone allocation rule paired with GSP is not truthful, its Price of Anarchy (PoA) is bounded. Under standard no-overbidding assumptions, we prove bounds on the a pure and Bayes-Nash PoA. Finally, we experimentally test our algorithms on real-world data.

1 Introduction

Internet Ad Auctions, in addition to being influential in advancing auction theory and mechanism design, are a half-a-trillion dollar industry [CF21]. A significant advertising channel is sponsored search advertising: ads that are shown along with search results when you type a query in a search box. These ads traditionally were a few lines of text and a link, leading to the standard abstraction for ad auctions: multiple items for sale to a set of unit-demand bidders, where each bidder i has a private value $v_i \cdot \alpha_{is}$ for the ad in position s , which has click-through rate α_{is} . However, when using your favorite search engine, you might instead encounter sitelinks/extensions leading to parts of the advertisers’ website, seller ratings indicating how other users rate this advertiser or offers for

specific products. Advertisers can often explicitly opt in or out of showing different extensions with their ads. In fact, some extensions require the advertiser to provide additional assets, e.g. sitelinks, phone numbers, prices, promotion etc, and an ad cannot be shown unless this additional information is available. All these extensions/decorations change the amount of *space* the ad occupies, as well as affect the probability of a user clicking on the ad. The new and unexplored abstraction for modern ad auctions is now to select a set of ads that fit within the given total space.

In this paper, we study the problem of designing a *truthful* auction to determine the best set of ads that can be shown, with the goal of maximizing the social welfare. More formally, we consider the *Rich Ads* problem. In our model, each advertiser specifies a value per click v_i and set of rich ads. Each ad has an associated probability of click α_{ij} and a space w_{ij} that it would occupy if shown. The space and click probabilities are publicly known. Crucially, advertisers' private information is *not* single-dimensional. In addition to misreporting her value, there is another strategic dimension available: an advertiser can report only a subset of the set of ads available if the allocation under this report improves her utility. The open problem we address in this paper is whether there exist simple, approximately optimal and truthful mechanisms for Rich Ads.

Results and Techniques. The classic Vickrey-Clarke-Groves (VCG) mechanism is truthful and maximizes welfare for our setting, but it is computationally intractable: maximizing welfare is NP-complete (even without truthfulness) since our problem generalizes the KNAPSACK problem. It is also well known that coupling an approximation algorithm for welfare with VCG payments does not result in a truthful mechanism. And, maximal-in-range mechanisms [NR01], that optimize social welfare over a restricted domain, even though are one way around such situations, have limited use, since the range of possible outcomes (allocations) has to be committed to before seeing the bidders preferences (i.e., needs to be independent of bidders reports). For single parameter problems, Myerson's lemma [Mye81] can be used to obtain a truthful mechanism, as long as the allocation rule is monotone. The Rich Ads problem is not a single parameter problem, so this approach does not immediately work. However, similar to the inter-dimensional (or "one-and-a-half" dimensional) regime [FGKK16, DHP20, DGS⁺20], we can extend Myerson's lemma¹ to our domain. We show that an allocation rule that is monotone in the bid and the set of rich ads¹ can be paired with a payment rule to obtain a truthful mechanism.

Incentive issues aside, the Rich Ads problem is an extension of the KNAPSACK problem, called MULTI-CHOICE KNAPSACK: in addition to the knapsack constraint, we also have constraints that allow to allocate (at most) one rich ad per advertiser. As an algorithmic problem, this is well studied [SZ79, Law79]. The optimal fractional allocation can be derived using a simple *greedy* algorithm using the *incremental bang-per-buck* order. However, it turns out that the optimal (integral or otherwise) allocation, as well as other natural allocations, are not monotone. In fact, as we show, no deterministic (resp. randomized) monotone allocation rule can obtain more than half (resp. 11/12 fraction) of the social welfare. In contrast, without the monotonicity constraint, there is an FPTAS for the MULTI-CHOICE KNAPSACK problem [Law79].

Our *main result* is providing an integral allocation rule that is monotone and obtains at least a third of the optimal (fractional) social welfare. Pairing with an appropriate payment function we get the following (informal) theorem.

Informal Theorem. *There exists a simple truthful mechanism, that can be computed in polynomial time, which obtains a 3-approximation to the optimal social welfare.*

To obtain this result, we first find an allocation of space amongst the advertisers. In contrast to the optimal fractional algorithm described above which allocates greedily using the incremental bang-per-buck order, our algorithm allocates greedily using an *absolute bang-per-buck* order. Crucially, the *space* allocated to each advertiser in this way is monotone, even though the expected number of clicks (i.e. the utility) of the bang-per-buck algorithm itself is *not* monotone. By post-processing to utilize this space optimally for each advertiser, we obtain an integral allocation that is monotone in the expected number of clicks. We prove that this allocation gives a two approximation to the optimal fractional welfare, minus the largest value ad. Finally, by randomizing between this integral allocation (with probability 2/3) and the largest value ad (with probability 1/3), we get a 3-approximation

¹Here, an allocation rule is defined to be monotone in the set of rich ads if the expected clicks allocated to an advertiser can only increase when the advertiser reports a superset of rich ads.

to the optimal social welfare. Since the overall allocation rule is monotone, we can pair it with an appropriate pricing to get a truthful mechanism.

We proceed to further explore the merits of our monotone allocation rule by pairing it with the *Generalized Second Price (GSP)* payment rule, which charges each advertiser the minimum threshold (on their bid) below which their allocation changes. The overall auction is not truthful. However, we can analyze its performance by bounding its social welfare in a worst-case equilibrium. In particular, we consider the full information pure Nash equilibrium, where bidders best-respond to a profile of competitors bids, as well as the incomplete information Bayes-Nash equilibrium, where the bidders best-respond to a distribution of valuation draws and bids for the competitors. The corresponding pure Price of Anarchy (PoA) and Bayes-Nash Price of Anarchy are the ratios of the optimal social welfare to the welfare of the worst equilibrium. In either setting, we make the standard no-overbidding assumption, where bidders do not bid more than their value. This assumption is required as without it the PoA of even the single-item second price auction (which is truthful) can be unbounded.²

Informal Theorem. *There exists a simple mechanism with a monotone allocation rule, paired with the GSP payment rule, which under the no-overbidding assumption guarantees a pure Price of Anarchy (resp. Bayes-Nash PoA) of at most 6 (resp. $\frac{6}{1-1/e}$).*

We prove our PoA bounds by identifying a suitable deviation for each advertiser, and bounding the advertiser’s utility in this deviation relative to the social welfare of the optimal integral allocation, our integral bang-per-buck allocation (in the equilibrium), and the largest value ad (in the equilibrium); as opposed to single-dimensional PoA bounds, the knapsack constraint in our setting introduces a number of technical obstacles we need to bypass. To prove a bound for the Bayes-Nash PoA, we combine techniques from our pure PoA bound with the standard smoothness framework [Rou15a]. In particular, the smoothness part of our argument is very similar to that of [CKK⁺15] for the Bayes-Nash PoA of the standard GSP position auction. Due to the specific form of the smoothness framework that we use, our bound also applies to mixed, correlated, coarse-correlated and Bayes-Nash with correlated valuations. Our PoA results can be found in Appendix E.

Finally, we provide an empirical evaluation of our mechanism on real world data from a large search engine. We compare performance of our mechanism with VCG and the fractional-optimal allocation that doesn’t account for incentives. Our empirical results show that our allocation rule obtains at least 0.4 fraction of the optimal in the worst-case. However, there are many instances where our allocation rule is almost as good as VCG. In fact, the average approximation factor of our allocation rule is 0.97. Furthermore, our mechanisms are significantly faster than VCG, even with the Myersonian payment computation. We also empirically evaluate heuristic extensions of our algorithms when there is a bound on the total number of distinct rich ads shown.

Related work. Traditional sponsored search auctions have been studied extensively [AGM06, Var07, EOS07]. A number of recent works relax the traditional model of sponsored search auctions [CMSW20, Hum16] and introduce different versions of the “rich ads” problem [DSYZ10, CKSW17, GHLY19, HIK⁺18]; the specific model we study in this paper is new. [DSYZ10] are the first to formulate a rich ad problem where ads can occupy multiple slots. They analyze VCG and GSP variants for a special version of the rich ad problem where ads can be of only one of two possible sizes. They leave the problem addressed in this paper as an open problem for future work.

Much of the literature focuses on GSP-like rules (e.g., because the cost of switching from existing GSP to VCG can be high [VH14]). [CKSW17] consider the more general rich ad problem where there are constraints on number of ads shown and position effects in the click through rate. But their setting is still single-parameter — advertisers report a bid per click and cannot mis-report the set of rich ads. They provide a local search algorithm that runs within polynomial time and a generalized GSP like pricing to go with it. However, as opposed to our interest here, their auction is not truthful, nor do they give any approximation guarantees. [GHLY19] consider the optimization problem when the probability of click is submodular or subadditive in the size of the rich ad. They give an LP rounding based algorithm that provides a 4 approximation for submodular and a $\Omega(\frac{\log m}{\log \log m})$ approximation for subadditive, with respect to the social welfare assuming truthful bidding. They however do not provide a truthful payment rule, or any PoA guarantees. These works also focus on a single-dimensional setting (where the advertiser is strategic about its bid but the set of ads is publicly

²Consider, for example, the equilibrium where all bidders bid 0, except the lowest bidder, who bids infinity.

known). In contrast, we consider a multi-dimensional setting. Our simple and truthful mechanism also has a *monotone* allocation function, so we pair it with GSP as well.

The PoA of the GSP auction for text ads was studied in [CKKK11, LB10, LPL11]. Our PoA bounds use the smoothness framework introduced in [Rou15a], and later extended by [CKK⁺15] to show PoA bounds for GSP (as well as in [Rou15b] and [ST13] for more general use).

2 Preliminaries

Rich Ad Model. We introduce the following model for the rich ads auction problem. There is a set \mathcal{N} of n advertisers and a universe of rich ads \mathcal{S} . Each advertiser $i \in \mathcal{N}$ has a private value per click v_i and a private set of rich ads $A_i \subseteq \mathcal{S}$.³ We use $\mathbf{v} = (v_1, v_2, \dots, v_n)$ to denote the vector of values per click and $\mathbf{A} = (A_1, A_2, \dots, A_n)$ to denote the vector of sets of rich ads. For every advertiser $i \in \mathcal{N}$, each rich ad $j \in \mathcal{S}$ has a publicly known space w_{ij} and a publicly known probability of click α_{ij} .⁴ We use v_{ij} for the value of rich ad j for advertiser i . If $j \notin A_i$, then the value of advertiser i is $v_{ij} = 0$; otherwise, $v_{ij} = \alpha_{ij}v_i$. An advertiser can be allocated only one of the ads from the set \mathcal{S} . Finally, there is a total limit W on the total space occupied by the ads. We assume without loss of generality that for each i and each j , $w_{ij} \leq W$, as any ad that is larger than W cannot be allocated integrally in space W . A (randomized or fractional) allocation $\mathbf{x} \in [0, 1]^{n \times |\mathcal{S}|}$ indicates the probability x_{ij} that ad j is allocated to advertiser i . An allocation is feasible if each advertiser gets at most one ad, i.e. $\sum_{j \in \mathcal{S}} x_{ij} \leq 1$ for all $i \in \mathcal{N}$, and the total space used is at most W , i.e. $\sum_{i \in \mathcal{N}, j \in \mathcal{S}} x_{ij}w_{ij} \leq W$. An allocation is integral if $x_{ij} \in \{0, 1\}$, for all $i \in \mathcal{N}$ and $j \in \mathcal{S}$.

Our goal is to maximize social welfare. For an allocation $\mathbf{x} = \text{Alg}(\mathbf{v}, \mathbf{A})$, $SW(\text{Alg}(\mathbf{v}, \mathbf{A})) = \sum_{i,j} x_{ij}v_{ij}$. We can write an integer program for the optimal allocation as follows, by introducing a binary variable $x_{ij} \in \{0, 1\}$ for the allocation of advertiser $i \in \mathcal{N}$ and rich ad $j \in \mathcal{S}$. The objective is to maximize welfare $\sum_{i,j} x_{ij}v_{ij}$, subject to a Knapsack constraint $\sum_i \sum_j w_{ij}x_{ij} \leq W$, and feasibility, i.e. $\sum_j x_{ij} \leq 1$ for all $i \in \mathcal{N}$ (expressing that each advertiser can get only one ad).

Mechanism Design Considerations. By standard revelation principle arguments, it suffices to focus on direct revelation mechanisms. Each advertiser $i \in \mathcal{N}$ reports a bid b_i and a set of rich ads $S_i \subseteq \mathcal{S}$. Similarly to many works in the inter-dimensional regime, e.g. [MV09, DW17], we assume that $S_i \subseteq A_i$, that is, an advertiser cannot report that they want an ad they don't have. Let $\mathbf{b} = (b_1, b_2, \dots, b_n)$ to denote the vector of bids and $\mathbf{S} = (S_1, S_2, \dots, S_n)$ to denote the vector of sets of rich ads. We use $b_{ij} = b_i \cdot \alpha_{ij}$ if $j \in S_i$ and $b_{ij} = 0$ otherwise, and refer to the rich ad using a (reported value, space) tuple (b_{ij}, w_{ij}) . A mechanism selects a set of ads to show, of total space at most W , and charges a payment to each advertiser. Let $x_{ij}(\mathbf{b}, \mathbf{S})$ be the probability that ad j is allocated to advertiser i , and $p_i(\mathbf{b}, \mathbf{S})$ denote the expected payment of advertiser i . Let $\mathbf{x}_i(\mathbf{b}, \mathbf{S})$ be the allocation vector of advertiser i . We assume that for any valid allocation rule for $j \notin S_i$ $x_{ij}(\mathbf{b}, \mathbf{S}) = 0$. We slightly overload notation, and use $x_i(\mathbf{b}, \mathbf{S})$ to denote the expected number of clicks the advertiser will get; that is, $x_i(\mathbf{b}, \mathbf{S}) = \sum_{j \in S_i} x_{ij}(\mathbf{b}, \mathbf{S})\alpha_{ij}$. If required we refer to the cost per-click $cpc_i(\mathbf{b}, \mathbf{S}) = p_i(\mathbf{b}, \mathbf{S})/x_i(\mathbf{b}, \mathbf{S})$.

Advertisers have quasi-linear utilities. An advertiser with value v_i and set A_i has utility $v_i x_i(\mathbf{b}, \mathbf{S}) - p_i(\mathbf{b}, \mathbf{S})$, when reports are according to \mathbf{b} and \mathbf{S} . Let $u_i(v_i, A_i \rightarrow b_i, S_i; \mathbf{b}_{-i}, \mathbf{S}_{-i})$ be the utility of advertiser i when her true value and set of ads are v_i, A_i , but reports b_i, S_i , and everyone else reports according to $\mathbf{b}_{-i}, \mathbf{S}_{-i}$. For ease of notation we often drop $\mathbf{b}_{-i}, \mathbf{S}_{-i}$ when it's clear from the context. When the profile of true types is fixed, we drop (v_i, A_i) and use the notation $u_i(b_i, S_i, \mathbf{b}_{-i}, \mathbf{S}_{-i})$.

A mechanism is *truthful* if no advertiser has an incentive to lie, i.e. for any all $\mathbf{b}_{-i}, \mathbf{S}_{-i}$, $u_i(v_i, A_i \rightarrow v_i, A_i; \mathbf{b}_{-i}, \mathbf{S}_{-i}) \geq u_i(v_i, A_i \rightarrow b_i, S_i; \mathbf{b}_{-i}, \mathbf{S}_{-i})$, for all v_i, A_i, b_i, S_i . A mechanism is individually rational if in all of its outcomes, all agents have non-negative utility.

We are interested in auctions that are computationally tractable, truthful, individually rational, with the goal of maximizing the social welfare $SW(\mathbf{x}(\mathbf{b}, \mathbf{S})) = \sum_i v_i x_i(\mathbf{b}, \mathbf{S})$. Even ignoring truthfulness

³We expect the rich ads to be tailored to an advertiser, so we assume that $A_i \cap A_{i'} = \emptyset$, for all $i, i' \in \mathcal{N}$.

⁴Note that this is safe to assume. The space consumed by a rich ad is evident when the rich ad is provided. The probability of click can be predicted by the platform (e.g. using machine learning models).

and individual rationality, the computational constraints rule out achieving the optimal social welfare; therefore, we seek approximately optimal mechanisms.

Definition 1. A truthful mechanism \mathcal{M} obtains an α factor approximation to the social welfare if $SW(\mathbf{x}_{\mathcal{M}}(\mathbf{v}, \mathbf{A})) \geq SW(\mathbf{x}_{OPT}(\mathbf{v}, \mathbf{A}))/\alpha$.

Formal definitions of the Generalized Second Price and the Price of Anarchy are deferred to Appendix A (since all the instances where they are used are also in the appendix).

Optimal fractional allocations. The algorithmic problem is a special case of a well-known variation of the KNAPSACK problem, called MULTI-CHOICE KNAPSACK [SZ79]. The integer program for MULTI-CHOICE KNAPSACK is the same as the integer program above, except that the inequality constraint $\sum_j x_{ij} \leq 1$ is replaced with an equality. Our problem is easily reduced to the MULTI-CHOICE KNAPSACK problem by introducing a *null* ad with $(\alpha_{i0}, w_{i0}) = (0, 0)$. [SZ79] provide a characterization of the optimal fractional solution of MULTI-CHOICE KNAPSACK and provide a fast algorithm to compute the fractional optimal solution. As is colloquial in the KNAPSACK literature, we refer to the ratio $\frac{b_{ik}}{w_{ik}}$ as *Bang-per-Buck* and the ratio $\frac{b_{ij}-b_{ik}}{w_{ij}-w_{ik}}$ with $w_{ij} > w_{ik}$ as *Incremental Bang-per-Buck*. [SZ79] show that allocating ads in the incremental bang-per-buck order gives the optimal fractional solution. We state this standard algorithm in Appendix A. We refer to the solution constructed by this algorithm as OPT and use it as a benchmark in our approximation guarantees. We note a few more properties of OPT.

Fact 1 ([SZ79]). In the optimal fractional allocation constructed by the algorithm, all advertisers except one have a rich-ad allocated integrally. Also for any advertiser i allocated space W_i^* in OPT, the allocation maximizes the value that advertiser i can obtain in that space.

This fact also implies a 2-approximate integral allocation as follows. Construct an optimal fractional solution using the incremental bang-per-buck order. Let i' denote the advertiser that is allocated last: select the larger of the optimal fractional solution without i' and the highest value ad of i' .

3 Monotonicity and Lower Bounds

Monotonicity implies truthfulness. In single-parameter domains, Myerson's lemma provides a handy tool for constructing truthful mechanisms. One has to only construct a monotone allocation rule, and then the lemma provides a complementary payment rule such that the overall mechanism is truthful. We extend this approach to our particular multi-parameter domain. If the set of ads is fixed for each advertiser, then monotonicity in bid and Myerson-like payments imply truthfulness. We give constraints between the allocation rules for different sets of ads and show that they imply truthfulness everywhere using a local-to-global argument. We begin by defining monotonicity in our setting. An allocation rule is said to be monotone if it is monotone in each dimension of the buyer's preferences.

Definition 2. An allocation rule $x(\mathbf{b}, \mathbf{S})$ is monotone in b_i, S_i for each i , if (1) For all $\mathbf{b}_{-i}, \mathbf{S}_{-i}, S_i, b'_i \geq b_i$; we have $x_i(b'_i, S_i, \mathbf{b}_{-i}, \mathbf{S}_{-i}) \geq x_i(b_i, S_i, \mathbf{b}_{-i}, \mathbf{S}_{-i})$, and (2) For all $\mathbf{b}_{-i}, \mathbf{S}_{-i}, b_i, S'_i \geq S_i$; we have $x_i(b_i, S'_i, \mathbf{b}_{-i}, \mathbf{S}_{-i}) \geq x_i(b_i, S_i, \mathbf{b}_{-i}, \mathbf{S}_{-i})$.

As the following example shows, the optimal allocation rule is *not* monotone. The example also shows that monotonicity is not necessary for truthfulness (since VCG is truthful and optimal).

Example 1. Consider two advertisers with two rich ads each. Both have value 1 and the rich ads have (value, size) = (1, 1), (1 + ϵ , 2). The space available is 3. In this case, the optimal integer solution chooses the smaller ad from one advertiser and the larger ad from other. However, if one of them removes their smaller option, they get the larger option deterministically.

The next lemma (proof in Appendix B) shows that monotonicity is sufficient for truthfulness.

Lemma 1. If a valid allocation rule $\mathbf{x}(\mathbf{b}, \mathbf{S})$ is monotone in b_i, S_i for each $i \in \mathcal{N}$, then charging payment $p_i(\mathbf{b}, \mathbf{S}) = b_i x_i(\mathbf{b}, \mathbf{S}) - \int_0^{b_i} x_i(b, \mathbf{b}_{-i}, \mathbf{S}) db$ results in a truthful auction.

Lower bounds. Next, we illustrate the challenge in coming up with allocation rules which are monotone in the set of rich ads. We also prove that monotonicity rules out approximation ratios strictly better than 2 for deterministic mechanisms (and 12/11 for randomized mechanisms).

As we’ve seen in Example 1, the algorithm that finds the optimal integer allocation is not monotone. The following example shows that simple algorithms such as selecting ads in the incremental bang-per-buck order, or the 2 approximation algorithm presented in Section 2 are not monotone either. Recall that bang-per-buck = b_{ij}/w_{ij} and incremental bang-per-buck = $\frac{b_{ij}-b_{ik}}{w_{ij}-w_{ik}}$ with $w_{ij} > w_{ik}$.

Example 2. We have two advertisers A and B . A has two rich ads with (value, size) as $(2,1),(3.5,3)$. B has one ad with (value, size) = $(3,3)$.

(i) Suppose $W = 4$. The incremental bang-per-buck algorithm picks $A : (2, 1)$, followed by $B : (3, 3)$. The rich ad $A : (3.5, 3)$ does not get picked over $B : (3, 3)$, despite having higher bang-per-buck, since it has smaller incremental bang-per-buck (of 0.75). On the other hand if A removes the rich ad $(2, 1)$, the algorithm picks $A : (3.5, 3)$ at the very beginning, and A obtains a higher value.

(ii) Suppose $W = 3.5$, the optimal fraction solution is $A : (2, 1)$ with a weight of 1.0 and $B : (3, 3)$ with weight 2.5/3. The 2-approximation algorithm of Section 2 compares allocating just $A : (2, 1)$ or just $B : (3, 3)$, and chooses B . But if A removed $(2, 1)$, then the optimal fraction solution is $A : (3.5, 3)$ with a weight of 1.0 and $B : (3, 3)$ with weight 0.5/3. The 2-approximation algorithm compares $A : (3.5, 3)$ and $B : (3, 3)$, and chooses A because it has higher value. Thus A gets a higher value by removing $(2, 1)$.⁵

The next theorem gives lower bounds on the approximation factor a monotone algorithm can achieve.

Theorem 1. No monotone and deterministic (resp. randomized) algorithm has an approximation ratio better than $2 - \varepsilon$ (resp. $12/11 - \varepsilon$) for any $\varepsilon > 0$.

Proof. There are two advertisers. Each advertiser has two rich ads: $(1, 1), (1 + \varepsilon, 2)$. The total space is 3. The optimal solution has value $(2 + \varepsilon)$. To obtain an approximation better than $2 - \varepsilon$, we must choose a small ad for at least one of the advertisers. Since the algorithm is monotone, when that advertiser does not provide the small ad, the algorithm cannot give them the larger ad. Thus when the advertiser does not provide the small ad, the algorithm must give this advertiser nothing, resulting in welfare at most $(1 + \varepsilon)$. See Appendix B for the proof for randomized algorithms. \square

4 A Simple Monotone 3-Approximation

In this section we give our main result: a monotone algorithm that obtains a 3 approximation to the optimal social welfare. First, we give a fractional algorithm for allocating space to each advertiser i . Second, we show that optimally (and integrally) using the space given to each advertiser i gives a monotone allocation. Finally, we show that randomizing between the former algorithm and simply allocating the max value ad is a monotone rule that obtains a 3 approximation to OPT . Omitted proofs (and definitions) can be found in Appendix C. We show that the truthful payment function matching our allocation rule can be computed in polynomial time in Appendix C.3.

Monotone space allocation algorithm We start by giving a monotone algorithm for allocating space to each advertiser. This total space allocated is monotone in b_i and S_i , for all $i \in \mathcal{N}$. Our algorithm also provides an allocation of rich-ads to that space, but this allocation by itself may not be monotone, and may not provide a good approximation. Our algorithm, which we call ALG_B , works as follows (see Appendix C for a formal description). First, we order the ads in the bang-per-buck order. We iteratively choose the next ad in this order; let i be the corresponding advertiser, and j be the rich ad. We replace the previous ad of i with j , if this choice results in more space allocated to i . If there is not enough space we fractionally allocate j and terminate.

The following observation shows that any ads removed for not being-selected will not be used by the fractional-optimal solution as well. See Appendix A for the precise definition of dominated.

Observation 1. Let $j' \in E_i$ be some ad removed from E_i in “step 2” of ALG_B for having space at most w_{ij} . Then either $j' = j$ or j' is a “dominated” ad.

Next, we prove that ALG_B allocates space that is monotone in b_i and S_i , for all $i \in \mathcal{N}$.

⁵Even though we only seek integer monotone algorithms, this example shows that even the fractional allocation is not monotone: when A provides all ads its value is 2, but when A removes $(2, 1)$, its value is 3.5.

Theorem 2. Let $\mathbf{x}(ALG_B)$ denote the allocation of ALG_B . Then, for all $i \in \mathcal{N}$, $b_i \leq b'_i$: $\sum_j w_{ij}x_{ij}(ALG_B(\mathbf{b}, \mathbf{S})) \leq \sum_j w_{ij}x_{ij}(ALG_B(b'_i, \mathbf{b}_{-i}, \mathbf{S}))$. Also, for all i and $S_i \subseteq S'_i$, the space W_i is monotone in S_i : $\sum_j w_{ij}x_{ij}(ALG_B(\mathbf{b}, \mathbf{S})) \leq \sum_j w_{ij}x_{ij}(ALG_B(\mathbf{b}, S_i, \mathbf{S}_{-i}))$.

ALG_B is inefficient since the bang-per-buck allocation can change the relative order in which the advertisers are assigned space, generating sub-optimal outcomes.

Example 3. Let M be a large integer. Let $W = M - 1$ and consider two advertiser A and B . A has two rich ads with (value, size) as $(1, 1), (1 + \varepsilon, M - 1)$. B has one rich ad with (value, size) = $(\frac{M-1}{M}, M - 1)$. Fractional OPT selects $A : (1, 1)$ fully and $B : (\frac{M-1}{M}, M - 1)$ fractionally with weight $(M - 2)/(M - 1)$ and obtains a social welfare $1 + \frac{M-2}{M}$. The bang-per-buck allocation in ALG_B selects $A : (1 + \varepsilon, M)$ fully and obtains social welfare $(1 + \varepsilon)$.

While the space allocated is monotone in the bid and rich ads, the allocation itself may not be monotone, since ALG_B may allocate an advertiser a larger ad with lower value than another option; we provide an example in Appendix D.

Integral Monotone Allocation. The allocation generated by ALG_B can be fractional for one advertiser, and can be sub-optimal (but integer) for some of the other advertisers. In the following algorithm, we post-process to find the best *single ad* that fits in W_i .

Algorithm 1 (ALG_I). First, run ALG_B . Let W_i be the space allotted to advertiser i . Second, post-process to allocate the ad j with maximum value that fits in W_i , i.e. $j \in \operatorname{argmax}_{w_{ij} \leq W_i} b_{ij}$. Any remaining space is left unallocated.

Observe that ALG_I is monotone, since (1) the space allocated by ALG_B is monotone, and (2) if the space allocated by ALG_B is larger, then the post-processing that allocates the highest value ad that fits in this space will also result in same or larger value. However, ALG_I alone might be an arbitrarily bad approximation: we provide an example in Appendix D.

Main result. Our main result is the following theorem.

Theorem 3. The randomized algorithm that runs ALG_I with probability $2/3$, and otherwise allocates the maximum valued ad, is monotone in b_i and S_i , obtains a 3-approximation to the social welfare, and this approximation factor is tight.

Proof. Let b_{max} denote the value of the maximum valued ad. We will first show that $2SW(\mathbf{x}(ALG_I)) + b_{max} \geq SW(\mathbf{x}(OPT))$. Let $\text{Val}(\mathbf{x}, A, \vec{s}) = \sum_{i \in A} (\sum_{j \in S} b_{ij} \cdot x_{ij}) \cdot \left(\frac{s_i}{\sum_{j \in S} w_{ij} x_{ij}} \right)$ be the fraction of the social welfare of allocation \mathbf{x} , $SW(\mathbf{x})$, contributed by a subset of advertisers A for space \vec{s} . Let $\mathbf{x}^* = \mathbf{x}(OPT(\mathbf{b}, \mathbf{S}))$ denote an optimal fractional allocation. Let $W_i = W_i(ALG_B(\mathbf{b}, \mathbf{S}))$ and $W_i^* = W_i(OPT(\mathbf{b}, \mathbf{S}))$ denote the total space allocated to advertiser i in ALG_B and the optimal allocation \mathbf{x}^* , respectively. The space allocated in ALG_I is exactly the same as W_i . Recall Fact 1, that there is an optimal fractional allocation where at most one advertiser is allocated fractionally. Let i' be the advertiser whose allocation in \mathbf{x}^* is fractional. There is also at most one advertiser in ALG_B whose allocation is fractional: the advertiser corresponding to the very last ad that is included; let i'' be this advertiser. We start by giving a series of technical claims. First, we bound the part of $SW(\mathbf{x}(OPT))$ contributed by advertisers who are allocated more space in ALG_B than in OPT . Let \mathcal{I} denote the set of advertisers i with $W_i \geq W_i^*$.

Claim 1. $\text{Val}(\mathbf{x}^*, \mathcal{I} \setminus \{i'\}, \vec{W}^*) \leq \text{Val}(\mathbf{x}(ALG_I), \mathcal{I} \setminus \{i'\}, \vec{W})$.

Let $\mathcal{K} = \mathcal{N} \setminus \mathcal{I}$ be the set of advertisers k with $W_k < W_k^*$. If $\mathcal{K} = \emptyset$ then $W_i = W_i^*$ for all i . We note that $b_i \cdot x_i(ALG_I) = b_i \cdot \mathbf{x}_i^*$ for all $i \neq i'$ by Claim 1. Also $b_{max} \geq b_{i'} \cdot \mathbf{x}_{i'}^*$. Thus we get $SW(\mathbf{x}(ALG_I)) + b_{max} \geq SW(OPT)$. So for the rest of the proof we assume $\mathcal{K} \neq \emptyset$. We bound the portions of $SW(\mathbf{x}(OPT))$ contributed by $k \in \mathcal{K}$ using the following claim.

Claim 2. For all $k \in \mathcal{K} \setminus \{i'\}$ and $i \in \mathcal{N}$, we have $\frac{b_k \cdot \mathbf{x}_k^*}{W_k^*} \leq \frac{b_i \cdot \mathbf{x}_i(ALG_B)}{W_i}$.

That is, advertisers that are allocated less space in ALG_I than in \mathbf{x}^* , must have lower bang-per-buck as otherwise their rich ad would be considered by ALG_I and they will be allocated more space.

Finally we bound the contribution of i' , that is the ad allocated fractionally in OPT as follows:

Claim 3. Let $(b_s, s), (b_\ell, \ell)$ with $s < \ell$ be the ads used in $\mathbf{x}_{i'}^*$, the optimal fractional allocation for i' . It holds that: (i) $\frac{b_\ell - b_s}{\ell - s} \leq \frac{b_i \cdot \mathbf{x}_i(ALG_B)}{W_i}$ for all $i \in \mathcal{N}$, (ii) if $s > W_{i'}$, then $\frac{b_s}{s} \leq \frac{b_i \cdot \mathbf{x}_i(ALG_B)}{W_i}$ for all $i \in \mathcal{N}$, and (iii) if $s \leq W_{i'}$ then $b_s \leq b_{i'} \cdot \mathbf{x}_{i'}(ALG_I)$.

The proof of this claim is more involved. Intuitively we can bound the smaller of i' 's allocated ads (if it is small enough) with the value i' obtains in ALG_I and the larger ad since it is allocated last has the lowest incremental bang-per-buck than any other advertiser's ad and hence the incremental bang-per-buck is also lower than the other ad's actual bang-per-buck.

We put all the claims together to bound $\text{Val}(\mathbf{x}^*, \mathcal{K} \cup \{i'\}, \vec{W}^*)$. If $s > W_{i'}$, then by Claims 2 and 3 we see that the bang-per-buck of $k \in \mathcal{K} \cup \{i'\}$ is less $b_i \cdot \mathbf{x}_i(ALG_B)/W_i$ for all i . Then the value for $\mathcal{K} \cup \{i'\}$ in OPT is less than the contribution of advertisers using the *same total space* in ALG_B .

$$\text{Val}(\mathbf{x}^*, \mathcal{K} \cup \{i'\}, \vec{W}^*) \leq \text{Val}(\mathbf{x}^*, \mathcal{K} \setminus \{i'\}, \vec{W}^*) + b_{i'} \cdot \mathbf{x}_{i'}^* \leq \text{Val}(\mathbf{x}(ALG_B), \mathcal{N}, \vec{W}) \quad (1)$$

If $s \leq W_{i'}$, then by Claims 2 and 3 we get that $b_s < b_{i'} \cdot \mathbf{x}_{i'}(ALG_I)$ and the bang-per-buck of the ads in ALG_B is higher than that of $\mathcal{K} \setminus \{i'\}$ and $\frac{b_\ell - b_s}{\ell - s}$. Thus we have,

$$\begin{aligned} \text{Val}(\mathbf{x}^*, \mathcal{K} \cup \{i'\}, \vec{W}^*) &\leq \text{Val}(\mathbf{x}^*, \mathcal{K} \setminus \{i'\}, \vec{W}^*) + b_s + (W_{i'}^* - s) \frac{b_\ell - b_s}{\ell - s} \\ &\leq \text{Val}(\mathbf{x}(ALG_B), \mathcal{N}, \vec{W}) + b_{i'} \cdot \mathbf{x}_{i'}(ALG_I) \end{aligned} \quad (2)$$

Hence by putting both \mathcal{I} and \mathcal{K} together we get,

$$\begin{aligned} SW(\mathbf{x}_{OPT}) &= \text{Val}(\mathbf{x}^*, \mathcal{I} \setminus \{i'\}, \vec{W}^*) + \text{Val}(\mathbf{x}^*, \mathcal{K} \cup \{i'\}, \vec{W}^*) \\ &\leq \text{Val}(\mathbf{x}(ALG_I), \mathcal{I} \setminus \{i'\}, \vec{W}) + \text{Val}(\mathbf{x}(ALG_B), \mathcal{N}, \vec{W}) + b_{i'} \cdot \mathbf{x}_{i'}(ALG_I) \\ &\leq \text{Val}(\mathbf{x}(ALG_I), \mathcal{N}, \vec{W}) + \text{Val}(\mathbf{x}(ALG_B), \mathcal{N}, \vec{W}) \\ &\leq 2\text{Val}(\mathbf{x}(ALG_I), \mathcal{N}, \vec{W}) + b_{max} \end{aligned}$$

where the first equality is the definition of $SW(\mathbf{x}_{OPT})$, and the second inequality puts together Claim 1 and Equations (1), and (2). The third inequality holds because $\mathcal{I} \cup \{i'\} \subseteq \mathcal{N}$. The final inequality holds because $b_i \cdot \mathbf{x}_i(ALG_I) \geq b_i \cdot \mathbf{x}_i(ALG_B)$ for all $i \neq i''$, and $b_{i''} \cdot \mathbf{x}_{i''}(ALG_B) \leq b_{max}$.

Thus we have that $SW(\mathbf{x}_{OPT}) \leq 2\text{Val}(\mathbf{x}(ALG_I), \mathcal{N}, \vec{W}) + b_{max}$. Therefore, running ALG_I with probability $2/3$ and allocating b_{max} with probability $1/3$ is a 3-approximation to $SW(\mathbf{x}_{OPT})$. Since our algorithm is randomizing between two monotone rules, it is monotone as well. We give an instance which shows that the approximation of the algorithm is at least 3 in Appendix C. \square

5 Experiments

In this section we present some empirical results for our truthful mechanisms. The allocation rules we use for our theoretical results can be extended to obtain higher value. First we extend ALG_I to skip past a high bang-per-buck ad that does not fit in the remaining space. More precisely, recall that ALG_I calls ALG_B to get the space allocation. ALG_B stops when the ad being considered cannot be fit fully in the remaining space. The advertiser corresponding to this ad still gets allocated the remaining space, which is filled with the highest-value ad that fits in post-processing. In our modified version, we update ALG_B to skip past this large ad. This is equivalent to dropping step (3) of ALG_B (i.e., we keep going until we run out of ads), and running the rest of ALG_I as it is. We call this modified algorithm *GreedyByBangPerBuck*. For our theoretical result we also select the maximum value ad with probability $1/3$. In practice, this can be very inefficient. For our empirical evaluation, we extend this to continues to allocate as long as space is remaining. Similar to the *GreedyByBangPerBuck*, the algorithm skips past a high value but large ad that cannot fit, and continues allocating until the space or the set of rich ads runs out. We call this algorithm *GreedyByValue*. It is worth noting that these extensions do not improve the worst-case approximation ratio of Theorem 3: we include a brief proof in Appendix F. We implement our proposed randomized algorithm by flipping a coin with probability $2/3$ for each query and selecting the result of *GreedyByBangPerBuck* algorithm if it is heads and *GreedyByValue* otherwise. We call this *RandomizedGreedy*. As a baseline, we

| Algorithm | ApproxECPM | time-msec |
|---------------------|---------------------|---------------------|
| GreedyByBangPerBuck | 0.9493 | 0.7363 |
| GreedyByValue | 0.9196 | 0.3242 |
| RandomizedGreedy | 0.9393 ± 0.0001 | 0.5983 ± 0.0007 |
| IntOPT | 1.0 | 6.9988 |

Table 1: Average performance of the algorithms compared to IntOPT. We report average approximation of eCPM relative to IntOPT and average running time in milliseconds. We report confidence intervals for the randomized algorithm by noting the average performance over all queries over 100 runs.




Figure 1: Histogram of approximation factor for IntOPT, GreedyByValue, GreedyByBangPerBuck and RandomizedGreedy compared to Fractional Optimal.

have implemented *IntOPT*, that uses brute-force-search to evaluate all possible allocations and compute the optimal integer allocation. This allocation paired with the VCG payment rule (which is computed by computing the integer OPT with advertiser i removed, and subtracting from that the allocation of all advertisers other than i in the optimal allocation) gives the VCG mechanism. Finally, we implement the incremental bang-per-buck order algorithm as *IncrementalBPB* to compute the fractionally optimal allocation.

We evaluated our algorithms from real world data obtained from a large search advertising company. The data consists of a sample of approximately 11000 queries, selected to have at least 6 advertisers each. All the space values for the rich-ads are integer. We use 500 as the space limit as that is larger than the space of any individual rich ad. Table 1 compares the average performance of these algorithms. Our algorithms are comparable to IntOPT, on average, but require a lot less time to run.

We first compare the approximation obtained by various algorithms to the fractional-optimal. In Figure 1, we see that GreedyByBangPerBuck and IntOPT obtain at least a 0.55 fraction of the fractional opt, while the approximation factor for GreedyByValue can be as low as 0.4. There is also a substantial amount of mass in the 1.0 bucket where integer-opt and fractional-opt coincide and the greedy algorithms also sometimes achieve that. Next we compare the approximation obtained by various algorithms to IntOPT.

In Figure 2 we see the approximation obtained by various algorithms compared to the IntOPT allocation. There are more queries where we obtain the optimal approximation, but the worst-case is still 0.6 for GreedyByBangPerBuck and 0.4 for GreedyByValue. For additional insight, we plot a heatmap to correlate the approximation factor obtained by GreedyByBangPerBuck and GreedyByValue with IntOPT as the baseline. In Figure 2, we compare the approximation factor of




Figure 2: Histogram of approximation factor for GreedyByValue, GreedyByBangPerBuck and randomized Greedy compared to IntOPT. Height of each bucket represents the fraction of queries in the bucket. Last figure shows correlation of approximation factor relative to IntOPT for GreedyByValue, GreedyByBangPerBuck. Color-scale in the heat-map by $\log(\text{number of queries})$ in bucket.




Figure 3: CDF of running time in milliseconds for GreedyByValue, GreedyByBangPerBuck and IntOPT algorithms.

GreedyByValue and GreedyByBangPerBuck. Blank spaces in this plot correspond to not having any queries with a particular combination of approximation factors. We note that a lot of the queries have the same approximation factor for GreedyByValue and GreedyByBangPerBuck — indicating that RandomizedGreedy won't make mistakes. But GreedyByBangPerBuck more often has better approximation factor than GreedyByValue, so sticking to GreedyByBangPerBuck as the only heuristic might perform better. Finally, in Figure 3 we compare the clock-time of our allocation rules with that of the IntOPT allocation rule.

These allocation rules are monotone, so they can be paired with Myerson's payment rule as implied by Lemma 1. We evaluate the time required to compute the payments and relative revenue compared to VCG in Appendix G (Table 3). Since the focus of our paper is welfare maximization we do not consider reserve prices. A possible direction for future work is to study the trade-offs between welfare and revenue of our mechanism under different reserve prices. Additionally, in Appendix G we evaluate our algorithms with an added cardinality constraints and show that we obtain reasonable approximations to the optimal allocation.

Acknowledgements

The work of Divyarthi Mohan was partially supported by the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation program (grant agreement no. 866132) and by the Israel Science Foundation (grant no. 317/17). Alexandros Psomas is supported in part by an NSF CAREER award CCF-2144208, a Google Research Scholar Award, and by the Algorand Centres of Excellence program managed by Algorand Foundation. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of Algorand Foundation. Part of this work was done when Mohan and Psomas were employed at Google Research.

References

- [AGM06] Gagan Aggarwal, Ashish Goel, and Rajeev Motwani. Truthful auctions for pricing search keywords. In Joan Feigenbaum, John C.-I. Chuang, and David M. Pennock, editors, *Proceedings 7th ACM Conference on Electronic Commerce (EC-2006)*, Ann Arbor, Michigan, USA, June 11-15, 2006, pages 1–7. ACM, 2006.
- [CF21] Ethan Cramer-Flood. Worldwide digital ad spending year-end update. *e-Marketer*, 2021.
- [CKK⁺15] Ioannis Caragiannis, Christos Kaklamanis, Panagiotis Kanellopoulos, Maria Kyropoulou, Brendan Lucier, Renato Paes Leme, and Éva Tardos. Bounding the inefficiency of outcomes in generalized second price auctions. *J. Econ. Theory*, 156:343–388, 2015.
- [CKKK11] Ioannis Caragiannis, Christos Kaklamanis, Panagiotis Kanellopoulos, and Maria Kyropoulou. On the efficiency of equilibria in generalized second price auctions. In *Proceedings of the 12th ACM conference on Electronic commerce*, pages 81–90, 2011.
- [CKSW17] Ruggiero Cavallo, Prabhakar Krishnamurthy, Maxim Sviridenko, and Christopher A. Wilkens. Sponsored search auctions with rich ads. In Rick Barrett, Rick Cummings, Eugene Agichtein, and Evgeniy Gabrilovich, editors, *Proceedings of the 26th International Conference on World Wide Web, WWW 2017, Perth, Australia, April 3-7, 2017*, pages 43–51. ACM, 2017.
- [CMSW20] Riccardo Colini-Baldeschi, Julián Mestre, Okke Schrijvers, and Christopher A. Wilkens. The ad types problem. In Xujin Chen, Nikolai Gravin, Martin Hoefer, and Ruta Mehta, editors, *Web and Internet Economics - 16th International Conference, WINE 2020, Beijing, China, December 7-11, 2020, Proceedings*, volume 12495 of *Lecture Notes in Computer Science*, pages 45–58. Springer, 2020.
- [DGS⁺20] Nikhil R Devanur, Kira Goldner, Raghuvansh R Saxena, Ariel Schwartzman, and S Matthew Weinberg. Optimal mechanism design for single-minded agents. In *Proceedings of the 21st ACM Conference on Economics and Computation*, pages 193–256, 2020.
- [DHP20] Nikhil R Devanur, Nima Haghpanah, and Alexandros Psomas. Optimal multi-unit mechanisms with private demands. *Games and Economic Behavior*, 121:482–505, 2020.
- [DSYZ10] Xiaotie Deng, Yang Sun, Ming Yin, and Yunhong Zhou. Mechanism design for multi-slot ads auction in sponsored search markets. In Der-Tsai Lee, Danny Z. Chen, and Shi Ying, editors, *Frontiers in Algorithmics*, pages 11–22, Berlin, Heidelberg, 2010. Springer Berlin Heidelberg.
- [DW17] Nikhil R Devanur and S Matthew Weinberg. The optimal mechanism for selling to a budget constrained buyer: The general case. In *Proceedings of the 2017 ACM Conference on Economics and Computation*, pages 39–40, 2017.
- [EOS07] Benjamin Edelman, Michael Ostrovsky, and Michael Schwarz. Internet advertising and the generalized second-price auction: Selling billions of dollars worth of keywords. *American Economic Review*, 97(1):242–259, March 2007.
- [FGKK16] Amos Fiat, Kira Goldner, Anna R. Karlin, and Elias Koutsoupias. The fedex problem. In *Proceedings of the 2016 ACM Conference on Economics and Computation, EC '16*, page 21–22, New York, NY, USA, 2016. Association for Computing Machinery.
- [GHLY19] MohammadAmin Ghiasi, MohammadTaghi Hajiaghayi, Sébastien Lahaie, and Hadi Yami. On the efficiency and equilibria of rich ads. In Sarit Kraus, editor, *Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence, IJCAI 2019, Macao, China, August 10-16, 2019*, pages 301–307. ijcai.org, 2019.

- [HIK⁺18] Jason D. Hartline, Nicole Immorlica, Mohammad Reza Khani, Brendan Lucier, and Rad Niazadeh. Fast core pricing for rich advertising auctions. In Éva Tardos, Edith Elkind, and Rakesh Vohra, editors, *Proceedings of the 2018 ACM Conference on Economics and Computation, Ithaca, NY, USA, June 18-22, 2018*, pages 111–112. ACM, 2018.
- [Hum16] Patrick Hummel. Position auctions with dynamic resizing. *International Journal of Industrial Organization*, 45:38 – 46, 2016.
- [KP99] Elias Koutsoupias and Christos Papadimitriou. Worst-case equilibria. In *Annual symposium on theoretical aspects of computer science*, pages 404–413. Springer, 1999.
- [Law79] Eugene L Lawler. Fast approximation algorithms for knapsack problems. *Mathematics of Operations Research*, 4(4):339–356, 1979.
- [LB10] Brendan Lucier and Allan Borodin. Price of anarchy for greedy auctions. In *Proceedings of the twenty-first annual ACM-SIAM symposium on Discrete Algorithms*, pages 537–553. SIAM, 2010.
- [LPL11] Brendan Lucier and Renato Paes Leme. Gsp auctions with correlated types. In *Proceedings of the 12th ACM conference on Electronic commerce*, pages 71–80, 2011.
- [MV09] Alexey Malakhov and Rakesh V Vohra. An optimal auction for capacity constrained bidders: a network perspective. *Economic Theory*, 39(1):113–128, 2009.
- [Mye81] Roger B. Myerson. Optimal auction design. *Mathematics of Operations Research*, 6(1):58–73, 1981.
- [NR01] Noam Nisan and Amir Ronen. Algorithmic mechanism design. *Games Econ. Behav.*, 35(1-2):166–196, 2001.
- [NR10] Uri Nadav and Tim Roughgarden. The limits of smoothness: A primal-dual framework for price of anarchy bounds. In Amin Saberi, editor, *Internet and Network Economics - 6th International Workshop, WINE 2010, Stanford, CA, USA, December 13-17, 2010. Proceedings*, volume 6484 of *Lecture Notes in Computer Science*, pages 319–326. Springer, 2010.
- [Rou15a] Tim Roughgarden. Intrinsic robustness of the price of anarchy. *J. ACM*, 62(5):32:1–32:42, 2015.
- [Rou15b] Tim Roughgarden. The price of anarchy in games of incomplete information. *ACM Trans. Economics and Comput.*, 3(1):6:1–6:20, 2015.
- [ST13] Vasilis Syrgkanis and Eva Tardos. Composable and efficient mechanisms. In *Proceedings of the forty-fifth annual ACM symposium on Theory of computing*, pages 211–220, 2013.
- [SZ79] Prabhakant Sinha and Andris A. Zoltners. The multiple-choice knapsack problem. *Operations Research*, 27(3):503–515, 1979.
- [Var07] Hal Varian. Position auctions. *International Journal of Industrial Organization*, 25(6):1163–1178, 2007.
- [VH14] Hal R. Varian and Christopher Harris. The vcg auction in theory and practice. *American Economic Review*, 104(5):442–45, May 2014.

Checklist

1. For all authors...
 - (a) Do the main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope? [\[Yes\]](#)
 - (b) Did you describe the limitations of your work? [\[Yes\]](#) See “Results and Techniques” and Section 5

- (c) Did you discuss any potential negative societal impacts of your work? [N/A]
 - (d) Have you read the ethics review guidelines and ensured that your paper conforms to them? [Yes]
2. If you are including theoretical results...
- (a) Did you state the full set of assumptions of all theoretical results? [Yes] See technical sections (all but Section 5)
 - (b) Did you include complete proofs of all theoretical results? [Yes] Proofs missing from the first 9 pages can be found in the appendix
3. If you ran experiments...
- (a) Did you include the code, data, and instructions needed to reproduce the main experimental results (either in the supplemental material or as a URL)? [No] The data is proprietary.
 - (b) Did you specify all the training details (e.g., data splits, hyperparameters, how they were chosen)? [N/A]
 - (c) Did you report error bars (e.g., with respect to the random seed after running experiments multiple times)? [Yes] We report error bars due to randomization of the algorithm and report distribution over a sample of queries.
 - (d) Did you include the total amount of compute and the type of resources used (e.g., type of GPUs, internal cluster, or cloud provider)? [Yes] We ran our algorithms on a single machine.
4. If you are using existing assets (e.g., code, data, models) or curating/releasing new assets...
- (a) If your work uses existing assets, did you cite the creators? [N/A]
 - (b) Did you mention the license of the assets? [N/A]
 - (c) Did you include any new assets either in the supplemental material or as a URL? [No] The assets are proprietary
 - (d) Did you discuss whether and how consent was obtained from people whose data you're using/curating? [N/A]
 - (e) Did you discuss whether the data you are using/curating contains personally identifiable information or offensive content? [Yes] The data does not contain any personally identifiable information or offensive content
5. If you used crowdsourcing or conducted research with human subjects...
- (a) Did you include the full text of instructions given to participants and screenshots, if applicable? [N/A]
 - (b) Did you describe any potential participant risks, with links to Institutional Review Board (IRB) approvals, if applicable? [N/A]
 - (c) Did you include the estimated hourly wage paid to participants and the total amount spent on participant compensation? [N/A]