

# Pay Attention to Real World Perturbations! Natural Robustness Evaluation in Machine Reading Comprehension

Anonymous ACL submission

## Abstract

As neural language models achieve human-comparable performance on Machine Reading Comprehension (MRC) and see widespread adoption, ensuring their robustness in real-world scenarios has become increasingly important. Current robustness evaluation research, though, primarily develops synthetic perturbation methods, leaving unclear how well they reflect real life scenarios. Considering this, we present a framework to automatically examine MRC models on naturally occurring textual perturbations, by replacing paragraph in MRC benchmarks with their counterparts based on available Wikipedia edit history. Such perturbation type is *natural* as its design does not stem from an arteficial generative process, inherently distinct from the previously investigated synthetic approaches. In a large-scale study encompassing SQUAD datasets and various model architectures we observe that natural perturbations result in performance degradation in pre-trained encoder language models. More worryingly, these state-of-the-art Flan-T5 and Large Language Models (LLMs) inherit these errors. Further experiments demonstrate that our findings generalise to natural perturbations found in other more challenging MRC benchmarks. In an effort to mitigate these errors, we show that it is possible to improve the robustness to natural perturbations by training on naturally or synthetically perturbed examples, though a noticeable gap still remains compared to performance on unperturbed data.

## 1 Introduction

Transformer-based pre-trained language models demonstrate remarkable efficacy in addressing questions based on a given passage of text, a task commonly referred to as Machine Reading Comprehension (MRC) (Devlin et al., 2019; Brown et al., 2020; He et al., 2021; Wei et al., 2022; Touvron et al., 2023; OpenAI et al., 2024b). Despite

these advancements, high-performing MRC systems are also known to succeed by relying on shortcuts in benchmark datasets rather than truly demonstrating understanding of the passage, thereby lacking robustness to various types of test-time perturbations (Ho et al., 2023; Schlegel et al., 2023; Levy et al., 2023).

Evaluating models’ resilience to textual perturbations during inference aids in identifying adversarial instances that highlight their shortcut behavior and provides insights into mitigating these shortcuts (Ho et al., 2023). While numerous synthetic perturbation approaches have been explored and reveal the vulnerabilities of MRC models to various linguistic challenges (Ribeiro et al., 2018; Jiang and Bansal, 2019; Welbl et al., 2020; Tan et al., 2020; Tan and Joty, 2021; Schlegel et al., 2021; Cao et al., 2022; Tran et al., 2023), a serious concern is that these carefully designed perturbations might not necessarily appear in real-world settings. Consequently, this poses a risk of neglecting the weaknesses of reading comprehension systems to real challenges when deployed in practical scenarios, thus potentially hindering the improvement of their reliability in practical applications.

To counteract this issue, in this paper, we develop a framework to inject textual changes that arise in real-world conditions into MRC datasets and audit how well contemporary language models perform under such perturbations. We deem them as *natural* because the perturbation process does not involve any artificial manipulation, in line with the definitions by Belinkov and Bisk (2018); Hendrycks et al. (2021); Pedraza et al. (2022); Agarwal et al. (2022); Le et al. (2022) (Figure 1). Results of robustness evaluation are therefore more representative of real-world applications. Similar to Belinkov and Bisk (2018), our approach utilises Wikipedia revision histories as the source of natural perturbations, given that the differences between revisions authentically capture the textual modifica-




Figure 1: Given a reading context, we extract and use Wikipedia revision history to construct its naturally perturbed version for a more realistic robustness evaluation (Bottom), rather than relying on a set of synthetic methods (Top).

tions made by human editors in the real world. Despite this, significant differences exist in the perturbation construction methodology between us. Perturbation in (Belinkov and Bisk, 2018) is restricted to single word replacements and applied on non-English source-side sentences in machine translation. In detail, they build a look-up table of possible lexical replacements by harvesting naturally occurring errors (typos, misspellings, etc.) from available corpora of French/German Wikipedia edits (Max and Wisniewski, 2010; Zesch, 2012). Afterwards, they replace every word in the source-side sentences with an error if one exists in the look-up table. Different from (Belinkov and Bisk, 2018), our approach does not restrict the perturbation level and utilise English Wikipedia. By comparing the variances between each adjacent revision, we identify perturbed versions for each Wikipedia reading passage in the original MRC benchmarks (if it exists). This enables us to capture more comprehensive and critical natural perturbation patterns (see Section 5.2) that can not be possible to capture in (Belinkov and Bisk, 2018). Our perturbation method only alter the reading context, while the questions and ground truth answers remain unchanged.

With the established framework, we conduct extensive experiments on nine datasets, evaluating forty-two models, including recently proposed LLMs such as DeepSeek. Experimental results on Stanford Question Answering Dataset (SQUAD) (Rajpurkar et al., 2016, 2018) indicate that natural perturbations encompass rich linguistic variations and can lead to failures in the encoder-only models, while humans are almost undeterred by their presence. Crucially, these errors also transfer to larger and more powerful models, such as Flan-T5 and state-of-the-art (SOTA) LLMs. These findings also generalise to other and more challenging MRC

benchmarks (e.g., DROP (Dua et al., 2019) and HOTPOTQA (Yang et al., 2018)) resulting in a decrease of SOTA LLMs’ performance, emphasising the harmful effects of natural perturbations. Adversarial re-training with either naturally or synthetically perturbed MRC instances can enhance the robustness of encoder-only models against natural perturbations, with the latter sometimes providing greater benefits. However, there is still ample room for improvement, calling for better defense strategies.

The contributions of this paper are as follows:

- A Wikipedia revision history-based framework to generate *natural* perturbed MRC benchmarks for *realistic* robustness evaluation.
- Perturbed datasets for nine diverse MRC tasks. Two SQUAD challenge sets derived from error analysis of encoder-only models, on which SOTA LLMs struggle, even without being involved in the creation in any capacity.
- Empirical demonstration of the validity of natural perturbations, their characterisation by different linguistic phenomena and their harmful effects on diverse model architectures across benchmarks generated with the proposed framework.
- Showcasing adversarial re-training with natural or, especially, synthetic perturbations as a way to enhance the robustness of encoder-only MRC models against natural perturbations.

## 2 Related Work

**Robustness Evaluation in MRC** A typical approach to evaluate the robustness of MRC models is via test-time perturbation. This line of research develops different perturbation methods as attacks, such as adversarial distracting sentence addition (Jia and Liang, 2017; Tran et al., 2023), low-level attacks (Eger and Benz, 2020), word substitution (Wu et al., 2021), character swap (Si et al., 2021), entity renaming (Yan et al., 2022) and paraphrasing (Gan and Ng, 2019; Lai et al., 2021; Wu et al., 2023). Our work also fits within the category of test-time perturbation, but differs from previous works in that we introduce perturbations that naturally occur in real-world scenarios, therefore contributing to a more practical robustness test.




Figure 2: Process of generating naturally perturbed MRC test sets.

**Natural Perturbation for Robustness Assessment** Compared with deliberately crafting the perturbed instances, the study of natural perturbation is quite under-explored. In the computer vision domain, researchers find that real-world clean images without intentional modifications can confuse deep learning models as well, terming them as natural adversarial examples (Hendrycks et al., 2021; Pedraza et al., 2022). Similarly, in the field of Natural Language Processing (NLP), naturally occurring perturbations extracted from human-written texts can also degrade model performance in tasks such as machine translation (Blinkov and Bisk, 2018) and toxic comments detection (Le et al., 2022). Motivated by these, we attempt to harvest natural perturbations from available Wikipedia revision histories and utilise them to modify the original MRC instances. To the best of our knowledge, we are the first to investigate MRC model robustness under real natural perturbations.

### 3 Natural Perturbation Pipeline

We design a pipeline to automatically construct label-preserving stress MRC test sets with noises that occur in real-world settings by leveraging Wikipedia revision histories (Figure 2). Our approach comprises two modules: *candidate passage pairs curation* and *perturbed test set construction*.

**Candidate passage pairs curation.** For each English Wikipedia article within the development set<sup>1</sup> of MRC datasets, we systematically extract its entire revision histories and preprocess them, including the removal of markups and the segmentation of content. Subsequently, we obtain the content

<sup>1</sup>Since not all test sets are public, we apply natural perturbations to the development sets. For simplicity, we use the term “test set” throughout.

differences between each current revision and the previous adjacent one, identifying three distinct editing patterns: addition, deletion, and modification. In the case of an edit falling within the modification pattern, we retain the paragraph from the prior version as the *original* and the corresponding one from the current version as the *perturbed*, provided both paragraphs exceed 500 characters<sup>2</sup>.

**Perturbed test set construction.** To generate the naturally perturbed test set, we begin by acquiring all reading passages from the development set of each MRC dataset and identifying their entries in the collection of previously extracted candidate original passages, along with the corresponding perturbed counterparts. Subsequently, for the matched original passages with a single occurrence, we keep them and the corresponding perturbed passages; whereas for those with multiple occurrences, we randomly select one instance for each and extract its perturbed version. After obtaining the perturbed reading passages, we retain only those with at least one question where all annotated ground truth answers (or all plausible answers for the unanswerable question) can still be located within the perturbed context, resulting in the *Perturbed* test set. For the sake of comparison, we also construct an *Original* version of the test set keeping only the original passages and questions corresponding to those that were included in the *Perturbed* version.

## 4 Experiment Setup

### 4.1 Datasets

We use nine English MRC datasets: SQUAD 1.1 (Rajpurkar et al., 2016), SQUAD 2.0 (Ra-

<sup>2</sup>This threshold setting adheres to the methodology employed in the collection of SQUAD 1.1 (Rajpurkar et al., 2016).

jpurkar et al., 2018), BOOLQ (Clark et al., 2019), DROP (Dua et al., 2019), HOTPOTQA (distractor) (Yang et al., 2018), TYDI QA (gold passage task in English) (Clark et al., 2020) and three datasets constructed in ADVERSARIAL QA (Bartolo et al., 2020): D(BiDAF), D(BERT) and D(ROBERTA). These are chosen as their reading passages are sourced from Wikipedia, thereby enabling the utilisation of Wikipedia editing histories to generate the naturally perturbed test set.

## 4.2 Models

Our evaluation study involves MRC models across three different types: encoder-only, encoder-decoder, and decoder-only. Under the encoder-decoder and decoder-only model evaluation settings, we reframe MRC as the text generation task based on the given context and question. Access to and experimentation with all models are possible via the use of the HuggingFace’s *Transformers* library (Wolf et al., 2020), the vLLM library (Kwon et al., 2023), two 80GB Nvidia A100 GPUs and the OpenAI ChatGPT API.

**Encoder-only:** We select BERT (Devlin et al., 2019) and its various variants for evaluation, including DistilBERT (Sanh et al., 2019), SpanBERT (Joshi et al., 2020), RoBERTa (Liu et al., 2019), ALBERT (Lan et al., 2020) and DeBERTa (He et al., 2021). Some of these model types also come with different variations, such as size (e.g., *base* and *large* for RoBERTa), versions (e.g., *v1* and *v2* for ALBERT) and whether the input text is cased or not (e.g., *cased* and *uncased* for BERT), all of which are included in the evaluation. We fine-tune these encoder-only pre-trained language models on the training set of the two SQUAD datasets (Rajpurkar et al., 2016, 2018) and evaluate them on the constructed original and perturbed test sets. Model details and the hyperparameters used in model fine-tuning are shown in Appendix A.

**Encoder-Decoder:** Instruction finetuning has been demonstrated to be effective in enhancing zero-shot performance of pretrained language models, resulting in the development of Finetuned Language Net (FLAN) (Wei et al., 2022). In this work, we use the instruction-finetuned version of T5 model class, specifically the Flan-T5 (Chung et al., 2022), available in sizes ranging from *small* (80M), *base* (250M), *large* (780M) to *xl* (3B). During evaluation, we utilise the instruction templates from MRC task collection in open-sourced FLAN

repository and report the model performance as the average of those obtained across the employed templates. Refer to Appendix B for various instruction templates used for the evaluation on the test sets with the format as the two SQUAD datasets.

**Decoder-only:** There is an exponential increase of pre-trained generative LLMs and their fine-tuned chat versions, inspired by the remarkable success of ChatGPT (Bang et al., 2023). Therefore, our experiments incorporate a broad range of recently proposed language model families, including GPT 3.5 Turbo, GPT-4o (OpenAI et al., 2024a), Gemma (Mesnard et al., 2024), Gemma 2 (Riviere et al., 2024), Llama 2 (Touvron et al., 2023), Llama 3 and Llama 3.1 (Dubey et al., 2024), Llama 3.2, Mistral (Jiang et al., 2023), OLMo (Groeneveld et al., 2024), Qwen2.5 (Qwen et al., 2025), Falcon (Almazrouei et al., 2023), Falcon3 (Team, 2024), and DeepSeek LLM (DeepSeek-AI et al., 2024). The zero-shot prompts designed for soliciting their responses are presented in Appendix C.

## 4.3 Evaluation Metrics

In line with existing literature, we choose the (instance-averaged) Token-F1 score to assess the performance of both encoder-only and encoder-decoder models (Rajpurkar et al., 2016), as on SQUAD-style test sets, they are optimised to output the shortest continuous span from the context as the answer (or predict the question as unanswerable) during inference. However, the outputs of the decoder-only models do not consistently adhere to the instruction due to their conversational style, rendering F1 unsuitable for evaluation. Consequently, we employ a more lenient metric, namely Inclusion Match (IM), which measures whether the response of the model contains any of the ground truth answers (Bhuiya et al., 2024). Furthermore, if the model’s output includes phrases such as “I cannot answer this/the question” or “unanswerable”<sup>3</sup>, we deem that the model believes the question is not answerable. Model robustness is quantified by measuring the relative variation in performance (as reflected in the F1 or IM) under perturbations.

## 5 MRC under Natural Perturbation

In this section, we present and discuss the results of our experiments. We first evaluate encoder-

<sup>3</sup>We collate a collection of such phrases by manually examining the decoder-only models’ outputs (Check Appendix D for the full set).



only models on SQUAD to establish a baseline evaluation of model behaviour under natural perturbations. While neither represents the current SOTA, SQUAD’s simplicity and the stable, super-human performance of encoder-only models enable a focused and controlled examination of perturbation effects (Section 5.1), error sources (Section 5.2), and adversarial instance validity (Section 5.3). Then, we investigate the transferability of errors from encoder-only models to other architectures, showing both FLAN-T5 and LLMs carry these errors significantly (Section 5.4)<sup>4</sup>. We finally generalise the findings from the baseline evaluation to SOTA LLMs and other more complex datasets (Section 5.5).

### 5.1 Are Encoder-only MRC Models Resilient to Natural Perturbation?

Table 1 presents the relative F1 change for all encoder-only MRC models on the naturally perturbed test set generated based on the SQUAD 1.1 and SQUAD 2.0 development set, respectively. It can be clearly seen from Table 1 that overall, the performance of all the examined models decreases, indicating that *encoder-only MRC models suffer from natural perturbation*. However, we notice that the performance drop of all models is negligible (the biggest drop is only 3.06%), which suggests that those models also exhibit considerable robustness to natural perturbations.

### 5.2 Error Analysis

Although encoder-only MRC models exhibit a relatively small performance gap, it remains worthwhile to investigate the sources of natural perturbation and reveal the perturbation phenomena contributing to models’ error. To this end, we manually label linguistic features between passages where models succeed and fail, to identify how they differ.

Within the original and the naturally perturbed test set pair generated based on SQUAD 2.0 development set, we first identify 384 instances where at least one encoder-only model succeeds on the original but fails<sup>5</sup> on the perturbed (i.e., being adver-

<sup>4</sup>To supplement, we further evaluate the full test set on FLAN-T5 and several LLMs, and measure the transferability of adversarial examples across all model architectures (Appendix E).

<sup>5</sup>For answerable questions, a model’s prediction is considered correct if Exact Match (EM) score equals 1, and incorrect if F1 score is 0 or it determines the question is unanswerable. For unanswerable questions, a model’s prediction is correct if it predicts the question is unanswerable, and wrong if it provides an answer span.

Victim	SQUAD 1.1	SQUAD 2.0	
		Overall	(Ans./Unans.)
distilbert-base	−0.6	−0.71	(−2.76/1.71)
bert-base-cased	−0.21	−0.63	(−1.84/0.6)
bert-base-uncased	−0.87	−0.49	(−1.88/0.94)
bert-large-cased	−0.63	−0.53	(−1.61/0.55)
bert-large-uncased	−0.35	−1.38	(−2.51/−0.24)
spanbert-base-cased	−0.26	−1.24	(−2.66/0.15)
spanbert-large-cased	−0.51	−1.20	(−1.9/−0.56)
roberta-base	−0.61	−0.60	(−2.09/0.81)
roberta-large	−0.29	−1.52	(−2.6/−0.54)
albert-base-v1	−1.0	−1.07	(−2.02/−0.22)
albert-base-v2	−0.34	−1.08	(−2.03/−0.22)
albert-large-v1	−0.42	−0.41	(−1.42/0.52)
albert-large-v2	−0.8	−0.69	(−1.66/0.22)
albert-xxlarge-v1	−0.75	−1.23	(−3.06/0.49)
albert-xxlarge-v2	−0.46	−1.28	(−3.02/0.36)
deberta-large	−0.52	−1.05	(−2.2/0.0)

Table 1: Relative F1 change (%) for encoder-only MRC systems subjecting to natural perturbations. For SQUAD 2.0, the overall values are broken down to answerable and unanswerable questions, respectively.

arial), and then randomly select the same number of instances on which all encoder-only models succeed on both the original and perturbed versions (Naik et al., 2018). We refer to these two types of instances as C2W (correct to wrong) and C2C (correct to correct) instances, respectively. Among the identified C2W and C2C instances, we further remove duplicates, resulting in 210 and 244 unique original and perturbed paragraph pairs, respectively. Furthermore, as natural perturbation can occasionally help the model to get the answer correct, we also filter 85 unique W2C (wrong to correct) instances on which at least two encoder-only models fail on the original but succeed on the perturbed. Finally, utilising an 8-category taxonomy of the semantic edit intentions in Wikipedia revisions derived from Yang et al. (2017), the chosen 210 samples of C2W and C2C, as well as the 85 W2C were annotated, with 20% of the annotated C2W and C2C examples presented to a second annotator for additional validation. See Appendix F for the instruction provided to the annotators, along with detailed explanations of each edit intention. We calculate the (micro-averaged) F1 score to evaluate the inter-annotator agreement, which is 0.82. This suggests that the annotators’ annotations align closely. Figure 3 reports the annotation results.

Distribution of perturbation types shown in Figure 3 generally aligns with the edit intentions distribution annotated in (Yang et al., 2017), with *Copy Editing* and *Elaboration* appearing more frequently than others, such as *Clarification*, *Fact Update*,




Figure 3: The percentage (%) of samples annotated with each edit intention in the C2W, C2C and W2C categories. The percentages do not add up to 100% because a single revision may fall into multiple intentions.

and *Refactoring*. This reflects the inherent characteristics of Wikipedia revisions. From Figure 3, we observe that there is no significant difference in the distribution of annotated edit intentions between C2W and C2C examples, suggesting that *though these types of natural perturbations confuse the encoder-only MRC models, there seems no correlation with human-perceivable features*. A roughly similar distribution is also observed in the W2C examples, which indicates that these natural perturbation types can also facilitate correct answers by the models, i.e., being beneficial. These demonstrate that on SQUAD 2.0, there might be no correlation between the quality of the naturally perturbed passage and its potential for being adversarial<sup>6</sup>. Certain text edits aimed at improving the passage quality, such as *Copy Editing* and *Elaboration*, do render the perturbation adversarial, whereas edits intended to damage the article may not consistently result in adversarial instances; in fact, *vandalism* can even assist models in providing correct answers. Instead, we infer that whether an edit to the passage can render the MRC instance adversarial or not depends on the location of the edits in relation to the question. Among the 384 C2W and C2C examples, we measure the proportion of answerable questions with the answer sentence(s) in the original passage remaining unmodified in the naturally perturbed version, which is 34.5% and 71.5%, respectively. This confirms our hypothesis that if the

<sup>6</sup>We also find little or no significant correlation between the perturbation magnitude (measured as byte-level changes between the original and perturbed passages) and model failure, with point biserial correlation coefficient close to 0.

edits affect the answer sentence(s), there is a higher likelihood of the perturbed example becoming adversarial; otherwise, it might not. *Copy Editing* appears to alter the answer sentences in the reading passage more frequently, making it the most impactful category that confuses models (contributing to more than 40% of error cases), while other types have a lesser effect. Appendix G presents one perturbed example for each of the C2W, C2C, and W2C categories, respectively, along with the annotated natural perturbation type(s).

### 5.3 Validity of Nature Adversarial Examples

To accurately assess a model’s robustness under perturbation, it is vital to examine the validity of adversarial example, i.e., whether humans can still find the correct answer under the perturbation (Dymishi et al., 2023). Two human annotators are recruited to verify the validity of the 210 C2W examples in Section 5.2 and the inter-annotator agreement is measured by computing the Cohen’s  $\kappa$  coefficient (Cohen, 1960). We then involve a third human annotator to annotate the adversarial examples on which the first two annotators disagree and take the majority label as ground truth. This validity verification process is detailed in Appendix H. Out of 210 C2W examples, we find that 86% of them are valid (0.77 Cohen’s  $\kappa$ ), indicating that *a substantial proportion of natural adversarial examples for encoder-only MRC model(s) are valid*.

### 5.4 Can Errors from Encoder-only Models Affect Other Architectures?

We further investigate whether the errors identified in encoder-only models carry over to other more recent models and architectures, as SOTA advancements in NLP would suggest otherwise. Therefore, we propose an exhaustive search algorithm (Appendix I) to zoom in on the errors of encoder-only models as much as possible, curate the challenging natural perturbed test set, and finally examine the performance of Flan-T5 and LLMs. With the development set of SQUAD 1.1 and SQUAD 2.0 as the source, the algorithm results in two challenge perturbed test sets: NAT\_V1\_CHALLENGE (184 contexts, 234 questions) and NAT\_V2\_CHALLENGE (214 contexts, 442 questions (226 unanswerable)).

Table 2 shows the evaluation results on the newly generated challenge test sets. From the table, we observe that *the errors caused by natural perturbation in encoder-only MRC models transfer to both Flan-T5 and LLMs*.

On the NAT\_V1\_CHALLENGE, flan-t5-small demonstrates the greatest susceptibility to natural perturbations, experiencing a 14.27% decrease in F1; while among LLMs, Gemma-7B-IT emerges as the least robust, with a 16.66% IM drop, followed by Gemma-2B-IT (−15.83%) and Llama-3.1-8B-Instruct (−15.61%). Transitioning to the NAT\_V2\_CHALLENGE, the base version of flan-t5 exhibits the largest performance decline at 13.83% and Falcon-7B-Instruct stands out as the LLM with the lowest robustness (−28.28%). Other LLMs such as Qwen2.5-7B-Instruct and deepseek-llm-7b-chat also show severe robustness loss, with drops of 12.21% and 11.29%, respectively. Further, we observe that the robustness of models under natural perturbations does not necessarily size-dependent. While larger models tend to exhibit greater robustness in some cases (e.g., Qwen2.5-14B-Instruct vs. Qwen2.5-3B-Instruct), exceptions within the Falcon and Llama model series suggest that factors beyond model size—such as pretraining data, training and fine-tuning methodology, and architectural differences may also significantly influence susceptibility to natural perturbations. In Appendix J, we showcase two adversarial examples targeting LLMs sourced from our generated challenge sets.

Model	Performance			
	original vs. perturbed			
	NAT_V1_CHALLENGE		NAT_V2_CHALLENGE	
flan-t5-small	58.76/64.76	48.58/55.52 <sub>-14.27</sub>	42.57/44.57	39.71/41.81 <sub>-6.19</sub>
flan-t5-base	79.49/85.01	66.17/73.42 <sub>-13.63</sub>	70.66/72.85	61.16/62.78 <sub>-13.83</sub>
flan-t5-large	88.1/92.53	76.57/82.31 <sub>-11.05</sub>	79.11/81.01	70.14/72.13 <sub>-10.96</sub>
flan-t5-xl	86.25/91.57	75.0/81.45 <sub>-11.05</sub>	83.71/85.84	73.19/74.86 <sub>-12.79</sub>
GPT-3.5-turbo-0125	91.03	83.33 <sub>-8.46</sub>	51.58	47.06 <sub>-8.76</sub>
gpt-4o-2024-11-20	93.16	85.9 <sub>-7.79</sub>	80.09	75.11 <sub>-6.22</sub>
Gemma-2B-IT	51.28	43.16 <sub>-15.83</sub>	55.66	50.23 <sub>-9.76</sub>
Gemma-7B-IT	82.05	68.38 <sub>-16.66</sub>	59.95	57.01 <sub>-4.9</sub>
Gemma 2-2b-IT	85.47	78.21 <sub>-8.49</sub>	48.87	43.44 <sub>-11.11</sub>
Gemma 2-9b-IT	89.32	81.62 <sub>-8.62</sub>	64.93	59.95 <sub>-7.67</sub>
Llama 2-chat-7B	82.91	73.93 <sub>-10.83</sub>	41.63	38.69 <sub>-7.06</sub>
Llama 2-chat-13B	80.77	73.93 <sub>-8.47</sub>	46.83	41.18 <sub>-12.06</sub>
Llama-3-8B-Instruct	88.89	77.35 <sub>-12.98</sub>	51.81	46.61 <sub>-10.04</sub>
Llama-3.1-8B-Instruct	87.61	73.93 <sub>-15.61</sub>	61.31	55.43 <sub>-9.59</sub>
Llama-3.2-1B-Instruct	54.27	47.86 <sub>-11.81</sub>	35.29	32.13 <sub>-8.95</sub>
Llama-3.2-3B-Instruct	81.2	71.37 <sub>-12.11</sub>	48.42	43.44 <sub>-10.29</sub>
Mistral-7B-Instruct-v0.2	84.19	73.08 <sub>-13.2</sub>	54.98	51.36 <sub>-6.58</sub>
OLMo-7B-0724-Instruct	90.17	82.91 <sub>-8.05</sub>	51.36	49.1 <sub>-4.4</sub>
Qwen2.5-3B-Instruct	78.63	68.38 <sub>-13.04</sub>	61.31	54.07 <sub>-11.81</sub>
Qwen2.5-7B-Instruct	88.03	81.2 <sub>-7.76</sub>	76.02	66.74 <sub>-12.21</sub>
Qwen2.5-14B-Instruct	92.31	81.62 <sub>-11.58</sub>	80.54	74.21 <sub>-7.86</sub>
Falcon-7B-Instruct	53.42	50.00 <sub>-6.4</sub>	32.81	23.53 <sub>-28.28</sub>
Falcon-40B-Instruct	69.66	62.82 <sub>-9.82</sub>	38.69	36.88 <sub>-4.68</sub>
Falcon3-7B-Instruct	88.03	79.49 <sub>-9.7</sub>	59.28	55.43 <sub>-6.49</sub>
Falcon3-10B-Instruct	90.6	82.91 <sub>-8.49</sub>	64.48	59.73 <sub>-7.37</sub>
deepseek-llm-7b-chat	70.51	64.1 <sub>-9.09</sub>	42.08	37.33 <sub>-11.29</sub>

Table 2: The performance (%) of Flan-T5 and LLMs on the newly generated original and naturally perturbed challenge test sets. Values in smaller font are changes (%) relative to the original performance of the model.

## 5.5 Do Our Findings Generalise to Other MRC Datasets?

The two SQUAD datasets investigated previously are relatively simple, as they lack challenging features (Schlegel et al., 2020), leading to super-human performance of MRC models (Lan et al., 2020). To generalise our findings to more challenging MRC benchmarks, we apply the natural perturbation methodology (Section 3) to the development set of seven more datasets and assess the performance changes of multiple LLMs, as shown in Table 3. For DROP (Dua et al., 2019), we first use the GPT-4o mini to infer the likely Wikipedia article title from which each passage is retrieved<sup>7</sup> and extract the revision histories for those articles. For HOTPOTQA (Yang et al., 2018), we only perturb the paragraphs containing the supporting facts.

LLM	IM Relative Change (%)						
	BoolQ	DROP	HOTPOTQA	TYDI QA	D(BIDAF)	D(BERT)	D(RoBERTA)
Gemma 2-2b-IT	-2.53	-22.22	-3.19	-10.3	-13.67	-16.12	-8.86
Gemma 2-9b-IT	-3.6	-21.61	-4.68	-7.15	-13.58	-11.2	-10.78
Llama-3.1-8B-Instruct	-2.93	-21.55	-4.85	-7.47	-11.11	-14.36	-8.46
Llama-3.2-1B-Instruct	1.24	-43.23	-2.64	-3.84	-8.46	-16.47	-13.09
Llama-3.2-3B-Instruct	-3.88	-7.83	-4.92	-14.49	-5.8	-10.69	-8.46
Mistral-7B-Instruct-v0.2	-6.64	-20.0	-3.76	-8.69	-12.17	-15.51	-13.07
OLMo-7B-0724-Instruct	-4.82	-33.32	-4.99	-6.94	-13.67	-14.56	-8.79
Qwen2.5-3B-Instruct	-5.03	-18.18	-5.42	-6.16	-9.91	-15.22	-9.87
Qwen2.5-7B-Instruct	-4.24	-16.4	-5.55	-10.53	-14.49	-12.76	-9.69
Qwen2.5-14B-Instruct	-4.64	-14.7	-5.51	-10.39	-9.05	-10.37	-12.31
Falcon3-7B-Instruct	-5.79	-31.74	-4.29	-11.26	-10.31	-11.72	-13.47
Falcon3-10B-Instruct	-4.42	-12.86	-5.86	-13.16	-10.98	-5.88	-14.34
deepseek-llm-7b-chat	-3.24	-25.49	-5.59	-1.71	-10.09	-9.88	-12.64
average	-3.89	-22.24	-4.71	-8.62	-11.02	-12.67	-11.06

Table 3: IM changes (%) of SOTA LLMs on naturally perturbed test set of other more challenging MRC datasets.

Overall, *when natural perturbations are applied to more challenging benchmarks, SOTA LLMs also exhibit a lack of robustness*. On average, the largest performance decline occurs on DROP (−22.24%), suggesting that natural perturbations significantly impair models’ discrete reasoning capabilities. Besides the DROP, the average performance degradation remains substantial across ADVERSARIAL QA and TYDI QA. HOTPOTQA, which requires multi-hop reasoning, also shows non-negligible degradation (−4.71%). These further demonstrate the broad and severe impact of natural perturbations on diverse MRC tasks.

## 6 Dealing With Natural Perturbations

In this section, we provide an initial exploration of methods to defend against natural perturbations, focusing on encoder-only models and SQUAD datasets. Expanding to other datasets and architectures could be explored in future work. To

<sup>7</sup>Prompt: “Given a reading paragraph, return the Wikipedia page title from which it is likely retrieved.”



enhance model robustness, we conduct adversarial training by identifying six encoder-only model architectures that already exhibit the highest robustness to natural perturbations in their respective categories (except albert-xxlarge-v2 on NAT\_V2\_CHALLENGE), and presenting them with both original training data and the generated naturally perturbed training examples. We extract the entire Wikipedia revision histories for the 392 articles in the original SQUAD training set, and then obtain 5,262 (with 22,033 questions) and 5,311 (with 32,993 questions) perturbed contexts to augment the original SQUAD 1.1 and SQUAD 2.0 training set, respectively, using the methodology described in Section 3. Table 4 compares the performance of these models on NAT\_V1\_CHALLENGE and NAT\_V2\_CHALLENGE, before and after retraining.

Model	Performance (EM/F1)	
	original vs. perturbed	
	NAT_V1_CHALLENGE	NAT_V2_CHALLENGE
distilbert-base	64.53/70.45	41.03/47.6
	57.26/63.44	43.59/51.87
bert-large-cased	79.06/83.66	63.68/70.23
	74.79/80.14	59.83/67.5
spanbert-large-cased	84.19/88.2	67.95/74.77
	82.48/86.6	69.66/76.05
roberta-large	86.75/90.21	73.93/79.47
	83.33/87.15	70.94/76.53
albert-xxlarge-v2	84.62/89.64	73.93/78.77
	86.32/90.93	75.64/81.07
deberta-large	88.46/92.5	73.5/78.48
	88.03/91.84	76.92/81.53

Table 4: Comparison of the performance of several encoder-only MRC systems on NAT\_V1\_CHALLENGE and NAT\_V2\_CHALLENGE, before and after retraining. The results shown in the shaded areas represent the performance of the model retrained on the augmented training set with naturally perturbed instances.

Apart from re-training with the same type of noise, we also ask whether exposing models to synthetic perturbations can help them confront natural ones. Therefore, we incorporate thirteen synthetic perturbation techniques spanning character and word levels (see Appendix K). Afterwards, we first retrain deberta-large with perturbed training samples generated by each synthetic perturbation method, respectively, and assess the performance changes compared to the vanilla version on both NAT\_V1\_CHALLENGE and NAT\_V2\_CHALLENGE (Figure 8 in Appendix L). As we observe that synthetic adversarial training can assist deberta-large in handling natural perturbations, we further retrain five other models in the same manner and quantify the performance difference on NAT\_V1\_CHALLENGE compared to the vanilla version, as shown in Figure 4.




Figure 4: Absolute changes in original and perturbed performance (F1), as well as the robustness of five encoder-only models under natural perturbations (on NAT\_V1\_CHALLENGE), following retraining with each synthetic perturbation.

In general, for encoder-only MRC models, retraining with natural perturbations enhances the performance on naturally perturbed test sets and improves the robustness to such perturbations as well, though this can lead to varying reductions in performance on the clean test set. Encouragingly, adversarial training with synthetically perturbed examples benefits the model’s capability to handle natural perturbations as well, a phenomenon differs from what is reported in machine translation task (Belinkov and Bisk, 2018). In some cases, the improvement even exceeds what achieved by retraining the model on natural perturbations alone. We also observe that the effectiveness of adversarial training varies with model size and architecture. Generally, adversarial training brings the most significant benefits for the weakest distilbert-base, with the benefits diminishing in larger and more complex model architectures.

## 7 Conclusion

In this paper, we first study the robustness of MRC models to *natural* perturbations, which occur under real-world conditions without intentional human intervention. Using the proposed evaluation framework, we show that certain naturally perturbed examples can indeed be adversarial, i.e., lead to model failure, even when the modifications aim to improve the overall passage quality. Natural perturbations also appear to differ significantly from synthetic ones, exhibiting a wide range of rich linguistic phenomena and may be more effective in generating valid adversarial instances. Adversarial training via augmentation with either naturally or synthetically perturbed samples is generally beneficial for enhancing the model’s robustness to natural perturbations; yet, it can decrease performance on clean test set. Future work includes the exploration of alternative natural perturbation approaches and the design of more effective defensive strategies.



## Limitations

We acknowledge several limitations in our work: (1) Our perturbation framework constructs natural perturbations from Wikipedia edit history and therefore only works with Wikipedia-based benchmarks. Since the phenomenon of natural perturbations is by no means limited to Wikipedia and can occur in any kind of text that evolves over time, future work should explore alternative methods to generate natural perturbations for non-Wikipedia MRC datasets. (2) As training data augmentation has a relatively limited impact, further research is needed to develop better techniques for improving the robustness of encoder-only models to natural perturbations and to investigate the relationship between robustness to natural and synthetic perturbations. Enhancing the robustness of LLMs is also an important direction for future work. (3) Potential data contamination may affect our findings on LLM evaluation. Investigating its extent and impact on robustness evaluation will be a focus of our future research efforts.

## Ethical Considerations

All datasets, extracted natural perturbations, and models used in this work are publicly available, used consistently with their intended purpose and under the permitted license. A very small proportion of natural perturbations may contain offensive content, as they come from reverted Wikipedia revisions intended to damage the articles. We include these to raise awareness within the community about their potential impact on MRC models and to call for methods to improve the safety of MRC models—especially those LLMs operating under such adversarial conditions. While our ultimate goal is to enhance model robustness, the findings from this work may carry the risk of being misused by malicious attackers to refine adversarial attack strategies and craft attacks against similar systems. Before starting the annotation task, we provide all annotators with clear instructions and inform the intended use of their annotations, obtaining their explicit consent. No private or sensitive information was collected, other than their annotations.

## References

Akshay Agarwal, Nalini Ratha, Mayank Vatsa, and Richa Singh. 2022. Exploring robustness connection between artificial and natural adversarial examples. In *Proceedings of the IEEE/CVF Conference*

*on Computer Vision and Pattern Recognition (CVPR) Workshops*, pages 179–186.

Ebtesam Almazrouei, Hamza Alobeidli, Abdulaziz Alshamsi, Alessandro Cappelli, Ruxandra Cojocaru, Mérouane Debbah, Étienne Goffinet, Daniel Hesslow, Julien Launay, Quentin Malartic, Daniele Mazzotta, Badreddine Noune, Baptiste Pannier, and Guilherme Penedo. 2023. *The falcon series of open language models*. Preprint, arXiv:2311.16867.

Yejin Bang, Samuel Cahyawijaya, Nayeon Lee, Wenzhiang Dai, Dan Su, Bryan Wilie, Holy Lovenia, Ziwei Ji, Tiezheng Yu, Willy Chung, Quyet V. Do, Yan Xu, and Pascale Fung. 2023. *A multitask, multilingual, multimodal evaluation of ChatGPT on reasoning, hallucination, and interactivity*. In *Proceedings of the 13th International Joint Conference on Natural Language Processing and the 3rd Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 675–718, Nusa Dua, Bali. Association for Computational Linguistics.

Max Bartolo, Alastair Roberts, Johannes Welbl, Sebastian Riedel, and Pontus Stenetorp. 2020. *Beat the AI: Investigating adversarial human annotation for reading comprehension*. *Transactions of the Association for Computational Linguistics*, 8:662–678.

Yonatan Belinkov and Yonatan Bisk. 2018. *Synthetic and natural noise both break neural machine translation*. In *International Conference on Learning Representations*.

Neeladri Bhuiya, Viktor Schlegel, and Stefan Winkler. 2024. *Seemingly plausible distractors in multi-hop reasoning: Are large language models attentive readers?* In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 2514–2528, Miami, Florida, USA. Association for Computational Linguistics.

Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel Ziegler, Jeffrey Wu, Clemens Winter, Chris Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. *Language models are few-shot learners*. In *Advances in Neural Information Processing Systems*, volume 33, pages 1877–1901. Curran Associates, Inc.

Yu Cao, Dianqi Li, Meng Fang, Tianyi Zhou, Jun Gao, Yibing Zhan, and Dacheng Tao. 2022. *TASA: Deceiving question answering models by twin answer sentences attack*. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11975–11992, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.

- Hyung Won Chung, Le Hou, Shayne Longpre, Barret Zoph, Yi Tay, William Fedus, Yunxuan Li, Xuezhi Wang, Mostafa Dehghani, Siddhartha Brahma, Albert Webson, Shixiang Shane Gu, Zhuyun Dai, Mirac Suzgun, Xinyun Chen, Aakanksha Chowdhery, Alex Castro-Ros, Marie Pellat, Kevin Robinson, Dasha Valter, Sharan Narang, Gaurav Mishra, Adams Yu, Vincent Zhao, Yanping Huang, Andrew Dai, Hongkun Yu, Slav Petrov, Ed H. Chi, Jeff Dean, Jacob Devlin, Adam Roberts, Denny Zhou, Quoc V. Le, and Jason Wei. 2022. [Scaling instruction-finetuned language models](#). *Preprint*, arXiv:2210.11416.
- Christopher Clark, Kenton Lee, Ming-Wei Chang, Tom Kwiatkowski, Michael Collins, and Kristina Toutanova. 2019. [BoolQ: Exploring the surprising difficulty of natural yes/no questions](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 2924–2936, Minneapolis, Minnesota. Association for Computational Linguistics.
- Jonathan H. Clark, Eunsol Choi, Michael Collins, Dan Garrette, Tom Kwiatkowski, Vitaly Nikolaev, and Jennimaria Palomaki. 2020. [TyDi QA: A benchmark for information-seeking question answering in typologically diverse languages](#). *Transactions of the Association for Computational Linguistics*, 8:454–470.
- Jacob Cohen. 1960. [A coefficient of agreement for nominal scales](#). *Educational and Psychological Measurement*, 20(1):37–46.
- DeepSeek-AI, :, Xiao Bi, Deli Chen, Guanting Chen, Shanhuang Chen, Damai Dai, Chengqi Deng, Honghui Ding, Kai Dong, Qiushi Du, Zhe Fu, Huazuo Gao, Kaige Gao, Wenjun Gao, Ruiqi Ge, Kang Guan, Daya Guo, Jianzhong Guo, Guangbo Hao, Zhewen Hao, Ying He, Wenjie Hu, Panpan Huang, Erhang Li, Guowei Li, Jiashi Li, Yao Li, Y. K. Li, Wenfeng Liang, Fangyun Lin, A. X. Liu, Bo Liu, Wen Liu, Xiaodong Liu, Xin Liu, Yiyuan Liu, Haoyu Lu, Shanghao Lu, Fuli Luo, Shirong Ma, Xiaotao Nie, Tian Pei, Yishi Piao, Junjie Qiu, Hui Qu, Tongzheng Ren, Zehui Ren, Chong Ruan, Zhangli Sha, Zhihong Shao, Junxiao Song, Xuecheng Su, Jingxiang Sun, Yaofeng Sun, Minghui Tang, Bingxuan Wang, Peiyi Wang, Shiyu Wang, Yaohui Wang, Yongji Wang, Tong Wu, Y. Wu, Xin Xie, Zhenda Xie, Ziwei Xie, Yiliang Xiong, Hanwei Xu, R. X. Xu, Yanhong Xu, Dejian Yang, Yuxiang You, Shuiping Yu, Xingkai Yu, B. Zhang, Haowei Zhang, Lecong Zhang, Liyue Zhang, Mingchuan Zhang, Minghua Zhang, Wentao Zhang, Yichao Zhang, Chenggang Zhao, Yao Zhao, Shangyan Zhou, Shunfeng Zhou, Qihao Zhu, and Yuheng Zou. 2024. [Deepseek llm: Scaling open-source language models with longtermism](#). *Preprint*, arXiv:2401.02954.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. [BERT: Pre-training of deep bidirectional transformers for language understanding](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186, Minneapolis, Minnesota. Association for Computational Linguistics.
- Dheeru Dua, Yizhong Wang, Pradeep Dasigi, Gabriel Stanovsky, Sameer Singh, and Matt Gardner. 2019. [DROP: A reading comprehension benchmark requiring discrete reasoning over paragraphs](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 2368–2378, Minneapolis, Minnesota. Association for Computational Linguistics.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, Anirudh Goyal, Anthony Hartshorn, Aobo Yang, Archi Mitra, Archie Sravankumar, Artem Korenev, Arthur Hinsvark, Arun Rao, Aston Zhang, Aurelien Rodriguez, Austen Gregerson, Ava Spataru, Baptiste Roziere, Bethany Biron, Binh Tang, Bobbie Chern, Charlotte Caucheteux, Chaya Nayak, Chloe Bi, Chris Marra, Chris McConnell, Christian Keller, Christophe Touret, Chunyang Wu, Corinne Wong, Cristian Canton Ferrer, Cyrus Nikolaidis, Damien Al-lonsius, Daniel Song, Danielle Pintz, Danny Livshits, David Esiobu, Dhruv Choudhary, Dhruv Mahajan, Diego Garcia-Olano, Diego Perino, Dieuwke Hupkes, Egor Lakomkin, Ehab AlBadawy, Elina Lobanova, Emily Dinan, Eric Michael Smith, Filip Radenovic, Frank Zhang, Gabriel Synnaeve, Gabrielle Lee, Georgia Lewis Anderson, Graeme Nail, Gregoire Mialon, Guan Pang, Guillem Cucurell, Hailey Nguyen, Hannah Korevaar, Hu Xu, Hugo Touvron, Iliyan Zarov, Imanol Arrieta Ibarra, Isabel Kloumann, Ishan Misra, Ivan Evtimov, Jade Copet, Jaewon Lee, Jan Geffert, Jana Vranes, Jason Park, Jay Mahadeokar, Jeet Shah, Jelmer van der Linde, Jennifer Billock, Jenny Hong, Jenya Lee, Jeremy Fu, Jianfeng Chi, Jianyu Huang, Jiawen Liu, Jie Wang, Jiecao Yu, Joanna Bitton, Joe Spisak, Jongsoo Park, Joseph Rocca, Joshua Johnstun, Joshua Saxe, Junteng Jia, Kalyan Vasuden Alwala, Kartikeya Upasani, Kate Plawiak, Ke Li, Kenneth Heafield, Kevin Stone, Khalid El-Arini, Krithika Iyer, Kshitiz Malik, Kuenley Chiu, Kunal Bhalla, Lauren Rantala-Yeary, Laurens van der Maaten, Lawrence Chen, Liang Tan, Liz Jenkins, Louis Martin, Lovish Madaan, Lubo Malo, Lukas Blecher, Lukas Landzaat, Luke de Oliveira, Madeline Muzzi, Mahesh Pasupuleti, Mannat Singh, Manohar Paluri, Marcin Kardas, Mathew Oldham, Mathieu Rita, Maya Pavlova, Melanie Kambadur, Mike Lewis, Min Si, Mitesh Kumar Singh, Mona Hassan, Naman Goyal, Narjes Torabi, Nikolay Bashlykov, Nikolay Bogoychev, Niladri Chatterji, Olivier Duchenne, Onur Çelebi, Patrick Alrassy, Pengchuan Zhang, Pengwei Li, Petar Vasic, Peter Weng, Prajjwal Bhargava, Pratik Dubal, Praveen Krishnan, Punit Singh Koura, Puxin Xu, Qing He, Qingxiao Dong, Ragavan Srinivasan, Raj Ganapathy, Ramon Calderer, Ricardo Silveira Cabral, Robert Stojnic,

Roberta Raileanu, Rohit Girdhar, Rohit Patel, Romain Sauvestre, Ronnie Polidoro, Roshan Sumbaly, Ross Taylor, Ruan Silva, Rui Hou, Rui Wang, Saghar Hosseini, Sahana Chennabasappa, Sanjay Singh, Sean Bell, Seohyun Sonia Kim, Sergey Edunov, Shaoliang Nie, Sharan Narang, Sharath Rapparthi, Sheng Shen, Shengye Wan, Shruti Bhosale, Shun Zhang, Simon Vandenhende, Soumya Batra, Spencer Whitman, Sten Sootla, Stephane Collet, Suchin Gururangan, Sydney Borodinsky, Tamar Herman, Tara Fowler, Tarek Sheasha, Thomas Georgiou, Thomas Scialom, Tobias Speckbacher, Todor Mihaylov, Tong Xiao, Ujjwal Karn, Vedanuj Goswami, Vibhor Gupta, Vignesh Ramanathan, Viktor Kerkez, Vincent Gonguet, Virginie Do, Vish Vogeti, Vladan Petrovic, Weiwei Chu, Wenhan Xiong, Wenxin Fu, Whitney Meers, Xavier Martinet, Xiaodong Wang, Xiaoqing Ellen Tan, Xinfeng Xie, Xuchao Jia, Xuewei Wang, Yaelle Goldschlag, Yashesh Gaur, Yasmine Babaei, Yi Wen, Yiwen Song, Yuchen Zhang, Yue Li, Yuning Mao, Zacharie Delapierre Coudert, Zheng Yan, Zhengxing Chen, Zoe Papakipos, Aaditya Singh, Aaron Grattafiori, Abha Jain, Adam Kelsey, Adam Shajnfeld, Adithya Gangidi, Adolfo Victoria, Ahuva Goldstand, Ajay Menon, Ajay Sharma, Alex Boesenberg, Alex Vaughan, Alexei Baevski, Allie Feinstein, Amanda Kallet, Amit Sangani, Anam Yunus, Andrei Lupu, Andres Alvarado, Andrew Caples, Andrew Gu, Andrew Ho, Andrew Poulton, Andrew Ryan, Ankit Ramchandani, Annie Franco, Aparajita Saraf, Arkabandhu Chowdhury, Ashley Gabriel, Ashwin Bharambe, Assaf Eisenman, Azadeh Yazdan, Beau James, Ben Maurer, Benjamin Leonhardi, Bernie Huang, Beth Loyd, Beto De Paola, Bhargavi Paranjape, Bing Liu, Bo Wu, Boyu Ni, Braden Hancock, Bram Wasti, Brandon Spence, Brani Stojkovic, Brian Gamido, Britt Montalvo, Carl Parker, Carly Burton, Catalina Mejia, Changhan Wang, Changkyu Kim, Chao Zhou, Chester Hu, Ching-Hsiang Chu, Chris Cai, Chris Tindal, Christoph Feichtenhofer, Damon Civin, Dana Beaty, Daniel Kreymer, Daniel Li, Danny Wyatt, David Adkins, David Xu, Davide Testuggine, Delia David, Devi Parikh, Diana Liskovich, Didem Foss, Dingkan Wang, Duc Le, Dustin Holland, Edward Dowling, Eissa Jamil, Elaine Montgomery, Eleonora Presani, Emily Hahn, Emily Wood, Erik Brinkman, Esteban Arcaute, Evan Dunbar, Evan Smothers, Fei Sun, Felix Kreuk, Feng Tian, Firat Ozgenel, Francesco Caggioni, Francisco Guzmán, Frank Kanayet, Frank Seide, Gabriela Medina Florez, Gabriella Schwarz, Gada Badeer, Georgia Swee, Gil Halpern, Govind Thattai, Grant Herman, Grigory Sizov, Guangyi, Zhang, Guna Lakshminarayanan, Hamid Shojanazeri, Han Zou, Hannah Wang, Hanwen Zha, Haroun Habeeb, Harrison Rudolph, Helen Suk, Henry Aspegren, Hunter Goldman, Ibrahim Damlaj, Igor Molybog, Igor Tufanov, Irina-Elena Veliche, Itai Gat, Jake Weissman, James Geboski, James Kohli, Japhet Asher, Jean-Baptiste Gaya, Jeff Marcus, Jeff Tang, Jennifer Chan, Jenny Zhen, Jeremy Reizenstein, Jeremy Teboul, Jessica Zhong, Jian Jin, Jingyi Yang, Joe Cummings, Jon Carvill, Jon Shepard, Jonathan McPhie, Jonathan Torres, Josh Ginsburg, Junjie Wang, Kai Wu, Kam Hou

U, Karan Saxena, Karthik Prasad, Kartikay Khadkelwal, Katayoun Zand, Kathy Matosich, Kaushik Veeraraghavan, Kelly Michelena, Keqian Li, Kun Huang, Kunal Chawla, Kushal Lakhotia, Kyle Huang, Lailin Chen, Lakshya Garg, Lavender A, Leandro Silva, Lee Bell, Lei Zhang, Liangpeng Guo, Licheng Yu, Liron Moshkovich, Luca Wehrstedt, Madian Khabza, Manav Avalani, Manish Bhatt, Maria Tsim-poukelli, Martynas Mankus, Matan Hasson, Matthew Lennie, Matthias Reso, Maxim Groshev, Maxim Naumov, Maya Lathi, Meghan Keneally, Michael L. Seltzer, Michal Valko, Michelle Restrepo, Mihir Patel, Mik Vyatskov, Mikayel Samvelyan, Mike Clark, Mike Macey, Mike Wang, Miquel Jubert Hermoso, Mo Metanat, Mohammad Rastegari, Munish Bansal, Nandhini Santhanam, Natascha Parks, Natasha White, Navyata Bawa, Nayan Singhal, Nick Egebo, Nicolas Usunier, Nikolay Pavlovich Laptev, Ning Dong, Ning Zhang, Norman Cheng, Oleg Chernoguz, Olivia Hart, Omkar Salpekar, Ozlem Kalinli, Parkin Kent, Parth Parekh, Paul Saab, Pavan Balaji, Pedro Rittner, Philip Bontrager, Pierre Roux, Piotr Dollar, Polina Zvyagina, Prashant Ratan-chandani, Pritish Yuvraj, Qian Liang, Rachad Alao, Rachel Rodriguez, Rafi Ayub, Raghotham Murthy, Raghu Nayani, Rahul Mitra, Raymond Li, Rebekkah Hogan, Robin Battey, Rocky Wang, Rohan Maheswari, Russ Howes, Ruty Rinott, Sai Jayesh Bondu, Samyak Datta, Sara Chugh, Sara Hunt, Sargun Dhillon, Sasha Sidorov, Satadru Pan, Saurabh Verma, Seiji Yamamoto, Sharadh Ramaswamy, Shaun Lindsay, Shaun Lindsay, Sheng Feng, Shenghao Lin, Shengxin Cindy Zha, Shiva Shankar, Shuqiang Zhang, Shuqiang Zhang, Sinong Wang, Sneha Agarwal, Soji Sajuyigbe, Soumith Chintala, Stephanie Max, Stephen Chen, Steve Kehoe, Steve Satterfield, Sudarshan Govindaprasad, Sumit Gupta, Sungmin Cho, Sunny Virk, Suraj Subramanian, Sy Choudhury, Sydney Goldman, Tal Remez, Tamar Glaser, Tamara Best, Thilo Kohler, Thomas Robinson, Tianhe Li, Tianjun Zhang, Tim Matthews, Timothy Chou, Tzook Shaked, Varun Vontimitta, Victoria Ajayi, Victoria Montanez, Vijai Mohan, Vinay Satish Kumar, Vishal Mangla, Vitor Albiero, Vlad Ionescu, Vlad Poenaru, Vlad Tiberiu Mihailescu, Vladimir Ivanov, Wei Li, Wenchen Wang, Wenwen Jiang, Wes Bouaziz, Will Constable, Xiao Cheng Tang, Xiaofang Wang, Xiaojian Wu, Xiaolan Wang, Xide Xia, Xilun Wu, Xinbo Gao, Yanjun Chen, Ye Hu, Ye Jia, Ye Qi, Yenda Li, Yilin Zhang, Ying Zhang, Yossi Adi, Youngjin Nam, Yu, Wang, Yuchen Hao, Yundi Qian, Yuzi He, Zach Rait, Zachary DeVito, Zef Rosnbrick, Zhaoduo Wen, Zhenyu Yang, and Zhiwei Zhao. 2024. [The llama 3 herd of models](#). *Preprint*, arXiv:2407.21783.

Salijona Dyrnishi, Salah Ghamizi, and Maxime Cordy. 2023. [How do humans perceive adversarial text? a reality check on the validity and naturalness of word-based adversarial attacks](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8822–8836, Toronto, Canada. Association for Computational Linguistics.



- Steffen Eger and Yannik Benz. 2020. [From hero to zéro: A benchmark of low-level adversarial attacks](#). In *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing*, pages 786–803, Suzhou, China. Association for Computational Linguistics.
- Wee Chung Gan and Hwee Tou Ng. 2019. [Improving the robustness of question answering systems to question paraphrasing](#). In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 6065–6075, Florence, Italy. Association for Computational Linguistics.
- Dirk Groeneveld, Iz Beltagy, Evan Walsh, Akshita Bhagia, Rodney Kinney, Oyvind Tafjord, Ananya Jha, Hamish Ivison, Ian Magnusson, Yizhong Wang, Shane Arora, David Atkinson, Russell Authur, Khyathi Chandu, Arman Cohan, Jennifer Dumas, Yanai Elazar, Yuling Gu, Jack Hessel, Tushar Khot, William Merrill, Jacob Morrison, Niklas Muenighoff, Aakanksha Naik, Crystal Nam, Matthew Peters, Valentina Pyatkin, Abhilasha Ravichander, Dustin Schwenk, Saurabh Shah, William Smith, Emma Strubell, Nishant Subramani, Mitchell Wortsman, Pradeep Dasigi, Nathan Lambert, Kyle Richardson, Luke Zettlemoyer, Jesse Dodge, Kyle Lo, Luca Soldaini, Noah Smith, and Hannaneh Hajishirzi. 2024. [OLMo: Accelerating the science of language models](#). In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 15789–15809, Bangkok, Thailand. Association for Computational Linguistics.
- Pengcheng He, Xiaodong Liu, Jianfeng Gao, and Weizhu Chen. 2021. [{DEBERTA}: {DECODING}-{enhanced} {bert} {with} {disentangled} {attention}](#). In *International Conference on Learning Representations*.
- Dan Hendrycks, Kevin Zhao, Steven Basart, Jacob Steinhardt, and Dawn Song. 2021. Natural adversarial examples. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 15262–15271.
- Xanh Ho, Johannes Mario Meissner, Saku Sugawara, and Akiko Aizawa. 2023. [A survey on measuring and mitigating reasoning shortcuts in machine reading comprehension](#). *Preprint*, arXiv:2209.01824.
- Robin Jia and Percy Liang. 2017. [Adversarial examples for evaluating reading comprehension systems](#). In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, pages 2021–2031, Copenhagen, Denmark. Association for Computational Linguistics.
- Albert Q. Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, L  lio Renard Lavaud, Marie-Anne Lachaux, Pierre Stock, Teven Le Scao, Thibaut Lavril, Thomas Wang, Timoth  e Lacroix, and William El Sayed. 2023. [Mistral 7b](#). *Preprint*, arXiv:2310.06825.
- Yichen Jiang and Mohit Bansal. 2019. [Avoiding reasoning shortcuts: Adversarial evaluation, training, and model development for multi-hop QA](#). In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 2726–2736, Florence, Italy. Association for Computational Linguistics.
- Mandar Joshi, Danqi Chen, Yinhan Liu, Daniel S. Weld, Luke Zettlemoyer, and Omer Levy. 2020. [SpanBERT: Improving pre-training by representing and predicting spans](#). *Transactions of the Association for Computational Linguistics*, 8:64–77.
- Woosuk Kwon, Zhuohan Li, Siyuan Zhuang, Ying Sheng, Lianmin Zheng, Cody Hao Yu, Joseph Gonzalez, Hao Zhang, and Ion Stoica. 2023. [Efficient memory management for large language model serving with pagedattention](#). In *Proceedings of the 29th Symposium on Operating Systems Principles, SOSP ’23*, page 611–626, New York, NY, USA. Association for Computing Machinery.
- Yuxuan Lai, Chen Zhang, Yansong Feng, Quzhe Huang, and Dongyan Zhao. 2021. [Why machine reading comprehension models learn shortcuts?](#) In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 989–1002, Online. Association for Computational Linguistics.
- Zhenzhong Lan, Mingda Chen, Sebastian Goodman, Kevin Gimpel, Piyush Sharma, and Radu Soricut. 2020. [Albert: A lite bert for self-supervised learning of language representations](#). In *International Conference on Learning Representations*.
- Thai Le, Jooyoung Lee, Kevin Yen, Yifan Hu, and Dongwon Lee. 2022. [Perturbations in the wild: Leveraging human-written text perturbations for realistic adversarial attack and defense](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 2953–2965, Dublin, Ireland. Association for Computational Linguistics.
- Mosh Levy, Shauli Ravfogel, and Yoav Goldberg. 2023. [Guiding LLM to fool itself: Automatically manipulating machine reading comprehension shortcut triggers](#). In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 8495–8505, Singapore. Association for Computational Linguistics.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. [Roberta: A robustly optimized BERT pretraining approach](#). *CoRR*, abs/1907.11692.
- Edward Ma. 2019. [Nlp augmentation](#). <https://github.com/makcedward/nlpaug>.
- Aur  lien Max and Guillaume Wisniewski. 2010. [Mining naturally-occurring corrections and paraphrases](#)



from Wikipedia’s revision history. In *Proceedings of the Seventh International Conference on Language Resources and Evaluation (LREC’10)*, Valletta, Malta. European Language Resources Association (ELRA).

Gemma Team Thomas Mesnard, Cassidy Hardin, Robert Dadashi, Surya Bhupatiraju, Shreya Pathak, L. Sifre, Morgane Riviere, Mihir Kale, J Christopher Love, Pouya Dehghani Tafti, L’eonard Hussenot, Aakanksha Chowdhery, Adam Roberts, Aditya Barua, Alex Botev, Alex Castro-Ros, Ambrose Slone, Am’elie H’eliou, Andrea Tacchetti, Anna Bulanova, Antonia Paterson, Beth Tsai, Bobak Shahriari, Charline Le Lan, Christopher A. Choquette-Choo, Cl’ement Crepy, Daniel Cer, Daphne Ippolito, David Reid, Elena Buchatskaya, Eric Ni, Eric Noland, Geng Yan, George Tucker, George-Christian Muraru, Grigory Rozhdestvenskiy, Henryk Michalewski, Ian Tenney, Ivan Grishchenko, Jacob Austin, James Keeling, Jane Labanowski, Jean-Baptiste Lespiau, Jeff Stanway, Jenny Brennan, Jeremy Chen, Johan Ferret, Justin Chiu, Justin Mao-Jones, Katherine Lee, Kathy Yu, Katie Millican, Lars Lowe Sjoesund, Lisa Lee, Lucas Dixon, Machel Reid, Maciej Mikula, Mateo Wirth, Michael Sharman, Nikolai Chinaev, Nithum Thain, Olivier Bachem, Oscar Chang, Oscar Wahltinez, Paige Bailey, Paul Michel, Petko Yotov, Pier Giuseppe Sessa, Rahma Chaabouni, Ramona Comanescu, Reena Jana, Rohan Anil, Ross McIlroy, Ruibo Liu, Ryan Mullins, Samuel L Smith, Sebastian Borgeaud, Sertan Girgin, Sholto Douglas, Shree Pandya, Siamak Shakeri, Soham De, Ted Klimenko, Tom Hennigan, Vladimir Feinberg, Wojciech Stokowiec, Yu hui Chen, Zafarali Ahmed, Zhitao Gong, Tris Brian Warkentin, Ludovic Peran, Minh Giang, Cl’ement Farabet, Oriol Vinyals, Jeffrey Dean, Koray Kavukcuoglu, Demis Hassabis, Zoubin Ghahramani, Douglas Eck, Joelle Barral, Fernando Pereira, Eli Collins, Armand Joulin, Noah Fiedel, Evan Senter, Alek Andreev, and Kathleen Kenealy. 2024. [Gemma: Open models based on gemini research and technology](#). *ArXiv*, abs/2403.08295.

Aakanksha Naik, Abhilasha Ravichander, Norman Sadeh, Carolyn Rose, and Graham Neubig. 2018. [Stress test evaluation for natural language inference](#). In *Proceedings of the 27th International Conference on Computational Linguistics*, pages 2340–2353, Santa Fe, New Mexico, USA. Association for Computational Linguistics.

OpenAI, :, Aaron Hurst, Adam Lerer, Adam P. Goucher, Adam Perelman, Aditya Ramesh, Aidan Clark, AJ Ostrow, Akila Welihinda, Alan Hayes, Alec Radford, Aleksander Mądry, Alex Baker-Whitcomb, Alex Beutel, Alex Borzunov, Alex Carney, Alex Chow, Alex Kirillov, Alex Nichol, Alex Paino, Alex Renzin, Alex Tachard Passos, Alexander Kirillov, Alexi Christakis, Alexis Conneau, Ali Kamali, Allan Jabri, Allison Moyer, Allison Tam, Amadou Crookes, Amin Tootoochian, Amin Tootoonchian, Ananya Kumar, Andrea Vallone, Andrej Karpathy, Andrew Braunstein, Andrew Cann, Andrew Codisoti, An-

drew Galu, Andrew Kondrich, Andrew Tulloch, Andrey Mishchenko, Angela Baek, Angela Jiang, Antoine Pelisse, Antonia Woodford, Anuj Gosalia, Arka Dhar, Ashley Pantuliano, Avi Nayak, Avital Oliver, Barret Zoph, Behrooz Ghorbani, Ben Leimberger, Ben Rossen, Ben Sokolowsky, Ben Wang, Benjamin Zweig, Beth Hoover, Blake Samic, Bob McGrew, Bobby Spero, Bogo Giertler, Bowen Cheng, Brad Lightcap, Brandon Walkin, Brendan Quinn, Brian Guarraci, Brian Hsu, Bright Kellogg, Brydon Eastman, Camillo Lugaresi, Carroll Wainwright, Cary Bassin, Cary Hudson, Casey Chu, Chad Nelson, Chak Li, Chan Jun Shern, Channing Conger, Charlotte Barette, Chelsea Voss, Chen Ding, Cheng Lu, Chong Zhang, Chris Beaumont, Chris Hallacy, Chris Koch, Christian Gibson, Christina Kim, Christine Choi, Christine McLeavey, Christopher Hesse, Claudia Fischer, Clemens Winter, Coley Czarnecki, Colin Jarvis, Colin Wei, Constantin Koumouzelis, Dane Sherburn, Daniel Kappler, Daniel Levin, Daniel Levy, David Carr, David Farhi, David Mely, David Robinson, David Sasaki, Denny Jin, Dev Valladares, Dimitris Tsipras, Doug Li, Duc Phong Nguyen, Duncan Findlay, Edede Oiwoh, Edmund Wong, Ehsan Asdar, Elizabeth Proehl, Elizabeth Yang, Eric Antonow, Eric Kramer, Eric Peterson, Eric Sigler, Eric Wallace, Eugene Brevdo, Evan Mays, Farzad Khorasani, Felipe Petroski Such, Filippo Raso, Francis Zhang, Fred von Lohmann, Freddie Sulit, Gabriel Goh, Gene Oden, Geoff Salmon, Giulio Starace, Greg Brockman, Hadi Salman, Haiming Bao, Haitang Hu, Hannah Wong, Haoyu Wang, Heather Schmidt, Heather Whitney, Heewoo Jun, Hendrik Kirchner, Henrique Ponde de Oliveira Pinto, Hongyu Ren, Huiwen Chang, Hyung Won Chung, Ian Kivlichan, Ian O’Connell, Ian O’Connell, Ian Osband, Ian Silber, Ian Sohl, Ibrahim Okuyucu, Ikai Lan, Ilya Kostrikov, Ilya Sutskever, Ingmar Kanitscheider, Ishaan Gulrajani, Jacob Coxon, Jacob Menick, Jakub Pachocki, James Aung, James Betker, James Crooks, James Lennon, Jamie Kiros, Jan Leike, Jane Park, Jason Kwon, Jason Phang, Jason Teplitz, Jason Wei, Jason Wolfe, Jay Chen, Jeff Harris, Jenia Vavva, Jessica Gan Lee, Jessica Shieh, Ji Lin, Jiahui Yu, Jiayi Weng, Jie Tang, Jieqi Yu, Joanne Jang, Joaquin Quinonero Candela, Joe Beutler, Joe Landers, Joel Parish, Johannes Heidecke, John Schulman, Jonathan Lachman, Jonathan McKay, Jonathan Uesato, Jonathan Ward, Jong Wook Kim, Joost Huizinga, Jordan Sitkin, Jos Kraaijeveld, Josh Gross, Josh Kaplan, Josh Snyder, Joshua Achiam, Joy Jiao, Joyce Lee, Juntang Zhuang, Justyn Harriman, Kai Fricke, Kai Hayashi, Karan Singhal, Katy Shi, Kevin Karthik, Kayla Wood, Kendra Rimbach, Kenny Hsu, Kenny Nguyen, Keren Gu-Lemberg, Kevin Button, Kevin Liu, Kiel Howe, Krithika Muthukumar, Kyle Luther, Lama Ahmad, Larry Kai, Lauren Itow, Lauren Workman, Leher Pathak, Leo Chen, Li Jing, Lia Guy, Liam Fedus, Liang Zhou, Lien Mamitsuka, Lillian Weng, Lindsay McCallum, Lindsey Held, Long Ouyang, Louis Feuvrier, Lu Zhang, Lukas Kondraciuk, Lukasz Kaiser, Luke Hewitt, Luke Metz, Lyric Doshi, Mada Aflak, Maddie Simens, Madelaine Boyd, Madeleine Thompson, Marat Dukhan, Mark

1220	Chen, Mark Gray, Mark Hudnall, Marvin Zhang,	Chan, Che Chang, Fotis Chantzis, Derek Chen, Sully	1283
1221	Marwan Aljubeih, Mateusz Litwin, Matthew Zeng,	Chen, Ruby Chen, Jason Chen, Mark Chen, Ben	1284
1222	Max Johnson, Maya Shetty, Mayank Gupta, Meghan	Chess, Chester Cho, Casey Chu, Hyung Won Chung,	1285
1223	Shah, Mehmet Yatbaz, Meng Jia Yang, Mengchao	Dave Cummings, Jeremiah Currier, Yunxing Dai,	1286
1224	Zhong, Mia Glaese, Mianna Chen, Michael Jan-	Cory Decareaux, Thomas Degry, Noah Deutsch,	1287
1225	ner, Michael Lampe, Michael Petrov, Michael Wu,	Damien Deville, Arka Dhar, David Dohan, Steve	1288
1226	Michele Wang, Michelle Fradin, Michelle Pokrass,	Dowling, Sheila Dunning, Adrien Ecoffet, Atty Eleti,	1289
1227	Miguel Castro, Miguel Oom Temudo de Castro,	Tyna Eloundou, David Farhi, Liam Fedus, Niko Felix,	1290
1228	Mikhail Pavlov, Miles Brundage, Miles Wang, Mi-	Simón Posada Fishman, Juston Forte, Isabella Ful-	1291
1229	nal Khan, Mira Murati, Mo Bavarian, Molly Lin,	ford, Leo Gao, Elie Georges, Christian Gibson, Vik	1292
1230	Murat Yesildal, Nacho Soto, Natalia Gimelshein, Na-	Goel, Tarun Gogineni, Gabriel Goh, Rapha Gontijo-	1293
1231	talie Cone, Natalie Staudacher, Natalie Summers,	Lopes, Jonathan Gordon, Morgan Grafstein, Scott	1294
1232	Natan LaFontaine, Neil Chowdhury, Nick Ryder,	Gray, Ryan Greene, Joshua Gross, Shixiang Shane	1295
1233	Nick Stathas, Nick Turley, Nik Tezak, Niko Felix,	Gu, Yufei Guo, Chris Hallacy, Jesse Han, Jeff Harris,	1296
1234	Nithanth Kudige, Nitish Keskar, Noah Deutsch, Noel	Yuchen He, Mike Heaton, Johannes Heidecke, Chris	1297
1235	Bundick, Nora Puckett, Ofir Nachum, Ola Okelola,	Hesse, Alan Hickey, Wade Hickey, Peter Hoeschele,	1298
1236	Oleg Boiko, Oleg Murk, Oliver Jaffe, Olivia Watkins,	Brandon Houghton, Kenny Hsu, Shengli Hu, Xin	1299
1237	Olivier Godement, Owen Campbell-Moore, Patrick	Hu, Joost Huizinga, Shantanu Jain, Shawn Jain,	1300
1238	Chao, Paul McMillan, Pavel Belov, Peng Su, Pe-	Joanne Jang, Angela Jiang, Roger Jiang, Haozhun	1301
1239	ter Bak, Peter Bakkum, Peter Deng, Peter Dolan,	Jin, Denny Jin, Shino Jomoto, Billie Jonn, Hee-	1302
1240	Peter Hoeschele, Peter Welinder, Phil Tillet, Philip	woo Jun, Tomer Kaftan, Łukasz Kaiser, Ali Ka-	1303
1241	Pronin, Philippe Tillet, Prafulla Dhariwal, Qiming	mali, Ingmar Kanitscheider, Nitish Shirish Keskar,	1304
1242	Yuan, Rachel Dias, Rachel Lim, Rahul Arora, Ra-	Tabarak Khan, Logan Kilpatrick, Jong Wook Kim,	1305
1243	jan Troll, Randall Lin, Rapha Gontijo Lopes, Raul	Christina Kim, Yongjik Kim, Jan Hendrik Kirchn-	1306
1244	Puri, Reah Miyara, Reimar Leike, Renaud Gaubert,	er, Jamie Kiros, Matt Knight, Daniel Kokotajlo,	1307
1245	Reza Zamani, Ricky Wang, Rob Donnelly, Rob	Łukasz Kondraciuk, Andrew Kondrich, Aris Kon-	1308
1246	Honsby, Rocky Smith, Rohan Sahai, Rohit Ramchan-	stantinidis, Kyle Kosic, Gretchen Krueger, Vishal	1309
1247	dani, Romain Huet, Rory Carmichael, Rowan Zellers,	Kuo, Michael Lampe, Ikai Lan, Teddy Lee, Jan	1310
1248	Roy Chen, Ruby Chen, Ruslan Nigmatullin, Ryan	Leike, Jade Leung, Daniel Levy, Chak Ming Li,	1311
1249	Cheu, Saachi Jain, Sam Altman, Sam Schoenholz,	Rachel Lim, Molly Lin, Stephanie Lin, Mateusz	1312
1250	Sam Toizer, Samuel Miserendino, Sandhini Agar-	Litwin, Theresa Lopez, Ryan Lowe, Patricia Lue,	1313
1251	wal, Sara Culver, Scott Ethersmith, Scott Gray, Sean	Anna Makanju, Kim Malfacini, Sam Manning, Todor	1314
1252	Grove, Sean Metzger, Shamez Hermani, Shantanu	Markov, Yaniv Markovski, Bianca Martin, Katie	1315
1253	Jain, Shengjia Zhao, Sherwin Wu, Shino Jomoto, Shi-	Mayer, Andrew Mayne, Bob McGrew, Scott Mayer	1316
1254	rong Wu, Shuaiqi, Xia, Sonia Phene, Spencer Papay,	McKinney, Christine McLeavey, Paul McMillan,	1317
1255	Srinivas Narayanan, Steve Coffey, Steve Lee, Stew-	Jake McNeil, David Medina, Aalok Mehta, Jacob	1318
1256	art Hall, Suchir Balaji, Tal Broda, Tal Stramer, Tao	Menick, Luke Metz, Andrey Mishchenko, Pamela	1319
1257	Xu, Tarun Gogineni, Taya Christianson, Ted Sanders,	Mishkin, Vinnie Monaco, Evan Morikawa, Daniel	1320
1258	Tejal Patwardhan, Thomas Cunningham, Thomas	Mossing, Tong Mu, Mira Murati, Oleg Murk, David	1321
1259	Degry, Thomas Dimson, Thomas Raoux, Thomas	Mély, Ashvin Nair, Reiichiro Nakano, Rajeev Nayak,	1322
1260	Shadwell, Tianhao Zheng, Todd Underwood, Todor	Arvind Neelakantan, Richard Ngo, Hyeonwoo Noh,	1323
1261	Markov, Toki Sherbakov, Tom Rubin, Tom Stasi,	Long Ouyang, Cullen O’Keefe, Jakub Pachocki, Alex	1324
1262	Tomer Kaftan, Tristan Heywood, Troy Peterson, Tyce	Paino, Joe Palermo, Ashley Pantuliano, Giambat-	1325
1263	Walters, Tyna Eloundou, Valerie Qi, Veit Moeller,	tista Parascandolo, Joel Parish, Emy Parparita, Alex	1326
1264	Vinnie Monaco, Vishal Kuo, Vlad Fomenko, Wayne	Passos, Mikhail Pavlov, Andrew Peng, Adam Perel-	1327
1265	Chang, Weiye Zheng, Wenda Zhou, Wesam Manassra,	man, Filipe de Avila Belbute Peres, Michael Petrov,	1328
1266	Will Sheu, Wojciech Zaremba, Yash Patil, Yilei Qian,	Henrique Ponde de Oliveira Pinto, Michael, Poko-	1329
1267	Yongjik Kim, Youlong Cheng, Yu Zhang, Yuchen	rny, Michelle Pokrass, Vitchyr H. Pong, Tolly Pow-	1330
1268	He, Yuchen Zhang, Yujia Jin, Yunxing Dai, and	ell, Alethea Power, Boris Power, Elizabeth Proehl,	1331
1269	Yury Malkov. 2024a. <a href="#">Gpt-4o system card</a> . <i>Preprint</i> ,	Raul Puri, Alec Radford, Jack Rae, Aditya Ramesh,	1332
1270	arXiv:2410.21276.	Cameron Raymond, Francis Real, Kendra Rimbach,	1333
		Carl Ross, Bob Rotsted, Henri Roussez, Nick Ry-	1334
1271	OpenAI, Josh Achiam, Steven Adler, Sandhini Agarwal,	der, Mario Saltarelli, Ted Sanders, Shibani Santurkar,	1335
1272	Lama Ahmad, Ilge Akkaya, Florencia Leoni Ale-	Girish Sastry, Heather Schmidt, David Schnurr, John	1336
1273	man, Diogo Almeida, Janko Altmenschmidt, Sam Alt-	Schulman, Daniel Selsam, Kyla Sheppard, Toki	1337
1274	man, Shyamal Anadkat, Red Avila, Igor Babuschkin,	Sherbakov, Jessica Shieh, Sarah Shoker, Pranav	1338
1275	Suchir Balaji, Valerie Balcom, Paul Baltescu, Haim-	Shyam, Szymon Sidor, Eric Sigler, Maddie Simens,	1339
1276	ing Bao, Mohammad Bavarian, Jeff Belgium, Ir-	Jordan Sitkin, Katarina Slama, Ian Sohl, Benjamin	1340
1277	wan Bello, Jake Berdine, Gabriel Bernadett-Shapiro,	Sokolowsky, Yang Song, Natalie Staudacher, Fe-	1341
1278	Christopher Berner, Lenny Bogdonoff, Oleg Boiko,	lipe Petroski Such, Natalie Summers, Ilya Sutskever,	1342
1279	Madelaine Boyd, Anna-Luisa Brakman, Greg Brock-	Jie Tang, Nikolas Tezak, Madeleine B. Thompson,	1343
1280	man, Tim Brooks, Miles Brundage, Kevin Button,	Phil Tillet, Amin Tootoonchian, Elizabeth Tseng,	1344
1281	Trevor Cai, Rosie Campbell, Andrew Cann, Brittany	Preston Tuggle, Nick Turley, Jerry Tworek, Juan Fe-	1345
1282	Carey, Chelsea Carlson, Rory Carmichael, Brooke	lipe Cerón Uribe, Andrea Vallone, Arun Vijayvergiya,	1346

- Chelsea Voss, Carroll Wainwright, Justin Jay Wang, Alvin Wang, Ben Wang, Jonathan Ward, Jason Wei, CJ Weinmann, Akila Welihinda, Peter Welinder, Jiayi Weng, Lilian Weng, Matt Wiethoff, Dave Willner, Clemens Winter, Samuel Wolrich, Hannah Wong, Lauren Workman, Sherwin Wu, Jeff Wu, Michael Wu, Kai Xiao, Tao Xu, Sarah Yoo, Kevin Yu, Qiming Yuan, Wojciech Zaremba, Rowan Zellers, Chong Zhang, Marvin Zhang, Shengjia Zhao, Tianhao Zheng, Juntang Zhuang, William Zhuk, and Barret Zoph. 2024b. [Gpt-4 technical report](#). *Preprint*, arXiv:2303.08774.
- Ellie Pavlick, Pushpendre Rastogi, Juri Ganitkevitch, Benjamin Van Durme, and Chris Callison-Burch. 2015. [PPDB 2.0: Better paraphrase ranking, fine-grained entailment relations, word embeddings, and style classification](#). In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 2: Short Papers)*, pages 425–430, Beijing, China. Association for Computational Linguistics.
- Anibal Pedraza, Oscar Deniz, and Gloria Bueno. 2022. Really natural adversarial examples. *International Journal of Machine Learning and Cybernetics*, 13(4):1065–1077.
- Jeffrey Pennington, Richard Socher, and Christopher Manning. 2014. [GloVe: Global vectors for word representation](#). In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1532–1543, Doha, Qatar. Association for Computational Linguistics.
- Qwen, :, An Yang, Baosong Yang, Beichen Zhang, Binyuan Hui, Bo Zheng, Bowen Yu, Chengyuan Li, Dayiheng Liu, Fei Huang, Haoran Wei, Huan Lin, Jian Yang, Jianhong Tu, Jianwei Zhang, Jianxin Yang, Jiayi Yang, Jingren Zhou, Junyang Lin, Kai Dang, Keming Lu, Keqin Bao, Kexin Yang, Le Yu, Mei Li, Mingfeng Xue, Pei Zhang, Qin Zhu, Rui Men, Runji Lin, Tianhao Li, Tianyi Tang, Tingyu Xia, Xingzhang Ren, Xuancheng Ren, Yang Fan, Yang Su, Yichang Zhang, Yu Wan, Yuqiong Liu, Zeyu Cui, Zhenru Zhang, and Zihan Qiu. 2025. [Qwen2.5 technical report](#). *Preprint*, arXiv:2412.15115.
- Pranav Rajpurkar, Robin Jia, and Percy Liang. 2018. [Know what you don’t know: Unanswerable questions for SQuAD](#). In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 784–789, Melbourne, Australia. Association for Computational Linguistics.
- Pranav Rajpurkar, Jian Zhang, Konstantin Lopyrev, and Percy Liang. 2016. [SQuAD: 100,000+ questions for machine comprehension of text](#). In *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing*, pages 2383–2392, Austin, Texas. Association for Computational Linguistics.
- Marco Tulio Ribeiro, Sameer Singh, and Carlos Guestrin. 2018. [Semantically equivalent adversarial rules for debugging NLP models](#). In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 856–865, Melbourne, Australia. Association for Computational Linguistics.
- Gemma Team Morgane Riviere, Shreya Pathak, Pier Giuseppe Sessa, Cassidy Hardin, Surya Bhupatiraju, L’eonard Hussenot, Thomas Mesnard, Bobak Shahriari, Alexandre Ram’e, Johan Ferret, Peter Liu, Pouya Dehghani Tafti, Abe Friesen, Michelle Casbon, Sabela Ramos, Ravin Kumar, Charline Le Lan, Sammy Jerome, Anton Tsitsulin, Nino Vieillard, Piotr Stańczyk, Sertan Girgin, Nikola Momchev, Matt Hoffman, Shantanu Thakoor, Jean-Bastien Grill, Behnam Neyshabur, Alanna Walton, Aliaksei Severyn, Alicia Parrish, Aliya Ahmad, Allen Hutchison, Alvin Abdagic, Amanda Carl, Amy Shen, Andy Brock, Andy Coenen, Anthony Laforge, Antonia Patterson, Ben Bastian, Bilal Piot, Boxi Wu, Brandon Royal, Charlie Chen, Chintu Kumar, Chris Perry, Christopher A. Welty, Christopher A. Choquette-Choo, Danila Sinopalnikov, David Weinberger, Dimple Vijaykumar, Dominika Rogozińska, D. Herblison, Elisa Bandy, Emma Wang, Eric Noland, Erica Moreira, Evan Senter, Evgenii Eltyshev, Francesco Visin, Gabriel Rasskin, Gary Wei, Glenn Cameron, Gus Martins, Hadi Hashemi, Hanna Klimczak-Plucińska, Harleen Batra, Harsh Dhand, Ivan Nardini, Jacinda Mein, Jack Zhou, James Svensson, Jeff Stanway, Jetha Chan, Jin Zhou, Joana Carasqueira, Joana Iljazi, Jocelyn Becker, Joe Fernandez, Joost R. van Amersfoort, Josh Gordon, Josh Lipschultz, Joshua Newlan, Junsong Ji, Kareem Mohamed, Kartikeya Badola, Kat Black, Katie Millican, Keelin McDonell, Kelvin Nguyen, Kiranbir Sodhia, Kish Greene, Lars Lowe Sjoesund, Lauren Usui, L. Sifre, Lena Heuermann, Leticia Lago, Lilly McNealus, Livio Baldini Soares, Logan Kilpatrick, Lucas Dixon, Luciano Martins, Machel Reid, Manvinder Singh, Mark Iverson, Martin Gorner, Mat Velloso, Mateo Wirth, Matt Davidow, Matt Miller, Matthew Rahtz, Matthew Watson, Meg Risdal, Mehran Kazemi, Michael Moynihan, Ming Zhang, Minsuk Kahng, Minwoo Park, Mofi Rahman, Mohit Khatwani, Natalie Dao, Nenshad Bardoliwalla, Nesh Devanathan, Neta Dumai, Nilay Chauhan, Oscar Wahltinez, Pankil Botarda, Parker Barnes, Paul Barham, Paul Michel, Peng chong Jin, Petko Georgiev, Phil Culliton, Pradeep Kupala, Ramona Comanescu, Ramona Merhej, Reena Jana, Reza Ardeshtir Rokni, Rishabh Agarwal, Ryan Mullins, Samanah Saadat, Sara Mc Carthy, Sarah Perrin, S’ebastien M. R. Arnold, Sebastian Krause, Shengyang Dai, Shruti Garg, Shruti Sheth, Sue Ronstrom, Susan Chan, Timothy Jordan, Ting Yu, Tom Eccles, Tom Hennigan, Tomás Kociský, Tulsee Doshi, Vihan Jain, Vikas Yadav, Vilobh Meshram, Vishal Dharmadhikari, Warren Barkley, Wei Wei, Wenming Ye, Woohyun Han, Woosuk Kwon, Xiang Xu, Zhe Shen, Zhitao Gong, Zichuan Wei, Victor Cotruta, Phoebe Kirk, Anand Rao, Minh Gi-



- ang, Ludovic Peran, Tris Warkentin, Eli Collins, Joelle Barral, Zoubin Ghahramani, Raia Hadsell, D. Sculley, Jeanine Banks, Anca Dragan, Slav Petrov, Oriol Vinyals, Jeffrey Dean, Demis Hassabis, Koray Kavukcuoglu, Clément Farabet, Elena Buchatskaya, Sebastian Borgeaud, Noah Fiedel, Armand Joulin, Kathleen Kenealy, Robert Dadashi, and Alek Andreev. 2024. [Gemma 2: Improving open language models at a practical size](#). *ArXiv*, abs/2408.00118.
- Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. 2019. [DistilBERT, a distilled version of BERT: smaller, faster, cheaper and lighter](#). In *5th Workshop on Energy Efficient Machine Learning and Cognitive Computing @ NeurIPS 2019*.
- Viktor Schlegel, Goran Nenadic, and Riza Batista-Navarro. 2021. [Semantics altering modifications for evaluating comprehension in machine reading](#). *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(15):13762–13770.
- Viktor Schlegel, Goran Nenadic, and Riza Batista-Navarro. 2023. [A survey of methods for revealing and overcoming weaknesses of data-driven natural language understanding](#). *Natural Language Engineering*, 29(1):1–31.
- Viktor Schlegel, Marco Valentino, Andre Freitas, Goran Nenadic, and Riza Batista-Navarro. 2020. [A framework for evaluation of machine reading comprehension gold standards](#). In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 5359–5369, Marseille, France. European Language Resources Association.
- Chenglei Si, Ziqing Yang, Yiming Cui, Wentao Ma, Ting Liu, and Shijin Wang. 2021. [Benchmarking robustness of machine reading comprehension models](#). In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 634–644, Online. Association for Computational Linguistics.
- Samson Tan and Shafiq Joty. 2021. [Code-mixing on sesame street: Dawn of the adversarial polyglots](#). In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 3596–3616, Online. Association for Computational Linguistics.
- Samson Tan, Shafiq Joty, Min-Yen Kan, and Richard Socher. 2020. [It’s morphin’ time! Combating linguistic discrimination with inflectional perturbations](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 2920–2935, Online. Association for Computational Linguistics.
- Falcon-LLM Team. 2024. [The falcon 3 family of open models](#).
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajwal Bhargava, Shruti Bhosale, Dan Bikel, Lukas Blecher, Cristian Canton Ferrer, Moya Chen, Guillem Cucurull, David Esiobu, Jude Fernandes, Jeremy Fu, Wenyin Fu, Brian Fuller, Cynthia Gao, Vedanuj Goswami, Naman Goyal, Anthony Hartshorn, Saghar Hosseini, Rui Hou, Hakan Inan, Marcin Kardas, Viktor Kerkez, Madian Khabsa, Isabel Kloumann, Artem Korenev, Punit Singh Koura, Marie-Anne Lachaux, Thibaut Lavril, Jenya Lee, Diana Liskovich, Yinghai Lu, Yuning Mao, Xavier Martinet, Todor Mihaylov, Pushkar Mishra, Igor Molybog, Yixin Nie, Andrew Poulton, Jeremy Reizenstein, Rashi Rungta, Kalyan Saladi, Alan Schelten, Ruan Silva, Eric Michael Smith, Ranjan Subramanian, Xiaoqing Ellen Tan, Binh Tang, Ross Taylor, Adina Williams, Jian Xiang Kuan, Puxin Xu, Zheng Yan, Iliyan Zarov, Yuchen Zhang, Angela Fan, Melanie Kambadur, Sharan Narang, Aurelien Rodriguez, Robert Stojnic, Sergey Edunov, and Thomas Scialom. 2023. [Llama 2: Open foundation and fine-tuned chat models](#). *Preprint*, arXiv:2307.09288.
- Son Quoc Tran, Phong Nguyen-Thuan Do, Uyen Le, and Matt Kretchmar. 2023. [The impacts of unanswerable questions on the robustness of machine reading comprehension models](#). In *Proceedings of the 17th Conference of the European Chapter of the Association for Computational Linguistics*, pages 1543–1557, Dubrovnik, Croatia. Association for Computational Linguistics.
- Jason Wei, Maarten Bosma, Vincent Zhao, Kelvin Guu, Adams Wei Yu, Brian Lester, Nan Du, Andrew M. Dai, and Quoc V Le. 2022. [Finetuned language models are zero-shot learners](#). In *International Conference on Learning Representations*.
- Johannes Welbl, Pasquale Minervini, Max Bartolo, Pontus Stenetorp, and Sebastian Riedel. 2020. [Under-sensitivity in neural reading comprehension](#). In *Findings of the Association for Computational Linguistics: EMNLP 2020*, pages 1152–1165, Online. Association for Computational Linguistics.
- Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Remi Louf, Morgan Funtowicz, Joe Davison, Sam Shleifer, Patrick von Platen, Clara Ma, Yacine Jernite, Julien Plu, Canwen Xu, Teven Le Scao, Sylvain Gugger, Mariama Drame, Quentin Lhoest, and Alexander Rush. 2020. [Transformers: State-of-the-art natural language processing](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, pages 38–45, Online. Association for Computational Linguistics.
- Winston Wu, Dustin Arendt, and Svitlana Volkova. 2021. [Evaluating neural model robustness for machine comprehension](#). In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 2470–2481, Online. Association for Computational Linguistics.
- Yulong Wu, Viktor Schlegel, and Riza Batista-Navarro. 2023. [Are machine reading comprehension systems](#)



robust to context paraphrasing? In *Proceedings of the 13th International Joint Conference on Natural Language Processing and the 3rd Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 184–196, Nusa Dua, Bali. Association for Computational Linguistics.

Jun Yan, Yang Xiao, Sagnik Mukherjee, Bill Yuchen Lin, Robin Jia, and Xiang Ren. 2022. [On the robustness of reading comprehension models to entity renaming](#). In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 508–520, Seattle, United States. Association for Computational Linguistics.

Diyi Yang, Aaron Halfaker, Robert Kraut, and Eduard Hovy. 2017. [Identifying semantic edit intentions from revisions in Wikipedia](#). In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, pages 2000–2010, Copenhagen, Denmark. Association for Computational Linguistics.

Zhilin Yang, Peng Qi, Saizheng Zhang, Yoshua Bengio, William Cohen, Ruslan Salakhutdinov, and Christopher D. Manning. 2018. [HotpotQA: A dataset for diverse, explainable multi-hop question answering](#). In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 2369–2380, Brussels, Belgium. Association for Computational Linguistics.

Torsten Zesch. 2012. [Measuring contextual fitness using error contexts extracted from the Wikipedia revision history](#). In *Proceedings of the 13th Conference of the European Chapter of the Association for Computational Linguistics*, pages 529–538, Avignon, France. Association for Computational Linguistics.

## A Encoder-only Model Parameters and Hyperparameters for Fine-tuning

Table 5 shows the hyperparameters used to fine-tune the pre-trained encoder-only MRC models in this work and their number of parameters contained.

## B Instruction Templates for Flan-T5 Evaluation

In Table 6, we present the instruction templates employed in constructing the inputs to the Flan-T5 model for the SQUAD 1.1 format and SQUAD 2.0 format test sets, respectively.

## C MRC Prompts

We use the following zero-shot prompts to instruct the decoder-only models to generate responses in the task of MRC.

Model <sub>Parameters(M)</sub>	d	b	lr	ep
DistilBERT <sub>(66)</sub>	384	8	3e − 5	3
BERT <sub>(110/340)</sub>	384	8	3e − 5	2
SpanBERT <sub>(110/340)</sub>	512	4	2e − 5	4
RoBERTa <sub>(125/355)</sub>	384	8	3e − 5	2
ALBERT <sub>(11/17/223)</sub>	384	4	3e − 5	2
DeBERTa <sub>(350)</sub>	384	4	3e − 6	3

Table 5: Number of parameters in each type of pre-trained encoder-only MRC model and the hyperparameters used to fine-tune them. For BERT, SpanBERT, RoBERTa and ALBERT, we show the number of model parameters in the order of *base*, *large* and *xxlarge* (if applicable) version. d is the size of the token sequence fed into the model, b is the training batch size, lr is the learning rate, and ep is the number of training epochs. We used stride = 128 for documents longer than d tokens.

**SQUAD 1.1 & TyDi QA & D(BiDAF) & D(BERT) & D(ROBERTA):** Use the provided article delimited by triple quotes to answer question. Provide only the shortest continuous span from the context without any additional explanation. \n\n“““{context}”””\n\nQuestion: {question}

**SQUAD 2.0:** Use the provided article delimited by triple quotes to answer question. Provide only the shortest continuous span from the context without any additional explanation. If the question is unanswerable, return “unanswerable”. \n\n“““{context}”””\n\nQuestion: {question}

**DROP & HOTPOTQA:** Use the provided article delimited by triple quotes to answer question. Provide only the answer without any additional explanation. \n\n“““{context}”””\n\nQuestion: {question}

**BOOLQ:** Use the provided article delimited by triple quotes to answer question. Return only TRUE or FALSE. \n\n“““{context}”””\n\nQuestion: {question}

## D Indicators of Unanswerable

We manually identify a set of phrases contained in the output of LLMs that indicate the unanswerability of the question, including “I cannot answer this/the question”, “unanswerable”, “There is no indication in the provided article”, “The context provided does not provide enough information”,

SQUAD 1.1	
1	“Read this and answer the question\n\n{context}\n\n{question}”
2	“{context}\n\n{question}”
3	“Answer a question about this article:\n\n{context}\n\n{question}”
4	“Here is a question about this article: {context}\n\nWhat is the answer to this question: {question}”
5	“Article: {context}\n\nQuestion: {question}”
6	“Article: {context}\n\nNow answer this question: {question}”
SQUAD 2.0	
1	“Read this and answer the question. If the question is unanswerable, say “unanswerable”.\n\n{context}\n\n{question}”
2	“{context}\n\n{question} (If the question is unanswerable, say “unanswerable”)”
3	“{context}\n\nTry to answer this question if possible (otherwise reply “unanswerable”): {question}”
4	“{context}\n\nIf it is possible to answer this question, answer it for me (else, reply “unanswerable”): {question}”
5	“{context}\n\nAnswer this question, if possible (if impossible, reply “unanswerable”): {question}”
6	“Read this: {context}\n\nNow answer this question, if there is an answer (If it cannot be answered, return “unanswerable”): {question}”

Table 6: Various instruction templates for Flan-T5 model evaluation.

“There is no reference in the given article”, “The answer to the question is not provided in the given article”, “it is not possible”, “question cannot be answered” and “context/question/article/text/article provided/passage does not”.

## E Impact of the Complete Set of Perturbed Instances on Encoder-Decoder and Decoder-Only Architectures

We supplement Table 1 in Section 5.1 with additional experiments on Flan-T5 and some SOTA LLMs such as Gemma 2 (Riviere et al., 2024) and Llama 3.2, to study the effect of all perturbed instances on these two architecture types (in addition to the encoder-only one). The results are presented

in Table 7. From Table 7, we can see that similar to encoder-only models, Flan-T5 and LLMs generally exhibit varying degrees of performance degradation under natural perturbations, but also exhibit considerable robustness.

Victim	SQUAD 1.1	SQUAD 2.0
flan-t5-small	−0.69	−0.64
flan-t5-base	−0.91	−1.32
flan-t5-large	−0.77	−1.13
flan-t5-xl	−0.98	−1.37
Gemma 2-2b-IT	—	−0.76
Gemma 2-9b-IT	−0.89	−0.92
Llama-3.1-8B-Instruct	−0.38	0.39
Llama-3.2-3B-Instruct	−0.96	−0.37
Mistral-7B-Instruct-v0.2	0.39	−1.28
Falcon-7B-Instruct	−0.88	−5.38
Falcon-40B-Instruct	−0.80	—

Table 7: Performance change (%) for Flan-T5 and LLMs subjecting to natural perturbations.

We then measure the transferability of adversarial examples across all the evaluated model architectures and observe that these models share similar error patterns, with LLMs (especially Falcon) showing moderate differences. However, the lowest transferability metric is still as high as 0.86.

## F Human Annotation Instructions

In Figure 5, we show the instructions given to human annotators for error analysis (Section 5.2) and adversarial validity checking (Section 5.3), respectively. All our human annotators are university students in the United Kingdom and China. Before commencing each task, we ask the annotators to annotate some examples and report the average time spent on each. As compensation, annotators receive 40 pence for each annotated example.

## G Demonstration of Perturbed MRC Examples for Encoder-only Models

Figure 6 illustrates a naturally perturbed MRC instance each for categories C2W, C2C, and W2C, with the annotated perturbation type(s).

## H Process of Adversarial Validity Verification

We first present two human annotators with the same collection of adversarial instances, which includes only perturbed contexts and their corresponding questions, and then ask them to answer the question based on the perturbed context. The

Error Analysis
<p>You will be presented with pairs of reading contexts and their modified versions. The task is to compare each context and its modified version, observe the changes made and classify them into one or more of the semantic edit intention categories detailed below:</p> <ul style="list-style-type: none"> <li>• <i>Copy Editing</i>: Rephrase; improve grammar, spelling, tone, or punctuation</li> <li>• <i>Clarification</i>: Specify or explain an existing fact or meaning by example or discussion without adding new information</li> <li>• <i>Elaboration</i>: Extend/add new content; insert a fact or new meaningful assertion</li> <li>• <i>Fact Update</i>: Update numbers, dates, scores, episodes, status, etc. based on newly available information</li> <li>• <i>Refactoring</i>: Restructure the article; move and rewrite content, without changing the meaning of it</li> <li>• <i>Simplification</i>: Reduce the complexity or breadth of discussion; may remove information</li> <li>• <i>Vandalism</i>: Deliberately attempt to damage the article</li> <li>• <i>Other</i>: None of the above</li> </ul> <p>We will use your annotation to calculate the percentage of each edit category.</p>
Adversarial Validity Checking
<p>Please read each provided context carefully and answer a corresponding question. Select the shortest continuous span from the context as your answer. If you believe a question cannot be answered, leave the answer blank. Your answer will be compared with the ground truth answers, and the result will only be used to decide the human answerability of the question.</p>

Figure 5: Instructions for the two distinct human annotation tasks. In the error analysis task, the eight semantic edit intentions are adopted from (Yang et al., 2017).

annotators are required to select the shortest continuous span in the perturbed context that answers

the question and are allowed to leave the answer blank if they are confident that the question is not answerable. Full instructions given to the annotators can be seen in Appendix F. Subsequently, for both annotators, we measure the correctness (1 or 0) of their provided answers by comparing each of them with the corresponding ground truth answers<sup>8</sup>. The inter-annotator agreement is then measured by computing the Cohen’s  $\kappa$  coefficient (Cohen, 1960). We then involve a third human annotator to annotate the adversarial examples on which the first two annotators disagree and then take the majority label as ground truth.

## I Exhaustive Search Algorithm for Challenging Test Set Construction

We propose an exhaustive search algorithm that leverages the predictions of all encoder-only models to create the challenging natural perturbed test set. In detailed terms, for each matched reading passage from the prior version and its counterpart from the current version, we determine which should be designated as the *original* and which as the *perturbed* based on which scenario can yield the questions on which the maximum sum of the number of encoder-only models demonstrates the lack of robustness phenomenon<sup>9</sup>. To be specific:

Given a matched reading passage (  $P$  ) from the prior version, its counterpart (  $P'$  ) from the current version, and the associated questions:

**First Scenario:** We treat (  $P$  ) as the original passage and (  $P'$  ) as the perturbed one. We then evaluate, for each associated question, how many encoder-only models demonstrate the lack of robustness phenomenon, i.e., succeed on (  $P$  ) but fail on (  $P'$  ). We finally obtain the total number of models that demonstrate the lack of robustness phenomenon across all questions, denoted as (  $N$  ). Questions on which none of the models demonstrate the lack of robustness phenomenon are removed, leaving (  $Q$  ) questions.

**Second Scenario:** We treat (  $P'$  ) as the original passage and (  $P$  ) as the perturbed one. We then repeat the same evaluation process as described in the first scenario and obtain the total number of models demonstrating the lack of robustness phenomenon

<sup>8</sup>Here, as long as one of the ground truth answers is included in the human-provided answer span, we consider the prediction to be correct.

<sup>9</sup>We define A model as lacking robustness to the perturbation if it achieves 1 EM on the original question but attains less than 0.4 F1 on the perturbed one (for answerable questions).

<p><b>Category: C2W</b></p> <p><b>Original Paragraph:</b> <i>Jacksonville, like most large cities in the United States, suffered from negative effects of rapid urban sprawl after World War II. The construction of highways led residents to move to newer housing in the suburbs. After World War II, the government of the city of Jacksonville began to increase spending to fund new public building projects in the boom that occurred after the war. [...]</i></p> <p><b>Perturbed Paragraph:</b> <i>Jacksonville, like most large cities in the United States, suffered from negative effects of rapid urban sprawl after World War V. The construction of highways led residents to move to newer housing in the suburbs. After World War II, the government of the city of Jacksonville began to increase spending to fund new public building projects in the boom that occurred after the war. [...]</i></p> <p><b>Question:</b> What did Jacksonville suffer from following World War I?</p> <p><b>Prediction of distilbert-base and spanbert-large-cased:</b> <span>unanswerable</span>→<span>rapid urban sprawl</span></p> <p><b>Annotated Natural Perturbation Type:</b> Vandalism</p>
<p><b>Category: C2C</b></p> <p><b>Original Paragraph:</b> <i>Construction projects can suffer from preventable financial problems. Underbids happen when builders ask for too little money to complete the project. Cash flow problems exist when the present amount of funding cannot cover the current costs for labour and materials, and because they are a matter of having sufficient funds at a specific time, can arise even when the overall total is enough. Fraud is a problem in many fields, but is notoriously prevalent in the construction field. Financial planning for the project is intended to ensure that a solid plan with adequate safeguards and contingency plans are in place before the project is started and is required to ensure that the plan is properly executed over the life of the project.</i></p> <p><b>Perturbed Paragraph:</b> <i>Financial planning ensures adequate safeguards and contingency plans are in place before the project is started, and ensures that the plan is properly executed over the life of the project. Construction projects can suffer from preventable financial problems. Underbids happen when builders ask for too little money to complete the project. Cash flow problems exist when the present amount of funding cannot cover the current costs for labour and materials; such problems may arise even when the overall budget is adequate, presenting a temporary issue. Fraud is also an occasional construction issue.</i></p> <p><b>Question:</b> What can construction projects suffer from?</p> <p><b>Prediction of all encoder-only models:</b> <span>preventable financial problems</span>→<span>preventable financial problems</span></p> <p><b>Annotated Natural Perturbation Type:</b> Copy Editing; Refactoring; Simplification</p>
<p><b>Category: W2C</b></p> <p><b>Original Paragraph:</b> <i>[...] The antigens expressed by tumors have several sources; some are derived from oncogenic viruses like human papillomavirus, which causes cervical cancer, while others are the organism's own proteins that occur at low levels in normal cells but reach high levels in tumor cells. [...] A third possible source of tumor antigens are proteins normally important for regulating cell growth and survival, that commonly mutate into cancer inducing molecules called oncogenes.</i></p> <p><b>Perturbed Paragraph:</b> <i>[...] The antigens expressed by tumors have several sources; some are derived from oncogenic viruses like human papillomavirus, which causes cancer of the cervix, vulva, vagina, penis, anus, mouth, and throat, while others are the organism's own proteins that occur at low levels in normal cells but reach high levels in tumor cells. [...] A third possible source of tumor antigens are proteins normally important for regulating cell growth and survival, that commonly mutate into cancer inducing molecules called oncogenes.</i></p> <p><b>Question:</b> What is a fourth possible source for tumor antigens?</p> <p><b>Prediction of bert-base-uncased:</b> <span>proteins normally important for regulating cell growth and survival</span>→<span>unanswerable</span></p> <p><b>Annotated Natural Perturbation Type:</b> Elaboration</p>

Figure 6: Natural perturbed MRC example in C2W, C2C and W2C categories.



across all questions, denoted as  $(N')$ . Questions on which none of the models demonstrate the lack of robustness phenomenon are removed as well, leaving  $(Q')$  questions.

If  $(N > N')$ , we consider  $(P)$  as the original passage and  $(P')$  as the perturbed version.

If  $(N < N')$ , we consider  $(P')$  as the original and  $(P)$  as the perturbed.

If  $(N = N')$ , we compare  $(Q)$  and  $(Q')$ :

- If  $(Q > Q')$ , we consider  $(P)$  as the original passage and  $(P')$  as the perturbed version.
- If  $(Q < Q')$ , we consider  $(P')$  as the original and  $(P)$  as the perturbed.
- If  $(Q = Q')$ , the order does not matter, and we randomly decide which one should be the original and which should be the perturbed.

We finally process the identified original and perturbed passage pairs to ensure that the original passages are within the original SQUAD 1.1 development set. For those original passages with multiple occurrences, we select the one with the maximum number of questions reserved.

## J Natural Adversarial Samples for LLMs

We demonstrate two naturally perturbed reading comprehension examples that pose challenges for LLMs in Figure 7.

## K Synthetic Perturbation Methods

Table 8 presents the synthetic perturbation methods used in this study.

We employ methods including WSplit, WSynSub and WInsert (WE) to each sentence in the original reading passage, and then recombine the modified sentences to generate the perturbed version. Conversely, other perturbation approaches are directly executed on the entire paragraph, as implementing them at the sentence-level might result in perturbed text that is even difficult for humans to read and comprehend (Si et al., 2021). The implementation of all character-level and word-level methods is carried out using the NLPAug library (Ma, 2019). Moreover, we set the perturbation rate to 30%, in line with the default settings within the NLPAug library.

## L Impact of Synthetic Adversarial Training

Figure 8 describes the impact of synthetic adversarial training (for deberta-large) on handling natural and synthetic perturbations.

<p><b>NAT_V1_CHALLENGE</b></p> <p><b>Original Paragraph:</b> <i>In business, notable alumni include Microsoft CEO Satya Nadella, Oracle Corporation founder and the third richest man in America Larry Ellison, Goldman Sachs and MF Global CEO as well as former Governor of New Jersey Jon Corzine, McKinsey &amp; Company founder and author of the first management accounting textbook James O. McKinsey, Arley D. Cathey, Bloomberg L.P. CEO Daniel Doctoroff, Credit Suisse CEO Brady Dougan, Morningstar, Inc. founder and CEO Joe Mansueto, Chicago Cubs owner and chairman Thomas S. Ricketts, and NBA commissioner Adam Silver.</i></p> <p><b>Perturbed Paragraph:</b> <i>In business, notable alumni include Microsoft CEO Satya Nadella, Oracle Corporation founder and the third richest man in America Larry Ellison, Goldman Sachs and MF Global CEO as well as former Governor of New Jersey Jon Corzine, McKinsey &amp; Company founder and author of the first management accounting textbook James O. McKinsey, co-founder of the Blackstone Group Peter G. Peterson, co-founder of AQR Capital Management Cliff Asness, founder of Dimensional Fund Advisors David Booth, founder of The Carlyle Group David Rubenstein, Lazard CEO Ken Jacobs, entrepreneur David O. Sacks, CEO of TPG Group and former COO of Goldman Sachs Jon Winkelreid, former COO of Goldman Sachs Andrew Alper, billionaire investor and founder of Oaktree Capital Management Howard Marks, Bloomberg L.P. CEO Daniel Doctoroff, Credit Suisse CEO Brady Dougan, Morningstar, Inc. founder and CEO Joe Mansueto, Chicago Cubs owner and chairman Thomas S. Ricketts, and NBA commissioner Adam Silver.</i></p> <p><b>Question:</b> What Goldman Sachs CEO is also an alumni of the University of Chicago?</p> <p><b>Prediction of GPT-3.5-turbo-0125 and Llama-3-8B-Instruct:</b> Jon Corzine→Jon Winkelreid</p> <p><b>Prediction of Falcon-40B-Instruct:</b> Jon Corzine→David Rubenstein, co-founder of The Carlyle Group, is also an alumnus of the University of Chicago.</p>
<p><b>NAT_V2_CHALLENGE</b></p> <p><b>Original Paragraph:</b> <i>Each chapter has a number of authors who are responsible for writing and editing the material. A chapter typically has two "coordinating lead authors", ten to fifteen "lead authors", and a somewhat larger number of "contributing authors". The coordinating lead authors are responsible for assembling the contributions of the other authors, ensuring that they meet stylistic and formatting requirements, and reporting to the Working Group chairs. Lead authors are responsible for writing sections of chapters. Contributing authors prepare text, graphs or data for inclusion by the lead authors.</i></p> <p><b>Perturbed Paragraph:</b> <i>Each chapter has a number of authors to write and edit the material. A typical chapter has two coordinating lead authors, ten to fifteen lead authors and a larger number of contributing authors. The coordinating lead authors assemble the contributions of the other authors. They ensure that contributions meet stylistic and formatting requirements. They report to the Working Group co-chairs. Lead authors write sections of chapters. They invite contributing authors to prepare text, graphs or data for inclusion.</i></p> <p><b>Question:</b> Who has the responsibility for publishing materials?</p> <p><b>Prediction of Mistral-7B-Instruct-v0.2:</b> Unanswerable. The text does not mention any responsibility related to publishing materials.→The coordinating lead authors are responsible for publishing materials in the given context.</p>

Figure 7: Natural perturbed MRC examples that confuse LLMs.

Method	Description
<i>character-level</i>	
CharOCR	Replace characters with Optical Character Recognition (OCR) errors.
CharInsert	Inject new characters randomly.
CharSubstitute	Substitute original characters randomly.
CharSwapMid	Swap adjacent characters within words randomly, excluding the first and last character.
CharSwapRand	Swap characters randomly without constraint.
<i>word-level</i>	
WInsert (CWE)	Insert new words to random position according to contextual word embeddings calculation from RoBERTa-base (Liu et al., 2019).
WSubstitute (CWE)	Substitute words according to contextual word embeddings calculation from RoBERTa-base (Liu et al., 2019).
WSplit	Split words to two tokens randomly.
WSwap	Swap adjacent words randomly.
WDelete	Delete words randomly.
WCrop	Remove a set of continuous word randomly.
Word Synonym Substitution (WSynSub)	Substitute words with synonyms from large size English PPDB (Pavlick et al., 2015).
WInsert (WE)	Insert new words to random position according to GloVe (Pennington et al., 2014) word embeddings calculation (we use <i>glove.6B.300d.txt</i> ).

Table 8: Various synthetic perturbation approaches.




Figure 8: Absolute changes in original and perturbed performance (F1), as well as the robustness of deberta-large under natural and various synthetic noises, following retraining with each synthetic perturbation. The upper row and the bottom row illustrate the results on the SQUAD 1.1 and SQUAD 2.0 format test sets, respectively.